MATERIAL SAFETY DATA SHEET **DB3647 NEUTRAL**

Version Number 1.5 Revision Date 06/25/2008 Page 1 of 6 Print Date <u>1/4/2012</u>

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone:Emergency telephone:	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	DB3647 NEUTRAL
Product code	:	FO20006566
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure: : Inhalation, Skin contact, Ingestion	
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES

PolyOne.

MATERIAL SAFETY DATA SHEET **DB3647 NEUTRAL**

ion Number 1.5 sion Date 06/25/2008	Page 2 Print Date 1/4/2
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 No data available No data available Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize

PolyOne.

MATERIAL SAFETY DATA SHEET **DB3647 NEUTRAL**

sion Date 06/25/2008			Page 3 Print Date 1/4/	
	accumulation of th	nese materials.		
Storage	· Keen containers di	ry and tightly closed to avoi	id moisture absorption	
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.			
8. EXI	POSURE CONTROLS/P	PERSONAL PROTECTIO	DN	
Respiratory protection	: No personal respiratory protective equipment normally required.			
Eye/Face Protection	: Safety glasses with side-shields			
Hand protection	: Protective gloves			
Skin and body protection	: Long sleeved clothing			
Additional Protective Measures	: Safety shoes			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
-				
Exposure limit(s)				
	appropriate exhaus	st ventilation at machinery.		
Exposure limit(s) There are no known hazardou	appropriate exhaus	st ventilation at machinery. latory thresholds in this pro		
Exposure limit(s) There are no known hazardou	appropriate exhaus	st ventilation at machinery. latory thresholds in this pro		
Exposure limit(s) There are no known hazardou 9. Form Appearance	appropriate exhaus us components above regul PHYSICAL AND CHEI : liquid : Viscous, liquid	st ventilation at machinery. latory thresholds in this pro MICAL PROPERTIES Evaporation rate Specific Gravity	duct. : Not established : Not determined	
Exposure limit(s) There are no known hazardou 9. Form Appearance Color	appropriate exhaus us components above regul PHYSICAL AND CHE : liquid : Viscous, liquid : NO PIGMENT	st ventilation at machinery. latory thresholds in this pro MICAL PROPERTIES Evaporation rate Specific Gravity Bulk density	duct. : Not established : Not determined : Not applicable	
Exposure limit(s) There are no known hazardou 9. Form Appearance Color Odour	appropriate exhaus is components above regul PHYSICAL AND CHEN : liquid : Viscous, liquid : NO PIGMENT : Very faint	st ventilation at machinery. latory thresholds in this pro MICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure	duct. : Not established : Not determined : Not applicable : Not determined	
Exposure limit(s) There are no known hazardou 9. Form Appearance Color Odour Melting point/range	appropriate exhaus as components above regul PHYSICAL AND CHEN : liquid : Viscous, liquid : NO PIGMENT : Very faint : Not applicable	st ventilation at machinery. latory thresholds in this pro MICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density	duct. : Not established : Not determined : Not applicable : Not determined : Not determined	
Exposure limit(s) There are no known hazardou 9. Form Appearance Color Odour Melting point/range Boiling Point:	appropriate exhaus as components above regul PHYSICAL AND CHEN : liquid : Viscous, liquid : NO PIGMENT : Very faint : Not applicable : Not applicable	st ventilation at machinery. latory thresholds in this pro MICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure	duct. : Not established : Not determined : Not applicable : Not determined	
Exposure limit(s) There are no known hazardou 9. Form Appearance Color Odour Melting point/range	appropriate exhaus as components above regul PHYSICAL AND CHEN : liquid : Viscous, liquid : NO PIGMENT : Very faint : Not applicable	st ventilation at machinery. latory thresholds in this pro MICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density	duct. : Not established : Not determined : Not applicable : Not determined : Not determined	
Exposure limit(s) There are no known hazardou 9. Form Appearance Color Odour Melting point/range Boiling Point:	appropriate exhaus as components above regul PHYSICAL AND CHEN : liquid : Viscous, liquid : NO PIGMENT : Very faint : Not applicable : Not applicable	st ventilation at machinery. latory thresholds in this pro MICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	duct. : Not established : Not determined : Not applicable : Not determined : Not determined	
Exposure limit(s) There are no known hazardou 9. Form Appearance Color Odour Melting point/range Boiling Point:	appropriate exhaus as components above regul PHYSICAL AND CHEN : liquid : Viscous, liquid : NO PIGMENT : Very faint : Not applicable : Not applicable : Immiscible	st ventilation at machinery. latory thresholds in this pro MICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	duct. : Not established : Not determined : Not applicable : Not determined : Not determined	
Exposure limit(s) There are no known hazardou 9. Form Appearance Color Odour Melting point/range Boiling Point: Water solubility	appropriate exhaus as components above regul PHYSICAL AND CHEN : liquid : Viscous, liquid : NO PIGMENT : Very faint : Not applicable : Not applicable : Immiscible 10. STABILITY AN	st ventilation at machinery. latory thresholds in this pro MICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	duct. : Not established : Not determined : Not applicable : Not determined : Not determined	
Exposure limit(s) There are no known hazardou 9. Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability	appropriate exhaus as components above regul PHYSICAL AND CHEN : liquid : Viscous, liquid : NO PIGMENT : Very faint : Not applicable : Not applicable : Immiscible 10. STABILITY AN : Stable. : Will not occur.	st ventilation at machinery. latory thresholds in this pro MICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH DREACTIVITY	duct. : Not established : Not determined : Not applicable : Not determined : Not determined : Not applicable	

PolyOne.

MATERIAL SAFETY DATA SHEET **DB3647 NEUTRAL**

Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
	(NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to or after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).
	1. TOXICOLOGICAL INFORMATION
There are no known hazardous	omponents above regulatory thresholds in this product.
	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Environmental toxicity has not been established for this mixture a whole.
Bioaccumulation Potential	: No data available
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product Contaminated packaging	 Where possible recycling is preferred to disposal or incineration. generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification,
	transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.

PolvOne

MATERIAL SAFETY DATA SHEET DB3647 NEUTRAL

Version Number 1.5 Revision Date 06/25/2008 Page 5 of 6 Print Date 1/4/2012

TSCA Status All components of this product are listed on or exempt from the : TSCA Inventory.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

CAS-No.	Weight %	NPRI ID#
0-31-7	0.10 - 1.00	241

WHMIS Classification	:	Not controlled.
----------------------	---	-----------------

DSL

All components of this product are on the Canadian Domestic : Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Not determined
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

PolyOne

MATERIAL SAFETY DATA SHEET **DB3647 NEUTRAL**

Version Number 1.5 Revision Date 06/25/2008 Page 6 of 6 Print Date 1/4/2012

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.