# MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29393 RED

Version Number 1.0 Revision Date 11/14/2003

Page 1 of 6 Print Date 11/12/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE HCC-29393 RED
Product code	:	FO20006843
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

## MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29393 RED

Version Number 1.0 Revision Date 11/14/2003 Page 2 of 6 Print Date 11/12/2011

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation : Move to fresh air in case of accidental inhalation of fun overheating or combustion. When symptoms persist or doubt seek medical advice.	
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>No data available</li> <li>No data available</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged

PolyOne.

# MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29393 RED

Version Number 1.0 Revision Date 11/14/2003 Page 3 of 6 Print Date 11/12/2011

Storage

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

heating may result in product degradation.

Respiratory protection	:	Under normal handling conditions a respirator may not be required.	
Eye/Face Protection	:	Safety glasses with side-shields.	
Hand protection	:	Protective gloves.	
Skin and body protection	:	Long sleeved clothing.	
Additional Protective Measures	:	Safety shoes.	
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.	
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.	

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1

Form	: liquid	Evaporation rate	: Not established
Appearance	: liquid, Viscous liquid dispersion	Specific Gravity	: Not determined
Color	: RED	Bulk density	: Not applicable
Odor	: Very faint	Vapor pressure	: Not determined
Melting point/range	: Not applicable	Vapour density	: Heavier than air.
Boiling Point:	: Not applicable	pН	: Not determined
Water solubility	: Immiscible		
	10. STABILITY AND	REACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from oxid	lizing agents and open fl	lame. To avoid thermal

PolyOne.

# MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29393 RED

Version Number 1.0 Revision Date 11/14/2003 Page 4 of 6 Print Date 11/12/2011

Incompatible Materials	: Incompatible	with strong soids and	ovidizing agents		
Incompatible Materials					
Hazardous decomposition products: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.					
	11. TOXICOLOG	GICAL INFORMATIO	ON		
health data for the individual Toxicity Overview	components which co	omprise the mixture.	ure effects listed are based on exi- have the following characteristic		
CAS-No.	Chemical Name	Effect	Target Organ		
	nium dioxide	Systemic effects	Respiratory system.		
		CAL INFORMATION	J		
	12, ECOLOGIO	JAL INFORMATION	1		
Persistence and degradability	: Not readily b	iodegradable.			
Environmental Toxicity	: Environment whole.	: Environmental toxicity has not been established for this mixture as a whole.			
Bioaccumulation Potential	: No data avail	No data available			
Additional advice	: No data avail	able			
	13. DISPOSAL	CONSIDERATIONS	9		
Product	generator of classification	waste material has the r	d to disposal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.		
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14. TRANSPO	<b>RT INFORMATION</b>			
U.S. DOT Classification	: Refer to spec	ific regulation.			
ICAO/IATA (air)	1	8			

PolyOne.

# MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29393 RED

Version Number 1.0 Revision Date 11/14/2003 Page 5 of 6 Print Date 11/12/2011

	15. REGULATORY	INFORMATION		
US Regulations:				
OSHA Status	: Classified as haza	rdous based on compo	nents.	
TSCA Status	: All components o Inventory.	All components of this product are listed on or exempt from the TSCA Inventory.		
US. EPA CERCLA Hazardous	Substances (40 CFR 30	2)		
Not applicable				
California Proposition 65	California to cause	e cancer., WARNING! o the State of Californi	emical known to the State of This product contains a a to cause birth defects or	
SADA Title III Section 202 Ext	tremely Hazardous Subs	stance		
SARA THE III SECTOR 502 EX	lienery mazardous buo	stance		
Not applicable		stance		
Not applicable		sance		
		CAS-No.	Weight %	
Not applicable SARA Title III Section 313 To:	xic Chemicals:		Weight % 15.49	
Not applicable SARA Title III Section 313 To: Chemical Name BARIUM COMPOUN Canadian Regulations:	xic Chemicals: DS [EXCEPT BASO4]	CAS-No.		
Not applicable SARA Title III Section 313 To: Chemical Name	xic Chemicals: DS [EXCEPT BASO4]	CAS-No.		
Not applicable SARA Title III Section 313 To: Chemical Name BARIUM COMPOUN Canadian Regulations: National Pollutant Relea	xic Chemicals: DS [EXCEPT BASO4]	CAS-No.		
Not applicable SARA Title III Section 313 To: Chemical Name BARIUM COMPOUN Canadian Regulations: National Pollutant Relea Not applicable	xic Chemicals: DS [EXCEPT BASO4] use Inventory (NPRI) : D2B : All components of	CAS-No.	15.49	
Not applicable SARA Title III Section 313 To: Chemical Name BARIUM COMPOUN Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification	xic Chemicals: DS [EXCEPT BASO4] use Inventory (NPRI) : D2B : All components of	CAS-No. 7585-41-3	15.49	
Not applicable SARA Title III Section 313 To: Chemical Name BARIUM COMPOUNI Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification DSL	xic Chemicals: DS [EXCEPT BASO4] use Inventory (NPRI) : D2B : All components of	CAS-No. 7585-41-3	15.49	
Not applicable SARA Title III Section 313 To: Chemical Name BARIUM COMPOUNT Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification DSL National Inventories:	xic Chemicals: DS [EXCEPT BASO4] ase Inventory (NPRI) : D2B : All components of Substances List (I	CAS-No. 7585-41-3	15.49	

Page 6 of 6 Print Date 11/12/2011
ΠΟΝ
he best of our knowledge, information and belief only as a guidance for safe handling, use, ot to be considered a warranty or quality al designated and may not be valid for such /or in any particular process or processing

l