

MATERIAL SAFETY DATA SHEET M3170 NEUTRAL

Version Number 1.0 Revision Date 11/24/2003

Page 1 of 6 Print Date 11/12/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY TELEPHONE	:	Product Stewardship (314) 771-1800
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	M3170 NEUTRAL
Product code	:	FO20006895
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion	
Acute exposure		
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.	
Ingestion	: May be harmful if swallowed.	
Eyes	: May cause eye/skin irritation.	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	



MATERIAL SAFETY DATA SHEET M3170 NEUTRAL

Version Number 1.0 Revision Date 11/24/2003 Page 2 of 6 Print Date 11/12/2011

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 No data available No data available Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxide: of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE



MATERIAL SAFETY DATA SHEET M3170 NEUTRAL

sion Date 11/24/2003				Print [Page 3 Date 11/12/
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials.			idue.	
Storage	 Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place. 				
8. F	EXPOSURE	CONTROLS / PER	SONAL PR	OTECTION	
Respiratory protection	: U	nder normal handling	g conditions a	respirator may not	be required.
Eye/Face Protection	: S	afety glasses with sid	le-shields.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		andle in accordance Vash hands before bre			safety practic
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				Provide
Exposure limit(s)					
Exposure limit(s) Components	Value	Exposure tim	ne	Exposure type	List:
	Value 5 mg/m3	Exposure tim PEL:		Exposure type espirable fraction.	
Components					OSHA Z
Components	5 mg/m3 15 mg/m3	PEL:	R	espirable fraction. Total dust.	OSHA Z
Components	5 mg/m3 15 mg/m3 9. PHYSIC : liquid	PEL: PEL: CAL AND CHEMIC	CAL PROPE Evaporatic	espirable fraction. Total dust. RTIES on rate : No	OSHA Z
Components Calcium carbonate Form Appearance	5 mg/m3 15 mg/m3 9. PHYSIC : liquid : Visco	PEL: PEL: CAL AND CHEMIC d ous, liquid	CAL PROPE Evaporatic Specific G	espirable fraction. Total dust. RTIES on rate : No ravity : No	OSHA Z OSHA Z t established t determined
Components Calcium carbonate Form Appearance Color	5 mg/m3 15 mg/m3 9. PHYSIC : liquid : Visco : NOT	PEL: PEL: CAL AND CHEMIC d ous, liquid APPLICABLE	CAL PROPE Evaporatio Specific G Bulk densi	espirable fraction. Total dust. RTIES on rate : No ravity : No ty : No	OSHA Z OSHA Z t established t determined t applicable
Components Calcium carbonate Form Appearance Color Odor	5 mg/m3 15 mg/m3 9. PHYSIC : liquid : Visco : NOT : Very	PEL: PEL: CAL AND CHEMIC d ous, liquid ' APPLICABLE faint	CAL PROPE Evaporatic Specific G Bulk densi Vapor pres	espirable fraction. Total dust. RTIES on rate : No ravity : No ty : No ssure : No	OSHA Z OSHA Z t established t determined t applicable t determined
Components Calcium carbonate Calcium carbonate	5 mg/m3 15 mg/m3 9. PHYSIC : liquid : Visco : NOT : Very : Not a	PEL: PEL: CAL AND CHEMIC d ous, liquid ' APPLICABLE faint applicable	CAL PROPE Evaporatio Specific G Bulk densi Vapor pres Vapour de	espirable fraction. Total dust. RTIES on rate : No ravity : No ty : No ssure : No nsity : No	OSHA Z OSHA Z t established t determined t applicable t determined t determined
Components Calcium carbonate Calcium carbonate	5 mg/m3 15 mg/m3 9. PHYSIC : liquid : Visco : NOT : Very : Not a : Not a	PEL: PEL: CAL AND CHEMIC d ous, liquid CAPPLICABLE faint applicable applicable	CAL PROPE Evaporatic Specific G Bulk densi Vapor pres	espirable fraction. Total dust. RTIES on rate : No ravity : No ty : No ssure : No nsity : No	OSHA Z OSHA Z t established t determined t applicable t determined
Components Calcium carbonate Calcium carbonate	5 mg/m3 15 mg/m3 9. PHYSIC : liquid : Visco : NOT : Very : Not a	PEL: PEL: CAL AND CHEMIC d ous, liquid CAPPLICABLE faint applicable applicable	CAL PROPE Evaporatio Specific G Bulk densi Vapor pres Vapour de	espirable fraction. Total dust. RTIES on rate : No ravity : No ty : No ssure : No nsity : No	OSHA Z OSHA Z t established t determined t applicable t determined t determined
Components Calcium carbonate Calcium carbonate	5 mg/m3 15 mg/m3 9. PHYSIC : liquid : Visco : NOT : Very : Not a : Inmi	PEL: PEL: CAL AND CHEMIC d ous, liquid CAPPLICABLE faint applicable applicable	CAL PROPE Evaporatic Specific G Bulk densi Vapor pres Vapour de pH	espirable fraction. Total dust. RTIES on rate : No ravity : No ty : No ssure : No nsity : No : No	OSHA Z OSHA Z t established t determined t applicable t determined t determined
Components Calcium carbonate Calcium carbonate	5 mg/m3 15 mg/m3 9. PHYSIC : liquid : Visco : NOT : Very : Not a : Immi 10. S	PEL: PEL: CAL AND CHEMIC d ous, liquid r APPLICABLE faint applicable iscible	CAL PROPE Evaporatic Specific G Bulk densi Vapor pres Vapour de pH	espirable fraction. Total dust. RTIES on rate : No ravity : No ty : No ssure : No nsity : No : No	OSHA Z OSHA Z t established t determined t applicable t determined t determined
Components Calcium carbonate Calcium carbonate	5 mg/m3 15 mg/m3 9. PHYSIC : liquid : Visco : NOT : Very : Not a : Not a : Immi 10. S	PEL: PEL: CAL AND CHEMIC d ous, liquid bapplicable faint applicable iscible STABILITY AND R	CAL PROPE Evaporatio Specific G Bulk densi Vapor pres Vapour de pH	espirable fraction. Total dust. RTIES on rate : No ravity : No ty : No ssure : No nsity : No : No	OSHA Z OSHA Z t established t determined t determined t determined



MATERIAL SAFETY DATA SHEET M3170 NEUTRAL

Version Number 1.0 Revision Date 11/24/2003		Page 4 of 6 Print Date 11/12/2011
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents. Avoid contact with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).
	11. 7	TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ		
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.		
		Systemic effects	Eyes, Skin, Respiratory system		
	12. ECOLO	GICAL INFORMATION	N		
Persistence and degradab	ility : Not readil	y biodegradable.			
Environmental Toxicity	: Environme whole.	: Environmental toxicity has not been established for this mixture as a whole.			
Bioaccumulation Potentia	al : No data av	No data available			
Additional advice	: No data av	No data available			
	13. DISPOSA	AL CONSIDERATIONS	5		
Product	generator classificati				
Contaminated packaging	has the res and dispos	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
	14. TRANS	egulations.			



MATERIAL SAFETY DATA SHEET M3170 NEUTRAL

ision Date 11/24/2003		Page 5 Print Date 11/12/2
U.S. DOT Classification		Pofer to specific regulation
	•	Refer to specific regulation.
ICAO/IATA (air)	:	Refer to specific regulation.
IMO / IMDG (maritime)	:	Refer to specific regulation.
	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	us Subs	stances (40 CFR 302)
Not applicable		
California Propositior 65	1 :	WARNING! This product contains a chemical known to the State of California to cause cancer.
		California to cause cancer.
65		California to cause cancer.
65 SARA Title III Section 302 E	Extreme	California to cause cancer. ely Hazardous Substance
65 SARA Title III Section 302 E Not applicable	Extreme	California to cause cancer. ely Hazardous Substance
65 SARA Title III Section 302 E Not applicable SARA Title III Section 313 T Not applicable	Extreme Foxic C	California to cause cancer. ely Hazardous Substance Chemicals:
65 SARA Title III Section 302 E Not applicable SARA Title III Section 313 T Not applicable Canadian Regulations:	Extreme Foxic C	California to cause cancer. ely Hazardous Substance Chemicals:
65 SARA Title III Section 302 E Not applicable SARA Title III Section 313 T Not applicable Canadian Regulations: National Pollutant Rel	Extreme Foxic C lease Ir	California to cause cancer. ely Hazardous Substance Chemicals:
65 SARA Title III Section 302 E Not applicable SARA Title III Section 313 T Not applicable Canadian Regulations: National Pollutant Rel Not applicable	Extreme Foxic C lease Ir	California to cause cancer. ely Hazardous Substance Chemicals:
65 SARA Title III Section 302 E Not applicable SARA Title III Section 313 T Not applicable Canadian Regulations: National Pollutant Rel Not applicable WHMIS Classificatio	Extreme Foxic C lease Ir	California to cause cancer. ely Hazardous Substance Chemicals: nventory (NPRI) D2B All components of this product are on the Canadian Domestic
65 SARA Title III Section 302 E Not applicable SARA Title III Section 313 T Not applicable Canadian Regulations: National Pollutant Rel Not applicable WHMIS Classificatio DSL	Extreme Foxic C lease Ir	California to cause cancer. ely Hazardous Substance Chemicals: nventory (NPRI) D2B All components of this product are on the Canadian Domestic



MATERIAL SAFETY DATA SHEET M3170 NEUTRAL

Version Number 1.0 Revision Date 11/24/2003

Page 6 of 6 Print Date 11/12/2011

Europe EINECS	: Not determined
Japan ENCS	: Not determined
Korea KECI	: Listed
Philippines PICCS	: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.