PolvOne

# MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27201 BRONZE

Version Number 1.1 Revision Date 02/14/2007 Page 1 of 7 Print Date 11/26/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

| Telephone<br>Emergency telephone<br>number | : | Product Stewardship (770) 590-3500 x.3563<br>CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure<br>or accident). |
|--|---|--|
| Product name                               | : | STAN-TONE HCC-27201 BRONZE   |
| Product code                               | : | FO20007066   |
| Chemical Name                              | : | Mixture  |
| CAS-No.                                    | : | Mixture  |
| Product Use                                | : | Industrial Applications  |

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

| Components       | CAS-No.    | Weight % |
|------------------|------------|----------|
| Carbon black     | 1333-86-4  | 1 - 5    |
| Iron oxide       | 1309-37-1  | 1 - 5    |
| Titanium dioxide | 13463-67-7 | 5 - 10   |

### 3. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

| <b>Routes of Exposure:</b> | : Inhalation, Skin contact, Ingestion  |
|----------------------------|--|
| Acute exposure             |  |
| Inhalation                 | : Inhalation of airborne droplets may cause irritation of the respiratory tract. |
| Ingestion                  | : May be harmful if swallowed.   |
| Eyes                       | : May cause eye/skin irritation.   |
| Skin                       | : Experience shows no unusual dermatitis hazard from routine handling.           |
| Chronic exposure           | : Refer to Section 11 for Toxicological Information.                             |

PolyOne

# MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27201 BRONZE

Version Number 1.1 Revision Date 02/14/2007 Page 2 of 7 Print Date 11/26/2011

| Medical Conditions<br>Aggravated by Exposure:  | : None known.  |
|--|--|
|  | 4. FIRST AID MEASURES  |
| Inhalation   | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.  |
| Ingestion  | : Do not induce vomiting without medical advice. Seek medical attention if necessary.  |
| Eyes   | : Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.   |
| Skin   | : Wash off with soap and plenty of water. If skin irritation persists see medical attention.   |
|  | 5. FIRE-FIGHTING MEASURES  |
| Flash point  | : No data available  |
| Flammable Limits<br>Upper explosion limit<br>Lower explosion limit<br>Autoignition temperature<br>Suitable extinguishing media<br>Special Fire Fighting<br>Procedures<br>Unusual Fire/Explosion<br>Hazards | <ul> <li>No data available</li> <li>No data available</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul> |
|  | 6. ACCIDENTAL RELEASE MEASURES   |
| Personal precautions   | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.   |
| Environmental precautions  | : The product should not be allowed to enter drains, water courses or th soil. Should not be released into the environment.  |
| Methods for cleaning up  | : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder<br>universal binder, sawdust). Package all material in appropriate<br>container for disposal. Refer to Section 13 of this MSDS for proper<br>disposal methods.   |
|  | 7. HANDLING AND STORAGE  |
| Handling   | : Heat only in areas with appropriate exhaust ventilation. Prolonged   |

PolyOne.

# MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27201 BRONZE

Version Number 1.1 Revision Date 02/14/2007 Page 3 of 7 Print Date 11/26/2011

| Storage                           | :    | heating may result in product degradation.<br>Keep containers dry and tightly closed to avoid moisture absorption<br>and contamination. Store in a cool dry place. |
|-----------------------------------|------|--|
| 8. EXP0                           | OSUI | RE CONTROLS / PERSONAL PROTECTION  |
| Respiratory protection            | :    | Under normal handling conditions a respirator may not be required.   |
| Eye/Face Protection               | :    | Safety glasses with side-shields.  |
| Hand protection                   | :    | Protective gloves.   |
| Skin and body protection          | :    | Long sleeved clothing.   |
| Additional Protective<br>Measures | :    | Safety shoes.  |
| General Hygiene<br>Considerations | :    | Handle in accordance with good industrial hygiene and safety practice.<br>Wash hands before breaks and at the end of workday.                                      |
| Engineering measures              | :    | Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.   |

Exposure limit(s)

| Components       | Value     | Exposure time                     | Exposure type                  | List:   |
|------------------|-----------|-----------------------------------|--------------------------------|---------|
| Carbon black     | 3.5 mg/m3 | Time Weighted Average (TWA):      | Total dust. as carbon<br>black | ACGIH   |
|                  | 3.5 mg/m3 | PEL:                              | Total dust. as carbon<br>black | OSHA Z1 |
| Iron oxide       | 5 mg/m3   | Time Weighted Average (TWA):      | as Fe                          | MX OEL  |
|                  | 10 mg/m3  | Short Term Exposure Limit (STEL): | as Fe                          | MX OEL  |
|                  | 5 mg/m3   | Time Weighted Average (TWA):      | Respirable fraction.           | ACGIH   |
| Titanium dioxide | 10 mg/m3  | Time Weighted Average (TWA):      |                                | ACGIH   |
|                  | 15 mg/m3  | PEL:                              | Total dust.                    | OSHA Z1 |
|                  | 20 mg/m3  | Short Term Exposure Limit (STEL): | as Ti                          | MX OEL  |

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance : liquid
: liquid, Viscous liquid dispersion
: BROWN

Evaporation rate Specific Gravity: Bulk density : Not established : Not determined

: Not applicable

Color

3/7

# MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27201 BRONZE

Version Number 1.1 Revision Date 02/14/2007 Page 4 of 7 Print Date 11/26/2011

| Odor<br>Melting point/range<br>Boiling Point:<br>Water solubility | <ul><li>Very faint</li><li>Not applicable</li><li>Not applicable</li><li>Immiscible</li></ul> | Vapor pressure<br>Vapour density<br>pH   | <ul><li>Not determined</li><li>Heavier than air.</li><li>Not determined</li></ul> |
|---|---|--|---|
|   | 10. STABILITY AN  | ND REACTIVITY  |   |
| Stability   | : Stable.   |  |   |
| Hazardous Polymerization  | : Will not occur.   |  |   |
| Conditions to avoid   | : Keep away from o decomposition, do  | oxidizing agents and open for a not overheat.  | flame. To avoid thermal   |
| Incompatible Materials  | : Incompatible with   | n strong acids and oxidizing   | g agents.   |
| Hazardous decomposition products                                  |   | CO2), carbon monoxide (Control of the control of th |   |

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No.    | Chemical Name    | Effect           | Target Organ              |
|------------|------------------|------------------|---------------------------|
| 1333-86-4  | Carbon black     | Systemic effects | Eyes, Respiratory system. |
| 1309-37-1  | Iron oxide       | Systemic effects | Respiratory system.       |
| 13463-67-7 | Titanium dioxide | Systemic effects | Respiratory system.       |

#### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

| CAS-No.   | Chemical Name | Route       | Value         | Species |
|-----------|---------------|-------------|---------------|---------|
| 1333-86-4 | Carbon black  | Oral LD50   | >15,400 mg/kg | rat     |
|           |               | Dermal LD50 | > 3 gm/kg     | rabbit  |

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

| CAS-No.    | Chemical Name    | OSHA | IARC | NTP |
|------------|------------------|------|------|-----|
| 13463-67-7 | Titanium dioxide | no   | 2B   | no  |

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

# MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27201 BRONZE

Version Number 1.1 Revision Date 02/14/2007

Page 5 of 7 Print Date 11/26/2011

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

#### Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). The IARC 2B listing only pertains to airborne, unbound carbon black particles of respirable size. Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

|                               | 12. ECOLOGICAL INFORMATION  |
|-------------------------------|---|
| Persistence and degradability | : Not readily biodegradable.  |
| Environmental Toxicity        | : Environmental toxicity has not been established for this mixture as a whole.  |
| Bioaccumulation Potential     | : No data available   |
| Additional advice             | : No data available   |
|                               | 13. DISPOSAL CONSIDERATIONS   |
| Product                       | : Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| Contaminated packaging        | : Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.                               |
|                               | 14. TRANSPORT INFORMATION   |
| U.S. DOT Classification       | : Refer to specific regulation.   |
|                               |   |
| ICAO/IATA (air)               | : Refer to specific regulation.   |
|                               |   |

# MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27201 BRONZE

Version Number 1.1 Revision Date 02/14/2007

Page 6 of 7 Print Date 11/26/2011

| 15. REGULATORY INFORMATION |
|----------------------------|
|----------------------------|

US Regulations:

: Classified as hazardous based on components.

TSCA Status

**OSHA Status** 

All components of this product are listed on or exempt from the TSCA Inventory.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

:

Not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

÷

Not applicable

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

| CAS-No.   |  |
|-----------|--|
| 1333-86-4 |  |
| 1309-37-1 |  |

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

PolyOne

## MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27201 BRONZE

Version Number 1.1 Revision Date 02/14/2007 Page 7 of 7 Print Date 11/26/2011

| Australia AICS    | : Listed         |
|-------------------|------------------|
| China IECS        | : Listed         |
| Europe EINECS     | : Listed         |
| Japan ENCS        | : Not determined |
| Korea KECI        | : Listed         |
| Philippines PICCS | : Listed         |

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.