

### MATERIAL SAFETY DATA SHEET

### MB2302 CLEAR

Version Number 1.0 Revision Date 01/06/2004 Page 1 of 6 Print Date *11/13/2011* 

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103

NON-EMERGENCY	:	Product Stewardship (314) 771-1800	
TELEPHONE Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	MB2302 CLEAR	
Product code	:	FO20007139	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion		
Acute exposure			
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.		
Ingestion	: May be harmful if swallowed.		
Eyes	: May cause eye/skin irritation.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		



## MATERIAL SAFETY DATA SHEET **MB2302 CLEAR**

Version Number 1.0 Revision Date 01/06/2004 Page 2 of 6 Print Date 11/13/2011

	4. FIRST AID MEASURES			
Inhalation : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.				
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.			
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.			
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.			
	5. FIRE-FIGHTING MEASURES			
Flash point	: No data available			
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>No data available</li> <li>No data available</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxides</li> </ul>			
	of nitrogen (NOx), other hazardous materials, and smoke are all possible.			
	6. ACCIDENTAL RELEASE MEASURES			
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.			
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binde universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.			
	7. HANDLING AND STORAGE			
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing			



### MATERIAL SAFETY DATA SHEET MB2302 CLEAR

rsion Number 1.0 vision Date 01/06/2004		Page 3 Print Date 11/13/2				
Storage	Periodically clean accumulation of the second secon	may contain combustible or toxic residue. hoods, ducts, and other surfaces to minimize nese materials. ry and tightly closed to avoid moisture absorption				
	and contamination	h. Store in a cool dry place.				
8. EXI	POSURE CONTROLS / 2	PERSONAL PROTECTION				
Respiratory protection	: Under normal han	dling conditions a respirator may not be required.				
Eye/Face Protection	: Safety glasses with side-shields.					
Hand protection	: Protective gloves.	: Protective gloves.				
Skin and body protection	: Long sleeved clot	: Long sleeved clothing.				
Additional Protective Measures	: Safety shoes.					
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.					
Engineering measures		with appropriate exhaust ventilation. Provide st ventilation at machinery.				
Exposure limit(s)						
There are no known hazardo	is components above regu	latory thresholds in this product.				
9	. PHYSICAL AND CHE	MICAL PROPERTIES				
Form	: liquid	Evaporation rate : Not established				
Appearance	: Viscous, liquid	Specific Gravity: : Not determined				
Color	: TRANSPARENT	Bulk density : Not applicable				
Odor	: Very faint	Vapor pressure : Not determined				
Melting point/range	: Not applicable	Vapour density : Not determined				
Boiling Point:	: Not applicable	pH : Not applicable				
Water solubility	: Immiscible					
	10. STABILITY AN	DREACTIVITY				
Stability	: Stable.					

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents. Avoid contact



## MATERIAL SAFETY DATA SHEET MB2302 CLEAR

sion Number 1.0 /ision Date 01/06/2004	Page 4 Print Date 11/13/2			
Hazardous decomposition products	with acetal homopolymers and acetal copolymers during processing. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).			
	11. TOXICOLOGICAL INFORMATION			
There are no known hazardous	components above regulatory thresholds in this product.			
	12. ECOLOGICAL INFORMATION			
Persistence and degradability	: Not readily biodegradable.			
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.			
Bioaccumulation Potential	No data available			
Additional advice	: No data available			
	13. DISPOSAL CONSIDERATIONS			
Product Contaminated packaging	<ul> <li>Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> <li>Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation</li> </ul>			
	and disposal in accordance with applicable federal, state/provincial and local regulations.			
	14. TRANSPORT INFORMATION			
U.S. DOT Classification	: Refer to specific regulation.			
ICAO/IATA (air)	: Refer to specific regulation.			
IMO / IMDG (maritime)	: Refer to specific regulation.			
	15. REGULATORY INFORMATION			
US Regulations:				



## MATERIAL SAFETY DATA SHEET MB2302 CLEAR

ersion Number 1.0 evision Date 01/06/2004			Prin	Page 5 of t Date 11/13/20
	thresholds in this proc	luct.		
TSCA Status :	All components of the Inventory.	is product are listed	l on or exemp	ot from the TSCA
US. EPA CERCLA Hazardous Sub	stances (40 CFR 302)			
Not applicable				
California Proposition : 65	WARNING! This pro California to cause ca		emical know	on to the State of
SARA Title III Section 302 Extrem	ely Hazardous Substan	ce		
Not applicable				
SARA Title III Section 313 Toxic C	Chemicals:			
Not applicable Canadian Regulations: National Pollutant Release In	nventory (NPRI)			
Chemical Name 2,6-Di-tert-butyl-p-cresol		CAS-No. 128-37-0	Weight % 0.12	NPRI ID# 80
WHMIS Classification : DSL :	All components of th	is product are on th	ne Canadian I	Domestic
	Substances List (DSL	) or are exempt.		
National Inventories:				
Australia AICS :	Listed			
China IECS :	Listed			
Europe EINECS :	Not determined			
Japan ENCS :	Not determined			
Korea KECI :	Not determined			
Philippines PICCS :	Not determined			
	16. OTHER INFOR	RMATION		



## MATERIAL SAFETY DATA SHEET MB2302 CLEAR

Version Number 1.0 Revision Date 01/06/2004

Page 6 of 6 Print Date 11/13/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.