

MATERIAL SAFETY DATA SHEET

Fluid Bed1 White

Version Number 1.0 Revision Date 01/07/2004

Page 1 of 6 Print Date *11/13/2011*

1. PRODUCT AND COMPANY IDENTIFICATION POLYONE CORPORATION 2700 Papin Street, St. Louis, MO 63103 NON-EMERGENCY : Product Stewardship (314) 771-1800 TELEPHONE **Emergency telephone** CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure : number or accident). : Fluid Bed1 White Product name Product code : FO20007149 Chemical Name : Mixture CAS-No. : Mixture Product Use : Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

| Components | CAS-No. | Weight % |
|------------------|------------|----------|
| Titanium dioxide | 13463-67-7 | 1 - 5 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Skin contact, Ingestion |
|---|--|
| Acute exposure | |
| Inhalation Ingestion Eyes Skin | Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling. |
| Chronic exposure Medical Conditions | Refer to Section 11 for Toxicological Information. None known. |
| Aggravated by Exposure: | |



MATERIAL SAFETY DATA SHEET

Fluid Bed1 White

Version Number 1.0 Revision Date 01/07/2004 Page 2 of 6 Print Date 11/13/2011

| | | 4. FIRST AID MEASURES |
|-------------------------------------|------|---|
| Inhalation | : | Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. |
| Ingestion | : | Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : | Wash off with soap and plenty of water. If skin irritation persists seel medical attention. |
| | | 5. FIRE-FIGHTING MEASURES |
| Flash point | : | Not applicable |
| Flammable Limits | | |
| Upper explosion limit | | Not applicable |
| Lower explosion limit | : | Not applicable |
| Autoignition temperature | : | Not relevant |
| Suitable extinguishing media | : | Carbon dioxide blanket, water spray, dry powder, foam. |
| Special Fire Fighting Procedures | : | Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. |
| Unusual Fire/Explosion Hazards | : | May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |
| | 6. A | CCIDENTAL RELEASE MEASURES |
| Personal precautions | : | Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : | Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. |
| Methods for cleaning up | : | Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. |
| | | 7. HANDLING AND STORAGE |
| Handling | : | Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation. Processing fume |



MATERIAL SAFETY DATA SHEET

Fluid Bed1 White

| Version Number 1.0 Revision Date 01/07/2004 | | Page 3 of 6 Print Date 11/13/2011 |
|--|-------|--|
| | | condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials. |
| Storage | : | Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place. |
| 8. EXI | POSUR | RE CONTROLS / PERSONAL PROTECTION |
| Respiratory protection | : | No personal respiratory protective equipment normally required. If dusty conditions occur wear appropriate respiratory protection. |
| Eye/Face Protection | : | Safety glasses with side-shields. |
| Hand protection | : | Protective gloves. |
| Skin and body protection | : | Long sleeved clothing. |
| Additional Protective Measures | : | Safety shoes. |
| General Hygiene Considerations | : | Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. |
| Engineering measures | : | Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. |
| | | |

Exposure limit(s)

| Components | Value | Exposure time | Exposure type | List: |
|------------------|----------|-----------------------|---------------|---------|
| Titanium dioxide | 10 mg/m3 | Time Weighted Average | | ACGIH |
| | | (TWA): | | |
| | 15 mg/m3 | PEL: | Total dust. | OSHA Z1 |

9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Color Odor Melting point/range Boiling Point: Water solubility
- : Solid powder, granular : WHITE : : Very faint : Not determined : Not applicable : Insoluble
- Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pН
- : Not applicable Not determined : Not determined : : Not applicable : Not applicable
- : Not applicable

10. STABILITY AND REACTIVITY

Stability

: Stable.

Hazardous Polymerization

: Will not occur.

3/6



MATERIAL SAFETY DATA SHEET Fluid Bed1 White

| ersion Number 1.0 evision Date 01/07/2004 | | Page 4 of Print Date <i>11/13/201</i> |
|--|-------|---|
| Conditions to avoid | : | To avoid thermal decomposition, do not overheat. Keep away from oxidizing agents and open flame. |
| Incompatible Materials | : | Incompatible with strong acids and oxidizing agents. Avoid contact with acetal homopolymers and acetal copolymers during processing. |
| Hazardous decomposition products | : | Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating (approximately 30 minutes or more) above 392 °F (200 °C) or short term heating at 482 °F (250 °C) may result in product decomposition and evolution of carbon monoxide and hydrogen chloride. |
| | 11. ' | TOXICOLOGICAL INFORMATION |

health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

| | 12 ECOLO(| GICAL INFORMATION | T | | |
|------------------------|-----------------------------|-----------------------------|---|--|--|
| | 12. ECOLOG | JUAL INFORMATION | N | | |
| Persistence and degrad | ability : Not readily | y biodegradable. | | | |
| Environmental Toxicit | y : Adverse eo | cological impact is not kno | own or expected under normal use | | |
| Bioaccumulation Poter | ntial : No data av | ailable | | | |
| Additional advice | : No data av | : No data available | | | |
| | 13. DISPOSA | AL CONSIDERATIONS | 5 | | |
| Product | generator o classificati | | | | |
| Contaminated packaging | has the res and dispos | ponsibility for proper was | e. The generator of waste materia te classification, transportation licable federal, state/provincial | | |
| | 14. TRANSI | PORT INFORMATION | | | |
| | | | | | |



| MATERIAL | SAFETY | DATA | SHEET |
|----------|--------|------|-------|
| | | | |

Fluid Bed1 White

| sion Number 1.0 ision Date 01/07/2004 | | | | Prin | | Page 5 of 6 11/13/2011 |
|--|-------|--|----------------------|--------------|-----------|---------------------------|
| | | | | | | |
| U.S. DOT Classification | : | Not regulated for tran | sportation. | | | |
| ICAO/IATA (air) | : | Not regulated for tran | sportation. | | | |
| IMO / IMDG (maritime) | : | Not regulated for tran | sportation. | | | |
| | 15 | . REGULATORY IN | FORMATION | | | |
| US Regulations: | | | | | | |
| OSHA Status | : | Classified as hazardou | is based on compor | nents. | | |
| TSCA Status | : | All components of the Inventory. | s product are listed | on or exemp | t from th | he TSCA |
| US. EPA CERCLA Hazardous S | Subs | stances (40 CFR 302) | | | | |
| Not applicable | | | | | | |
| | | | | | | |
| | | | | | | |
| California Proposition 65 | : | WARNING! This pro California to cause ca | | emical know | n to the | State of |
| SARA Title III Section 302 Extr | eme | ely Hazardous Substand | ce | | | |
| Not applicable | | | | | | |
| SARA Title III Section 313 Tox | ic C | chemicals: | | | | |
| Not applicable | | | | | | |
| Canadian Regulations: | | | | | | |
| | | | | | | |
| National Pollutant Releas Chemical Name | se In | ventory (NPRI) | CAS-No. | Weight % | NPRI I | D# |
| misc00031 - Misc Zinc Cpo | d's | | Not Available | 0.21 | 241 | D# |
| _ | | | | | | |
| | | | | | | |
| WHMIS Classification | : | D2B | | | | |
| DSL | : | All components of th Substances List (DSL | | e Canadian I | Domesti | с |
| National Inventories: | | | | | | |
| Australia AICS | : | Not determined | | | | |
| China IECS | : | Not determined | | | | |
| | | | | | | |

| POLYONE CORPORA | ATION | PolyOne. |
|--|-----------------------|---|
| MATERIAL SAFETY DATA SH | IEET | |
| Fluid Bed1 White | | |
| Version Number 1.0 Revision Date 01/07/2004 | | Page 6 of 6 Print Date <i>11/13/2011</i> |
| Europe EINECS | : Not determined | |
| Japan ENCS | : Not determined | |
| Korea KECI | : Not determined | |
| Philippines PICCS | : Listed | |
| | 16. OTHER INFORMATION | |

~

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.