## MATERIAL SAFETY DATA SHEET **V533 LT GRAY**

Version Number 1.3 Revision Date 12/13/2007 Page 1 of 6 Print Date 12/2/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

| Telephone<br>Emergency telephone | : | Product Stewardship (770) 590-3500 x.3563<br>CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure<br>or accident). |
|----------------------------------|---|--|
| Product name                     | : | V533 LT GRAY   |
| Product code                     | : | FO20007811   |
| Chemical Name                    | : | Mixture  |
| CAS-No.                          | : | Mixture  |
| Product Use                      | : | Industrial Applications  |

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

| Components       | CAS-No.    | Weight % |
|------------------|------------|----------|
| Titanium dioxide | 13463-67-7 | 1 - 5    |

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

| Routes of Exposure:                           | : Inhalation, Skin contact, Ingestion  |
|---|--|
| Acute exposure                                |  |
| Inhalation                                    | : Resin particles, like other inert materials, can be mechanically irritating. |
| Ingestion                                     | : May be harmful if swallowed.   |
| Eyes  | : Particulates, like other inert materials can be mechanically irritating.     |
| Skin  | : Experience shows no unusual dermatitis hazard from routine handling.         |
| Chronic exposure                              | : Refer to Section 11 for Toxicological Information.                           |
| Medical Conditions<br>Aggravated by Exposure: | : None known.  |



# MATERIAL SAFETY DATA SHEET **V533 LT GRAY**

Version Number 1.3 Revision Date 12/13/2007 Page 2 of 6 Print Date 12/2/2011

|  |      | 4. FIRST AID MEASURES   |
|--|------|---|
| Inhalation   | :    | Move to fresh air in case of accidental inhalation of fumes from<br>overheating or combustion. When symptoms persist or in all cases of<br>doubt seek medical advice.   |
| Ingestion  | :    | Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.  |
| Eyes   | :    | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.  |
| Skin   | :    | Wash off with soap and plenty of water. If skin irritation persists seek medical attention.   |
|  |      | 5. FIRE-FIGHTING MEASURES   |
| Flash point  | :    | Not applicable  |
| Flammable Limits<br>Upper explosion limit<br>Lower explosion limit<br>Autoignition temperature<br>Suitable extinguishing media | : :  | Not applicable<br>Not applicable<br>Not relevant<br>Carbon dioxide blanket, Water spray, Dry powder, Foam.  |
| Special Fire Fighting<br>Procedures<br>Unusual Fire/Explosion<br>Hazards   | :    | Fullface self-contained breathing apparatus (SCBA) used in positive<br>pressure mode should be worn to prevent inhalation of airborne<br>contaminants.<br>May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under<br>fire conditions. Carbon dioxide (CO2), carbon monoxide (CO),<br>oxides of nitrogen (NOx), other hazardous materials, and smoke are<br>all possible. |
|  | 6. A | CCIDENTAL RELEASE MEASURES  |
| Personal precautions   | :    | Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.  |
| Environmental precautions  | :    | Should not be released into the environment. The product should not<br>be allowed to enter drains, water courses or the soil.   |
| Methods for cleaning up  | :    | Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.   |
|  |      | 7. HANDLING AND STORAGE   |
| Handling   | :    | Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. Processing fume   |



Not determined

Not determined

Not applicable

Not applicable

: Not applicable

:

:

:

:

# MATERIAL SAFETY DATA SHEET **V533 LT GRAY**

|                                   |           |   | PIIII                | t Date 12/2/2 |
|-----------------------------------|-----------|---|----------------------|---------------|
| Storage                           | cl<br>th  | ondensates may contain combus<br>lean hoods, ducts, and other surf<br>nese materials. | aces to minimize acc | umulation of  |
| Storage                           |           | nd contamination. Keep in a dry   |                      |               |
| 8.                                | EXPOSURE  | CONTROLS / PERSONAL P   | ROTECTION            |               |
| Respiratory protection            |           | o personal respiratory protective<br>usty conditions occur wear appro                 |                      |               |
| Eye/Face Protection               | : S       | afety glasses with side-shields   |                      |               |
| Hand protection                   | : P       | rotective gloves  |                      |               |
| Skin and body protection          | n : L     | ong sleeved clothing  |                      |               |
| Additional Protective<br>Measures | : S       | afety shoes   |                      |               |
| General Hygiene<br>Considerations |           | andle in accordance with good i ractice. Wash hands before brea                       |                      |               |
| Engineering measures              |           | leat only in areas with appropria<br>ppropriate exhaust ventilation at                |                      | . Provide     |
| Exposure limit(s)                 |           |   |                      |               |
| Components                        | Value     | Exposure time   | Exposure type        | List:         |
| Titanium dioxide                  | 10 mg/m3  | Time Weighted Average<br>(TWA):   | <b>↓ ↓</b> ↓         | ACGIH         |
|                                   | 15 mg/m3  | PEL:  | Total dust.          | OSHA Z1       |
|                                   | 10 mg/m3  | Time Weighted Average (TWA):  | as Ti                | MX OEL        |
|                                   | 20 mg/m3  | Short Term Exposure Limit (STEL):   | as Ti                | MX OEL        |
|                                   | 9. PHYSIC | CAL AND CHEMICAL PROF   | PERTIES              |               |

Form Appearance Color Odour Melting point/range Boiling Point: Water solubility

## 10. STABILITY AND REACTIVITY

Specific Gravity

Vapour pressure

Vapour density

Bulk density

pН

powder, granular

:

:

:

GREY

: Very faint

: Insoluble

: Not determined

Not applicable

**POLYONE CORPORATION** 

olv0n<u>e</u>

### **MATERIAL SAFETY DATA SHEET** V533 LT GRAY

Version Number 1.3 Revision Date 12/13/2007

Page 4 of 6 Print Date 12/2/2011

| Stability                        | : | Stable.   |
|----------------------------------|---|---|
| Hazardous Polymerization         | : | Will not occur.   |
| Conditions to avoid              | : | To avoid thermal decomposition, do not overheat. Keep away from oxidizing agents and open flame.  |
| Incompatible Materials           | : | Incompatible with strong acids and oxidizing agents., Avoid contact with acetal homopolymers and acetal copolymers during processing.   |
| Hazardous decomposition products | : | Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating (approximately 30 minutes or more) above 392 °F (200 °C) or short term heating at 482 °F (250 °C) may result in product decomposition and evolution of carbon monoxide and hydrogen chloride. |

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No.    | Chemical Name    | Effect           | Target Organ        |
|------------|------------------|------------------|---------------------|
| 13463-67-7 | Titanium dioxide | Systemic effects | Respiratory system. |

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

| CAS-No.    | Chemical Name    | OSHA | IARC | NTP |
|------------|------------------|------|------|-----|
| 13463-67-7 | Titanium dioxide | no   | 2B   | no  |

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

#### **12. ECOLOGICAL INFORMATION**

Persistence and degradability

Environmental Toxicity

: Not readily biodegradable.

: Adverse ecological impact is not known or expected under normal

PolyOne.

# MATERIAL SAFETY DATA SHEET **V533 LT GRAY**

Version Number 1.3 Revision Date 12/13/2007 Page 5 of 6 Print Date 12/2/2011

| <b>Bioaccumulation Potential</b> | :      | No data available   |
|----------------------------------|--------|---|
| Additional advice                | :      | No data available   |
|                                  | 1      | 3. DISPOSAL CONSIDERATIONS  |
| Product                          | :      | Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| Contaminated packaging           | :      | Recycling is preferred when possible. The generator of waste<br>material has the responsibility for proper waste classification,<br>transportation and disposal in accordance with applicable federal,<br>state/provincial and local regulations.                     |
|                                  | 1      | 4. TRANSPORT INFORMATION  |
|                                  |        |   |
| U.S. DOT Classification          | :      | Not regulated for transportation.   |
| ICAO/IATA (air)                  | :      | Not regulated for transportation.   |
| IMO / IMDG (maritime)            | :      | Not regulated for transportation.   |
|                                  | 15     | 5. REGULATORY INFORMATION   |
| US Regulations:                  |        |   |
| OSHA Status                      | :      | Classified as hazardous based on components.  |
| TSCA Status                      | :      | All components of this product are listed on or exempt from the TSCA Inventory.   |
| US. EPA CERCLA Hazardou          | is Sub | stances (40 CFR 302)  |
| Not applicable                   |        |   |
| California Proposition<br>65     | . :    | Not applicable  |
| SARA Title III Section 302 E     | xtrem  | ely Hazardous Substance   |

POLYONE CORPORATION

PolyOne

# MATERIAL SAFETY DATA SHEET **V533 LT GRAY**

| ersion Number 1.3<br>evision Date 12/13/2007 |       | Page 6 of<br>Print Date 12/2/20  |
|--|-------|--|
|  |       |  |
|  |       |  |
| SARA Title III Section 313 Tox               | tic C | Chemicals:   |
| Unless specific chemicals are id             | lenti | fied under this section, this product is Not Applicable under this regulation                    |
| Canadian Regulations:                        |       |  |
| National Pollutant Relea                     | se Iı | nventory (NPRI)  |
| Not applicable                               |       |  |
| WHMIS Classification                         | :     | D2A  |
| DSL  | :     | All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. |
| National Inventories:                        |       |  |
| Australia AICS                               | :     | Not determined   |
| China IECS                                   | :     | Not determined   |
| Europe EINECS                                | :     | Not determined   |
| Japan ENCS                                   | :     | Not determined   |
| Korea KECI                                   | :     | Not determined   |
| Philippines PICCS                            | :     | Not determined   |

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.