

## MATERIAL SAFETY DATA SHEET DURASCENT VANILLA

Version Number 1.1 Revision Date 04/27/2004

Page 1 of 6 Print Date 11/14/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

| Telephone<br>Emergency telephone<br>number | : | Product Stewardship (770) 590-3500 x.3563<br>CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure<br>or accident). |
|--|---|--|
| Product name                               | : | DURASCENT VANILLA  |
| Product code                               | : | FO20008111   |
| Chemical Name                              | : | Mixture  |
| CAS-No.                                    | : | Mixture  |
| Product Use                                | : | Industrial Applications  |

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

| Components                             | CAS-No.       | Weight % |
|--|---------------|----------|
| Misc00013-Miscellaneous Irritant       | Not Available | 5 - 10   |
| 1,2-Benzenedicarboxylic acid, butyl    | 85-68-7       | 30 - 60  |
| phenylmethylester                      |               |          |
| Silica, amorphous, fumed, crystal-free | 112945-52-5   | 1 - 5    |

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

### POTENTIAL HEALTH EFFECTS

| <b>Routes of Exposure:</b> | : Inhalation, Skin contact, Ingestion  |  |
|----------------------------|--|--|
| Acute exposure             |  |  |
| Inhalation                 | : Inhalation of airborne droplets may cause irritation of the respiratory tract. |  |
| Ingestion                  | : May be harmful if swallowed.   |  |
| Eyes                       | : May cause eye/skin irritation.   |  |
| Skin                       | : Experience shows no unusual dermatitis hazard from routine handling.           |  |
| Chronic exposure           | : Refer to Section 11 for Toxicological Information.                             |  |





# MATERIAL SAFETY DATA SHEET **DURASCENT VANILLA**

Version Number 1.1 Revision Date 04/27/2004 Page 2 of 6 Print Date 11/14/2011

| Aggravated by Exposure:  |   |
|--|---|
|  | 4. FIRST AID MEASURES   |
| Inhalation   | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.   |
| Ingestion  | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.  |
| Eyes   | : Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.   |
| Skin   | : Wash off with soap and plenty of water. If skin irritation persists seel medical attention.   |
|  | 5. FIRE-FIGHTING MEASURES   |
| Flash point  | : No data available   |
| Flammable Limits<br>Upper explosion limit<br>sower explosion limit<br>Autoignition temperature<br>Suitable extinguishing media<br>Special Fire Fighting<br>Procedures<br>Unusual Fire/Explosion<br>Hazards | <ul> <li>No data available</li> <li>No data available</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxide of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul> |
|  | 6. ACCIDENTAL RELEASE MEASURES  |
| Personal precautions   | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.  |
| Environmental precautions  | : The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.  |
| Methods for cleaning up  | : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.   |
|  | 7. HANDLING AND STORAGE   |



# MATERIAL SAFETY DATA SHEET **DURASCENT VANILLA**

| ion Number 1.1<br>sion Date 04/27/2004                     |   |  |   | Print D                          | Page 3<br>ate 11/14/  |
|--|---|--|---|----------------------------------|---|
| Handling   | fı<br>P   | eat only in areas with a<br>me condensates may co<br>eriodically clean hoods,<br>ccumulation of these ma | ontain combustible o<br>ducts, and other sur  | r toxic resid                    | due.  |
| Storage  | : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.         |  |   |                                  |   |
| 8. E   | XPOSURE   | CONTROLS / PERSO   | ONAL PROTECTI   | ON                               |   |
| Respiratory protection                                     | : N   | o personal respiratory p   | rotective equipment   | normally r                       | equired.  |
| Eye/Face Protection  | : S   | afety glasses with side-s  | shields.  |                                  |   |
| Hand protection  | : P   | rotective gloves.  |   |                                  |   |
| Skin and body protection                                   | : L   | ong sleeved clothing.  |   |                                  |   |
| Additional Protective<br>Measures                          | : Safety shoes.   |  |   |                                  |   |
| General Hygiene<br>Considerations                          | : Handle in accordance with good industrial hygiene and safety practice Wash hands before breaks and at the end of workday. |  |   |                                  |   |
| Engineering measures                                       | : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.            |  |   |                                  |   |
| Exposure limit(s)  | -   |  |   |                                  |   |
| Components   | Value   | Exposure time  | Exposur   | e type                           | List:   |
| Silica, amorphous,<br>fumed, crystal-free                  | 20 mppcf  | PEL:   | Total o   |                                  | Z3  |
|  | 9. PHYSIC   | CAL AND CHEMICA  | L PROPERTIES  |                                  |   |
| Form<br>Appearance<br>Color<br>Odor<br>Melting point/range | : NO I<br>: Very<br>: Not a   | ous, liquid<br>PIGMENT<br>faint<br>applicable  | Evaporation rate<br>Specific Gravity:<br>Bulk density<br>Vapor pressure<br>Vapour density | : Not<br>: Not<br>: Not<br>: Not | established<br>determined<br>applicable<br>determined<br>determined |
| Boiling Point:<br>Water solubility                         |   | applicable<br>iscible  | рН  | : Not                            | applicable  |
|  | 10. 8   | TABILITY AND REA   | CTIVITY   |                                  |   |
| Stability  | : S   | table.   |   |                                  |   |
| Hazardous Polymerization                                   | n : W   | ill not occur.   |   |                                  |   |
|  |   |  |   |                                  |   |



# MATERIAL SAFETY DATA SHEET DURASCENT VANILLA

Version Number 1.1 Page 4 of 6 Revision Date 04/27/2004 Print Date 11/14/2011 Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat. Incompatible Materials : Incompatible with strong acids and oxidizing agents., Avoid contact with acetal homopolymers and acetal copolymers during processing. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen Hazardous decomposition : (NOx), hydrogen chloride (HCl), other hazardous materials, and products smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).

### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No.       | Chemical Name             | Effect           | Target Organ                |
|---------------|---------------------------|------------------|-----------------------------|
| Not Available | Misc00013-Miscellaneous   | Irritant         | Eyes, Skin.                 |
|               | Irritant                  |                  |                             |
| 85-68-7       | 1,2-Benzenedicarboxylic   | Irritant         | Eyes, Skin.                 |
|               | acid, butyl               |                  |                             |
|               | phenylmethylester         |                  |                             |
|               |                           | Systemic effects | Liver, reproductive system. |
| 112945-52-5   | Silica, amorphous, fumed, | Irritant         | Eyes, Respiratory system.   |
|               | crystal-free              |                  |                             |

### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

| CAS-No.     | Chemical Name   | Route                    | Value                     | Species       |
|-------------|---|--------------------------|---------------------------|---------------|
| 85-68-7     | 1,2-Benzenedicarboxylic<br>acid, butyl<br>phenylmethylester | Oral LD50<br>Dermal LD50 | 2,330 mg/kg<br>> 10 gm/kg | rat<br>rabbit |
| 112945-52-5 | Silica, amorphous, fumed, crystal-free                      | Oral LD50                | 3,160 mg/kg               | rat           |

## **12. ECOLOGICAL INFORMATION**

| Persistence and degradability | : | Not readily biodegradable.   |
|-------------------------------|---|--|
| Environmental Toxicity        | : | Environmental toxicity has not been established for this mixture as a whole. |
| Bioaccumulation Potential     | : | No data available  |



# MATERIAL SAFETY DATA SHEET **DURASCENT VANILLA**

Version Number 1.1 Revision Date 04/27/2004 Page 5 of 6 Print Date 11/14/2011

|  | 13. DISP   | OSAL CONSIDE  | CRATIONS                 |                                     |  |
|--|--|---|--------------------------|-------------------------------------|--|
| Product  | ct : Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |   |                          |                                     |  |
| Contaminated packaging   | : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.                                 |   |                          |                                     |  |
|  | 14. TRA  | NSPORT INFOR  | RMATION                  |                                     |  |
|  |  |   |                          |                                     |  |
| U.S. DOT Classification  | : Refer  | to specific regulati  | on.                      |                                     |  |
| ICAO/IATA (air)  | : Refer  | to specific regulati  | on.                      |                                     |  |
| IMO / IMDG (maritime)  | : Refer  | to specific regulati  | on.                      |                                     |  |
|  | 15. REGU   | ULATORY INFO  | RMATION                  |                                     |  |
|  |  |   |                          |                                     |  |
| US Regulations:  |  |   |                          |                                     |  |
| US Regulations:<br>OSHA Status   | : Classi   | fied as hazardous t   | based on components.     |                                     |  |
|  |  | omponents of this p   | -                        | exempt from the TSCA                |  |
| OSHA Status  | : All co<br>Invent   | omponents of this p<br>ory.   | -                        | exempt from the TSCA                |  |
| OSHA Status<br>TSCA Status   | : All co<br>Invent   | omponents of this p<br>ory.   | -                        | RQ for                              |  |
| OSHA Status<br>TSCA Status<br>US. EPA CERCLA Hazard  | : All co<br>Invent<br>ous Substances   | omponents of this p<br>ory.<br>(40 CFR 302)   | oroduct are listed on or | _                                   |  |
| OSHA Status<br>TSCA Status<br>US. EPA CERCLA Hazard<br>Chemical Name<br>1,2-Benzenedicarb<br>oxylic acid, butyl  | : All co<br>Invent<br>ous Substances<br>CAS-No.<br>85-68-7   | omponents of this p<br>ory.<br>(40 CFR 302)<br>% in Product<br>42.7195                        | RQ for component         | RQ for<br>Mixture/Product           |  |
| OSHA Status<br>TSCA Status<br>US. EPA CERCLA Hazard<br>Chemical Name<br>1,2-Benzenedicarb<br>oxylic acid, butyl<br>phenylmethylester<br>California Propositi | : All co<br>Invent<br>ous Substances<br>CAS-No.<br>85-68-7<br>on : This p  | omponents of this p<br>ory.<br>(40 CFR 302)<br>% in Product<br>42.7195<br>roduct does not com | RQ for component         | RQ for<br>Mixture/Product<br>234 LB |  |

# MATERIAL SAFETY DATA SHEET **DURASCENT VANILLA**

Version Number 1.1 Revision Date 04/27/2004 Page 6 of 6 Print Date 11/14/2011

SARA Title III Section 313 Toxic Chemicals:

Not applicable Canadian Regulations:

National Pollutant Release Inventory (NPRI)

| Chemical Name                       | CAS-No. | Weight % | NPRI ID# |
|-------------------------------------|---------|----------|----------|
| 1,2-Benzenedicarboxylic acid, butyl | 85-68-7 | 42.71    | 37       |
| phenylmethylester                   |         |          |          |

WHMIS Classification : D2B

WHMIS Ingredient Disclosure List

| CAS-No. |  |
|---------|--|
| 85-68-7 |  |

DSL

: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

| Australia AICS    | : | Not determined |
|-------------------|---|----------------|
| China IECS        | : | Not determined |
| Europe EINECS     | : | Not determined |
| Japan ENCS        | : | Not determined |
| Korea KECI        | : | Not determined |
| Philippines PICCS | : | Not determined |

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.