### MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29530 YELLOW

Version Number 1.0 Revision Date 04/26/2004

Page 1 of 6 Print Date 11/14/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone:Emergency telephone:number	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	STAN-TONE HCC-29530 YELLOW
Product code :	FO20008149
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

#### 3. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



# MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29530 YELLOW

Version Number 1.0 Revision Date 04/26/2004 Page 2 of 6 Print Date 11/14/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit sower explosion limit Autoignition temperature	<ul> <li>No data available</li> <li>No data available</li> <li>Not applicable</li> </ul>
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or th soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.



## MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29530 YELLOW

#### Version Number 1.0 Revision Date 04/26/2004

Page 3 of 6 Print Date 11/14/2011

		and contamination. S		closed to avoid moisture ool dry place.	absorption
8. E	XPOSURE	CONTROLS / PEI	RSONAL	PROTECTION	
Respiratory protection	: U	Under normal handling conditions a respirator may not be required.			
Eye/Face Protection	: \$	Safety glasses with side-shields.			
Hand protection	: Protective gloves.				
Skin and body protection	: I	Long sleeved clothing	5.		
Additional Protective Measures	: S	Safety shoes.			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practi Wash hands before breaks and at the end of workday.			afety practice	
Engineering measures		Heat only in areas with appropriate exhaust v		iate exhaust ventilation. at machinery.	Provide
Exposure limit(s)					_
Components	Value	Exposure tir		Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted A	Average		ACGIH
	15	(TWA):		Tr. ( . ]. ] (	OSUA 71
	15 mg/m3	(TWA): PEL:		Total dust.	OSHA Z1
	-		CAL PRO		OSHA Z1
Form	-	PEL:		<b>DPERTIES</b>	OSHA Z1
Form Appearance	9. PHYSI : liqui : liqui	PEL:	Evapor	<b>DPERTIES</b> ration rate : Not	·
Appearance Color	9. PHYSI : liqui : liqui disp : YEI	PEL: CAL AND CHEMI id id, Viscous liquid ersion LLOW	Evapor Specifi Bulk d	DPERTIES ration rate : Not ic Gravity: : Not ensity : Not	established determined applicable
Appearance Color Odor	9. PHYSI : liqui : liqui disp : YEI : Ver	PEL: CAL AND CHEMI id id, Viscous liquid ersion LLOW y faint	Evapor Specifi Bulk d Vapor	DPERTIES ration rate : Not ic Gravity: : Not ensity : Not pressure : Not	established determined applicable determined
Appearance Color Odor Melting point/range	9. PHYSI : liqui : liqui disp : YEI : Ver : Not	PEL: CAL AND CHEMI id id, Viscous liquid ersion LLOW y faint applicable	Evapor Specifi Bulk d Vapor Vapou	<b>DPERTIES</b> ration rate       : Not         ic Gravity:       : Not         ensity       : Not         pressure       : Not         r density       : Hea	established determined applicable determined wier than air.
Appearance Color Odor Melting point/range Boiling Point:	9. PHYSI : liqui : liqui disp : YEI : Very : Not : Not	PEL: CAL AND CHEMI id id, Viscous liquid ersion LLOW y faint applicable applicable	Evapor Specifi Bulk d Vapor	<b>DPERTIES</b> ration rate       : Not         ic Gravity:       : Not         ensity       : Not         pressure       : Not         r density       : Hea	established determined applicable determined
Appearance Color Odor Melting point/range	9. PHYSI : liqui : liqui disp : YEI : Very : Not : Not	PEL: CAL AND CHEMI id id, Viscous liquid ersion LLOW y faint applicable	Evapor Specifi Bulk d Vapor Vapou	<b>DPERTIES</b> ration rate       : Not         ic Gravity:       : Not         ensity       : Not         pressure       : Not         r density       : Hea	established determined applicable determined wier than air.
Appearance Color Odor Melting point/range Boiling Point:	9. PHYSI : liqui : liqui disp : YEI : Ver : Not : Not : Imm	PEL: CAL AND CHEMI id id, Viscous liquid ersion LLOW y faint applicable applicable	Evapor Specifi Bulk d Vapor Vapou pH	<b>OPERTIES</b> ration rate       : Not         ic Gravity:       : Not         ensity       : Not         pressure       : Not         r density       : Hea         : Not	established determined applicable determined wier than air.
Appearance Color Odor Melting point/range Boiling Point:	9. PHYSI : liqui : liqui disp : YEI : Very : Not : Not : Imm 10.	PEL: CAL AND CHEMI id id, Viscous liquid ersion LLOW y faint applicable applicable hiscible	Evapor Specifi Bulk d Vapor Vapou pH	<b>OPERTIES</b> ration rate       : Not         ic Gravity:       : Not         ensity       : Not         pressure       : Not         r density       : Hea         : Not	established determined applicable determined wier than air.
Appearance Color Odor Melting point/range Boiling Point: Water solubility	9. PHYSI : liqui : liqui disp : YEI : Very : Not : Not : Imm 10. 5	PEL: CAL AND CHEMI id id, Viscous liquid ersion LLOW y faint applicable applicable hiscible STABILITY AND I	Evapor Specifi Bulk d Vapor Vapou pH	<b>OPERTIES</b> ration rate       : Not         ic Gravity:       : Not         ensity       : Not         pressure       : Not         r density       : Hea         : Not	established determined applicable determined wier than air.
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	9. PHYSI : liqui : liqui disp : YEI : Ver : Not : Not : Imm 10. s n : V : F	PEL: CAL AND CHEMI id id, Viscous liquid ersion LOW y faint applicable applicable niscible STABILITY AND I Stable. Will not occur.	Evapor Specifi Bulk d Vapor Vapou pH <b>REACTIV</b> izing agen	<b>DPERTIES</b> ration rate       : Not         ic Gravity:       : Not         ensity       : Not         pressure       : Not         r density       : Hea         : Not         /ITY         tts and open flame. To a	established determined applicable determined wier than air. determined

PolyOne

### MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29530 YELLOW

#### Version Number 1.0 Revision Date 04/26/2004

Page 4 of 6 Print Date 11/14/2011

Incompatible Materials	-	with strong acids and		
Hazardous decomposition products			oxide (CO), oxides of nitrogen nd smoke are all possible.	
	11. TOXICOLOG	ICAL INFORMATI	ON	
This mixture has not been e health data for the individua			ure effects listed are based on exis	
<u>Toxicity Overview</u> This product contains the fo	llowing components w	which in their pure form	have the following characteristics	
CAS-No.	Chemical Name	Effect	Target Organ	
13463-67-7 Tit	anium dioxide	Systemic effects	Respiratory system.	
	12. ECOLOGIO	CAL INFORMATION	N	
Persistence and degradabilit	ty : Not readily b	iodegradable.		
Environmental Toxicity	: Environmenta whole.	Environmental toxicity has not been established for this mixture as a whole.		
Bioaccumulation Potential	: No data avail	able		
Additional advice	: No data avail	able		
	13. DISPOSAL	CONSIDERATIONS	5	
generator of wa classification, t		waste material has the	ed to disposal or incineration. The responsibility for proper waste sposal in accordance with and local regulations.	
Contaminated packaging	has the respon	nsibility for proper was in accordance with app	e. The generator of waste material ste classification, transportation blicable federal, state/provincial	
	14. TRANSPO	<b>RT INFORMATION</b>		
U.S. DOT Classification	: Refer to spec	ific regulation.		
ICAO/IATA (air)	-	ific regulation.		
IMO / IMDG (maritime)	: Refer to specific regulation.			

PolyOne.

## MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29530 YELLOW

sion Number 1.0 /ision Date 04/26/2004		Page 5 of Print Date 11/14/201
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	•	All components of this product are listed on or exempt from the TSCA
15CA Status	•	Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Ext	rem	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	ic C	Chemicals:
Not applicable Canadian Regulations:		
National Pollutant Relea	se Ir	nventory (NPRI)
Not applicable		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
		T inter d
Europe EINECS	:	Listed
Europe EINECS Japan ENCS	• :	Not determined
-		
Japan ENCS	:	Not determined



## MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29530 YELLOW

Version Number 1.0 Revision Date 04/26/2004 Page 6 of 6 Print Date 11/14/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.