MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29541 BLACK

Version Number 1.0 Revision Date 05/03/2004 Page 1 of 6 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone number	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE HCC-29541 BLACK
Product code	:	FO20008216
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion		
Acute exposure			
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.		
Ingestion	: May be harmful if swallowed.		
Eyes	: May cause eye/skin irritation.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		



MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29541 BLACK

Version Number 1.0 Revision Date 05/03/2004 Page 2 of 6 Print Date 11/14/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit sower explosion limit Autoignition temperature	 No data available No data available Not applicable
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or th soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.



MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29541 BLACK

Version Number 1.0 Revision Date 05/03/2004 Page 3 of 6 Print Date 11/14/2011

Storage		nd containers dry a nd contamination. S		closed to avoid moisture ool dry place.	e absorption
8. F	EXPOSURE	CONTROLS / PER	SONAL	PROTECTION	
Respiratory protection	: U	Under normal handlin	g conditio	ons a respirator may not b	be required.
Eye/Face Protection	: S	afety glasses with sid	le-shields		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations				l industrial hygiene and s at the end of workday.	afety practice
Engineering measures		leat only in areas wit ppropriate exhaust ve		iate exhaust ventilation. at machinery.	Provide
Exposure limit(s)					
Components	Value	Exposure tin	ne	Exposure type	List:
Carbon black	3.5 mg/m3	Time Weighted A (TWA):		Total dust. as carbon black	ACGIH
	3.5 mg/m3	PEL:		Total dust. as carbon black	OSHA Z1
	9. PHYSI	CAL AND CHEMI	CAL PRO	PERTIES	
Form	: liqui	d	Evano	ration rate : Not	established
Appearance		d, Viscous liquid			determined
11	-	ersion	1	,	
Color	: BLA				applicable
Odor	: Very			1	determined
Melting point/range		applicable	-		vier than air.
Boiling Point: Water solubility	: Not : : Imm	applicable iscible	pН	: Not	determined
	10. 5	STABILITY AND F	REACTIV	ITY	
Stability	: S	table.			
Hazardous Polymerization	n : V	Vill not occur.			
Conditions to avoid		Keep away from oxid ecomposition, do not		nts and open flame. To a	void thermal
	u	ceomposition, do no	. o . erneut	-	

MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29541 BLACK

Version Number 1.0 Revision Date 05/03/2004 Page 4 of 6 Print Date 11/14/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). The IARC 2B listing only pertains to airborne, unbound carbon black particles of respirable size. Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	:	No data available
Additional advice	:	No data available

13. DISPOSAL CONSIDERATIONS

PolyOne.

MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29541 BLACK

sion Number 1.0 ision Date 05/03/2004	Page 5 Print Date 11/14/2		
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
	14. TRANSPORT INFORMATION		
U.S. DOT Classification	: Refer to specific regulation.		
ICAO/IATA (air)	: Refer to specific regulation.		
IMO / IMDG (maritime)	: Refer to specific regulation.		
	15. REGULATORY INFORMATION		
US Regulations:			
OSHA Status	: Classified as hazardous based on components.		
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.		
US. EPA CERCLA Hazardo	us Substances (40 CFR 302)		
Not applicable			
California Proposition 65	n : This product does not contain a substance listed by California Prop 65.		
SARA Title III Section 302 I	Extremely Hazardous Substance		
Not applicable			
SARA Title III Section 313	Coxic Chemicals:		
Not applicable Canadian Regulations:			
National Pollutant Re	lease Inventory (NPRI)		
Not applicable			

PolyOne.

MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29541 BLACK

Version Number 1.0 Revision Date 05/03/2004 Page 6 of 6 Print Date 11/14/2011

WHMIS Classification	:	D2A	
WHMIS Ingredient Disclosure List			
CAS-No. 1333-86-4			
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.	
National Inventories:			
Australia AICS	:	Listed	
China IECS	:	Listed	
Europe EINECS	:	Listed	
Japan ENCS	:	Listed	
Korea KECI	:	Listed	
Philippines PICCS	:	Listed	
		16. OTHER INFORMATION	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.