MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29550 BLACK

Version Number 1.1 Revision Date 05/06/2004

Page 1 of 6 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone:Emergency telephone:number	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	STAN-TONE HCC-29550 BLACK
Product code :	FO20008265
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	5 - 10
Distillates (petroleum), hydrotreated light	64742-47-8	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29550 BLACK

Version Number 1.1 Revision Date 05/06/2004 Page 2 of 6 Print Date 11/14/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit sower explosion limit	No data availableNo data available
Autoignition temperature	: Not applicable
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.



MATERIAL SAFETY DATA SHEET **STAN-TONE HCC-29550 BLACK**

Version Number 1.1 Revision Date 05/06/2004 Page 3 of 6 Print Date 11/14/2011

		Leep containers dry and tightly nd contamination. Store in a c		absorption
8.1	EXPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: U	Inder normal handling condition	ons a respirator may not b	e required.
Eye/Face Protection	: Sa	afety glasses with side-shields	5.	
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: Sa	afety shoes.		
General Hygiene Considerations		landle in accordance with good Vash hands before breaks and a		afety practice
Engineering measures		leat only in areas with appropr ppropriate exhaust ventilation		Provide
\mathbf{F} and \mathbf{I} with \mathbf{V}	-			
Exposure limit(s)	Value			List
Components	Value	Exposure time	Exposure type	List:
	Value 3.5 mg/m3	Exposure time Time Weighted Average		List: ACGIH
Components		Exposure time	Exposure type Total dust. as carbon	
Components	3.5 mg/m3 3.5 mg/m3 200	Exposure time Time Weighted Average (TWA):	Exposure type Total dust. as carbon black Total dust. as carbon	ACGIH
Components Carbon black Distillates (petroleum),	3.5 mg/m3 3.5 mg/m3 200 mg/m3	Exposure time Time Weighted Average (TWA): PEL: Time Weighted Average (TWA):	Exposure type Total dust. as carbon black Total dust. as carbon black Non-aerosol as total hydrocarbon vapor	ACGIH OSHA Z1
Components Carbon black Distillates (petroleum), hydrotreated light	3.5 mg/m3 3.5 mg/m3 200 mg/m3 9. PHYSIC	Exposure time Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO	Exposure type Total dust. as carbon black Total dust. as carbon black Non-aerosol as total hydrocarbon vapor	ACGIH OSHA Z1 ACGIH
Components Carbon black Distillates (petroleum),	3.5 mg/m3 3.5 mg/m3 200 mg/m3 9. PHYSIC : liquid : liquid	Exposure time Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO d Evapo d, Viscous liquid Specif	Exposure type Total dust. as carbon black Total dust. as carbon black Non-aerosol as total hydrocarbon vapor DPERTIES	ACGIH OSHA Z1
Components Carbon black Distillates (petroleum), hydrotreated light Form Appearance	3.5 mg/m3 3.5 mg/m3 200 mg/m3 9. PHYSIC : liquid dispe	Exposure time Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO d Evapo d, Viscous liquid Specif ersion	Exposure type Total dust. as carbon black Total dust. as carbon black Non-aerosol as total hydrocarbon vapor DPERTIES Tration rate : Not fic Gravity: : Not	ACGIH OSHA Z1 ACGIH established determined
Components Carbon black Distillates (petroleum), hydrotreated light Form	3.5 mg/m3 3.5 mg/m3 200 mg/m3 9. PHYSIC : liquid dispe : BLA	Exposure time Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO d Evapo d, Viscous liquid Specif ersion CK Bulk of	Exposure type Total dust. as carbon black Total dust. as carbon black Non-aerosol as total hydrocarbon vapor DPERTIES oration rate : Not fic Gravity: : Not	ACGIH OSHA Z1 ACGIH established
Components Carbon black Distillates (petroleum), hydrotreated light Form Appearance Color	3.5 mg/m3 3.5 mg/m3 200 mg/m3 9. PHYSIC : liquid dispe : BLA : Very	Exposure time Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): ZAL AND CHEMICAL PRO d Evapo d, Viscous liquid Specifiersion CK Bulk of faint	Exposure type Total dust. as carbon black Total dust. as carbon black Non-aerosol as total hydrocarbon vapor DPERTIES Total or rate : Not Total dust. as carbon black Non-aerosol as total hydrocarbon vapor DERTIES Total dust. as carbon black Not Pressure : Not	ACGIH OSHA Z1 ACGIH established determined applicable
Components Carbon black Distillates (petroleum), hydrotreated light Form Appearance Color Odor	3.5 mg/m3 3.5 mg/m3 200 mg/m3 9. PHYSIC : liquid dispe : BLA : Very : Not a	Exposure time Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): ZAL AND CHEMICAL PRO d Evapo d, Viscous liquid Specifiersion CK Bulk of faint	Exposure type Total dust. as carbon black Total dust. as carbon black Non-aerosol as total hydrocarbon vapor DPERTIES oration rate : Not ic Gravity: : Not lensity : Not pressure : Not ir density : Heave	ACGIH OSHA Z1 ACGIH established determined applicable determined
Components Carbon black Distillates (petroleum), hydrotreated light Form Appearance Color Odor Melting point/range	3.5 mg/m3 3.5 mg/m3 200 mg/m3 9. PHYSIC : liquid dispe : BLA : Very : Not a : Not a	Exposure time Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Example Average (TWA): CAL AND CHEMICAL PRO d Evapo d, Viscous liquid Specifiersion CK Bulk down of the protocol faint Vapor applicable Vapor	Exposure type Total dust. as carbon black Total dust. as carbon black Non-aerosol as total hydrocarbon vapor DPERTIES oration rate : Not ic Gravity: : Not lensity : Not pressure : Not ir density : Heave	ACGIH OSHA Z1 ACGIH established determined applicable determined vier than air.

Stability

: Stable.

Hazardous Polymerization : Will not occur.

MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29550 BLACK

Version Number 1.1 Revision Date 05/06/2004 Page 4 of 6 Print Date 11/14/2011

Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). The IARC 2B listing only pertains to airborne, unbound carbon black particles of respirable size. Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	:	No data available
Additional advice	:	No data available

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29550 BLACK

Version Number 1.1 Revision Date 05/06/2004 Page 5 of 6 Print Date 11/14/2011

	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. Th generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardo	as Substances (40 CFR 302)
Not applicable	
California Proposition 65	This product does not contain a substance listed by California Prop 65
SARA Title III Section 302 I	Extremely Hazardous Substance
Not applicable	
SARA Title III Section 313	Soxic Chemicals:
Not applicable Canadian Regulations:	

PolyOne

MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29550 BLACK

Version Number 1.1 Revision Date 05/06/2004 Page 6 of 6 Print Date 11/14/2011

National Pollutant Release Inventory (NPRI)					
Not applicable					
WHMIS Classification	:	D2A			
WHMIS Ingredient Disclo	osu	re List			
CAS-No. 1333-86-4					
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.			
National Inventories:					
Australia AICS	:	Listed			
China IECS	:	Listed			
Europe EINECS	:	Listed			
Japan ENCS	:	Not determined			
Korea KECI	:	Listed			
Philippines PICCS	:	Listed			
		16. OTHER INFORMATION			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.