MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-29588 RED

Version Number 1.0 Revision Date 06/22/2004 Page 1 of 6 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone:Emergency telephone:number	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	STAN-TONE HCC-29588 RED
Product code :	FO20008535
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Diallyl phthalate	131-17-9	60 - 100
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion			
Acute exposure				
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.			
Ingestion	: May be harmful if swallowed.			
Eyes	: May cause eye/skin irritation.			
Skin	: Experience shows no unusual dermatitis hazard from routine handling.			
Chronic exposure	: Refer to Section 11 for Toxicological Information.			
Medical Conditions Aggravated by Exposure:	: None known.			



MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29588 RED

Version Number 1.0 Revision Date 06/22/2004 Page 2 of 6 Print Date 11/14/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit sower explosion limit Autoignition temperature Suitable extinguishing media	 No data available No data available Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures Unusual Fire/Explosion	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or th soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.



MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29588 RED

Version Number 1.0 Revision Date 06/22/2004 Page 3 of 6 Print Date 11/14/2011

		eep containers dry and contamination. S			noisture	
8. H	EXPOSURE	CONTROLS / PE	RSONAL	PROTECTION		
Respiratory protection	: U	nder normal handlin	ng conditio	ns a respirator m	ay not l	be required.
Eye/Face Protection	: S	afety glasses with si	ide-shields			
Hand protection	: P	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing	g.			
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		andle in accordance ash hands before b				afety practice
Engineering measures		eat only in areas wi opropriate exhaust v			lation.	Provide
Exposure limit(s)						
Components	Value	Exposure tir		Exposure ty	pe	List:
Components Titanium dioxide	Value 10 mg/m3	Time Weighted A (TWA):		**	-	List: ACGIH
		Time Weighted		Exposure ty Total dust	-	
	10 mg/m3 15 mg/m3	Time Weighted A (TWA):	Average	Total dust	-	ACGIH
Titanium dioxide	10 mg/m3 15 mg/m3 9. PHYSIC	Time Weighted A (TWA): PEL: CAL AND CHEMI	Average	Total dust	- 	ACGIH OSHA Z1
Titanium dioxide	10 mg/m3 15 mg/m3 9. PHYSIC : liquid	Time Weighted A (TWA): PEL: CAL AND CHEMI	Average CAL PRO Evapor	Total dust	:. : Not	ACGIH OSHA Z1 established
Titanium dioxide	10 mg/m3 15 mg/m3 9. PHYSIC : liquid : liquid	Time Weighted A (TWA): PEL: CAL AND CHEMI	Average CAL PRO Evapor	Total dust	:. : Not	ACGIH OSHA Z1
Titanium dioxide	10 mg/m3 15 mg/m3 9. PHYSIC : liquid dispet : RED	Time Weighted A (TWA): PEL: CAL AND CHEMI d d, Viscous liquid ersion	Average CAL PRO Evapor	Total dust PERTIES ration rate c Gravity:	: Not : Not	ACGIH OSHA Z1 established
Titanium dioxide Form Appearance Color Odor	10 mg/m3 15 mg/m3 9. PHYSIC : liquid dispe : RED : Very	Time Weighted A (TWA): PEL: CAL AND CHEMI d d, Viscous liquid ersion faint	Average CAL PRC Evapor Specifi Bulk d Vapor	Total dust PERTIES ration rate c Gravity: ensity pressure	: Not : Not : Not : Not	ACGIH OSHA Z1 established determined applicable determined
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range	10 mg/m3 15 mg/m3 9. PHYSIC : liquid dispe : RED : Very : Not a	Time Weighted A (TWA): PEL: CAL AND CHEMI d, Viscous liquid ersion faint applicable	Average CAL PRC Evapor Specifi Bulk d Vapor Vapou	Total dust PERTIES ration rate c Gravity: ensity	: Not : Not : Not : Not : Hea	ACGIH OSHA Z1 established determined applicable determined vier than air.
Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 9. PHYSIC : liquid dispet : RED : Very : Not a : Not a	Time Weighted A (TWA): PEL: CAL AND CHEMI d, Viscous liquid ersion faint applicable applicable	Average CAL PRC Evapor Specifi Bulk d Vapor	Total dust PERTIES ration rate c Gravity: ensity pressure	: Not : Not : Not : Not : Hea	ACGIH OSHA Z1 established determined applicable determined
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range	10 mg/m3 15 mg/m3 9. PHYSIC : liquid dispet : RED : Very : Not a : Not a	Time Weighted A (TWA): PEL: CAL AND CHEMI d, Viscous liquid ersion faint applicable	Average CAL PRC Evapor Specifi Bulk d Vapor Vapou	Total dust PERTIES ration rate c Gravity: ensity pressure	: Not : Not : Not : Not : Hea	ACGIH OSHA Z1 established determined applicable determined vier than air.
Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 9. PHYSIC : liquid : liquid dispet : RED : Very : Not a : Inmm	Time Weighted A (TWA): PEL: CAL AND CHEMI d, Viscous liquid ersion faint applicable applicable	Average CAL PRC Evapor Specifi Bulk d Vapor Vapou pH	Total dust PERTIES ration rate c Gravity: ensity pressure r density	: Not : Not : Not : Not : Hea	ACGIH OSHA Z1 established determined applicable determined vier than air.
Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 9. PHYSIC : liquid dispe : RED : Very : Not a : Imm 10. S	Time Weighted A (TWA): PEL: CAL AND CHEMI d d, Viscous liquid ersion faint applicable applicable iscible	Average CAL PRC Evapor Specifi Bulk d Vapor Vapou pH	Total dust PERTIES ration rate c Gravity: ensity pressure r density	: Not : Not : Not : Not : Hea	ACGIH OSHA Z1 established determined applicable determined vier than air.
Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	10 mg/m3 15 mg/m3 9. PHYSIC : liquid dispe : RED : Very : Not a : Imm 10. S : S	Time Weighted A (TWA): PEL: CAL AND CHEMI d d, Viscous liquid ersion faint applicable iscible STABILITY AND	Average CAL PRC Evapor Specifi Bulk d Vapor Vapou pH	Total dust PERTIES ration rate c Gravity: ensity pressure r density	: Not : Not : Not : Not : Hea	ACGIH OSHA Z1 established determined applicable determined vier than air.

MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29588 RED

Version Number 1.0 Revision Date 06/22/2004

Page 4 of 6 Print Date 11/14/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
131-17-9	Diallyl phthalate	Systemic effects	Respiratory system, Liver.
		toxic	Refer to LC50 / LD50 Data on MSDS
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

	CAS-No.	Chemical Name	Route	Value	Species
1	131-17-9	Diallyl phthalate	LC50	5200 mg/m3	rat
			Oral LD50	656 mg/kg	rat
			Dermal LD50	3,300 mg/kg	rabbit

<u>Additional Health Hazard Information:</u> Diallyl phthalate 131-17-9 The metabolites may cause reproductive as well as developmental toxicity or birth defects.

12. ECOLOGICAL INFORMATION

Persistence and degradability	: Not readily biodegradable.	
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.	
Bioaccumulation Potential	: No data available	
Additional advice	: No data available	
	13. DISPOSAL CONSIDERATIONS	
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	
	approacte reacting, state, provincial and rocal regulations.	

MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29588 RED

Version Number 1.0 Revision Date 06/22/2004 Page 5 of 6 Print Date 11/14/2011

has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.

14. TRANSPORT INFORMATION

US Regulations:	
	15. REGULATORY INFORMATION
IMO / IMDG (maritime)	: Refer to specific regulation.
ICAO/IATA (air)	: Refer to specific regulation.
U.S. DOT Classification	: Refer to specific regulation.

US Regulations:

OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Not applicable

California Proposition : This product does not contain a substance listed by California Prop 65. 65

SARA Title III Section 302 Extremely Hazardous Substance

Not applicable

SARA Title III Section 313 Toxic Chemicals:

Not applicable Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Not applicable

 WHMIS Classification
 : Not controlled.

 DSL
 : All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.



MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29588 RED

Version Number 1.0 Revision Date 06/22/2004 Page 6 of 6 Print Date *11/14/2011*

National Inventories:

Listed
Listed
Listed
Not determined
Listed
Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.