

MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-27249 GRN VALLEY LT IVORY

Version Number 1.0 Revision Date 07/09/2004 Page 1 of 6 Print Date 11/15/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone number	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE HCC-27249 GRN VALLEY LT IVORY
Product code	:	FO20008678
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-27249 GRN VALLEY LT IVORY

Version Number 1.0 Revision Date 07/09/2004

Page 2 of 6 Print Date 11/15/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.	of
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.	
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If a irritation persists, seek medical attention.	зy
Skin	: Wash off with soap and plenty of water. If skin irritation persists so medical attention.	el
	5. FIRE-FIGHTING MEASURES	
Flash point	: No data available	
Flammable Limits		
Upper explosion limit	: No data available	
sower explosion limit	: No data available	
Autoignition temperature	: Not applicable	
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne contaminants.	e
Unusual Fire/Explosion Hazards	 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 	
	5. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: The product should not be allowed to enter drains, water courses or soil. Should not be released into the environment.	th
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid bind universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for prope disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.	





MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-27249 GRN VALLEY LT IVORY

Version Number 1.0

Revision Date 07/09/2004

Page 3 of 6 Print Date 11/15/2011

	ar	eep containers dry and tightly nd contamination. Store in a c		e absorption	
8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: U	Under normal handling conditions a respirator may not be required.			
Eye/Face Protection	: Sa	Safety glasses with side-shields.			
Hand protection	: P	Protective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: Sa				
General Hygiene Considerations		andle in accordance with good ash hands before breaks and		safety practice.	
Engineering measures	Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components Titopium dioxida	Value	Exposure time	Exposure type	List:	
Components Titanium dioxide	Value 10 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type	List: ACGIH	
		Time Weighted Average	Exposure type Total dust.		
	10 mg/m3 15 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH	
Titanium dioxide	10 mg/m3 15 mg/m3 9. PHYSIC	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Total dust.	ACGIH OSHA Z1	
Titanium dioxide	10 mg/m3 15 mg/m3 9. PHYSIC : liquid	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Total dust. DPERTIES Dration rate : No	ACGIH OSHA Z1 t established	
Titanium dioxide	10 mg/m3 15 mg/m3 9. PHYSIC : liquid : liquid	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Total dust. DPERTIES Dration rate : No	ACGIH OSHA Z1	
Titanium dioxide	10 mg/m3 15 mg/m3 9. PHYSIC : liquid dispe : WHI	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO d Evapo d, Viscous liquid Specif rrsion TE Bulk o	Total dust. DPERTIES Dration rate : No fic Gravity: : No density : No	ACGIH OSHA Z1 t established t determined t applicable	
Titanium dioxide Form Appearance Color Odor	10 mg/m3 15 mg/m3 9. PHYSIC : liquid dispe : WHI : Very	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO d Evapo d, Viscous liquid Specif ersion TE Bulk of faint Vapor	Total dust. DPERTIES Dration rate : No fic Gravity: : No density : No pressure : No	ACGIH OSHA Z1 t established t determined t applicable t determined	
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range	10 mg/m3 15 mg/m3 9. PHYSIC : liquid dispe : WHI : Very : Not a	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PR(d Evapo d, Viscous liquid Specif ersion TE Bulk of faint Vapor applicable Vapor	Total dust. DPERTIES Dration rate : No fic Gravity: : No density : No pressure : No ir density : Hea	ACGIH OSHA Z1 t established t determined t applicable t determined avier than air.	
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 9. PHYSIC : liquid dispe : WHI : Very : Not a : Not a	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PR(d Evapo d, Viscous liquid Specif ersion TE Bulk of faint Vapor applicable Vapou applicable pH	Total dust. DPERTIES Dration rate : No fic Gravity: : No density : No pressure : No ir density : Hea	ACGIH OSHA Z1 t established t determined t applicable t determined	
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range	10 mg/m3 15 mg/m3 9. PHYSIC : liquid dispe : WHI : Very : Not a	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PR(d Evapo d, Viscous liquid Specif ersion TE Bulk of faint Vapor applicable Vapou applicable pH	Total dust. DPERTIES Dration rate : No fic Gravity: : No density : No pressure : No ir density : Hea	ACGIH OSHA Z1 t established t determined t applicable t determined avier than air.	
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 9. PHYSIC : liquid dispe : WHI : Very : Not a : Not a : Immi	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PR(d Evapo d, Viscous liquid Specif ersion TE Bulk of faint Vapor applicable Vapou applicable pH	Total dust. DPERTIES Dration rate : No fic Gravity: : No density : No pressure : No ur density : Hea : No	ACGIH OSHA Z1 t established t determined t applicable t determined avier than air.	
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 9. PHYSIC : liquid dispe : WHI : Very : Not a : Immi 10. S	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO d Evapo d, Viscous liquid Specif ersion TE Bulk of faint Vapor applicable PH iscible	Total dust. DPERTIES Dration rate : No fic Gravity: : No density : No pressure : No ur density : Hea : No	ACGIH OSHA Z1 t established t determined t applicable t determined avier than air.	
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	10 mg/m3 15 mg/m3 9. PHYSIC : liquid dispe : WHI : Very : Not a : Not a : Immi 10. S	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO d Evapo d, Viscous liquid Specif ersion TE Bulk of faint Vapor applicable Vapou applicable pH iscible	Total dust. DPERTIES Dration rate : No fic Gravity: : No density : No pressure : No ur density : Hea : No	ACGIH OSHA Z1 t established t determined t applicable t determined avier than air.	



MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27249 GRN VALLEY LT IVORY

Version Number 1.0

Revision Date 07/09/2004

Page 4 of 6 Print Date 11/15/2011

Incompatible Materials	:	Incompatible with	ith strong acids and or	xidizing agents.	
Hazardous decompositi products	ion :			xide (CO), oxides of nitrogen d smoke are all possible.	
	11. '	TOXICOLOGIO	CAL INFORMATIO	N	
health data for the indiv Toxicity Overview	vidual compo	onents which com	prise the mixture.	re effects listed are based on exist	-
This product contains the	he following	components whi	ch in their pure form l	have the following characteristics:	
CAS-No.		nical Name	Effect	Target Organ	
13463-67-7	Titanium d	ioxide	Systemic effects	Respiratory system.	
	12	2. ECOLOGICA	L INFORMATION		1
D 11 1	1.11.	NT . 111 1 .			-
Persistence and degrada	ability :	Not readily biod	legradable.		
Environmental Toxicity	y :	Environmental t whole.	toxicity has not been e	established for this mixture as a	
Bioaccumulation Poten	itial :	No data availab	le		
Additional advice	:	No data availab	le		
	1	3. DISPOSAL C	ONSIDERATIONS		
Product	:	generator of was classification, tr	ste material has the re	to disposal or incineration. The sponsibility for proper waste osal in accordance with d local regulations.	
Contaminated packagir	ng :	has the responsi	bility for proper waste accordance with appli	The generator of waste material e classification, transportation cable federal, state/provincial	
	1	4. TRANSPOR	FINFORMATION		
U.S. DOT Classificatio	on :	Refer to specific	c regulation.		
ICAO/IATA (air)	:	Refer to specific	c regulation.		
IMO / IMDG (maritime	e) :	Refer to specific	c regulation.		

15. REGULATORY INFORMATION



MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27249 GRN VALLEY LT IVORY

rsion Number 1.0 vision Date 07/09/2004		Page 5 of Print Date 11/15/20
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous S	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Extr	em	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	ic (Chemicals:
Not applicable Canadian Regulations:		
National Pollutant Release	se Iı	nventory (NPRI)
Not applicable		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
	:	Listed
Korea KECI		
Korea KECI Philippines PICCS	:	Listed



MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27249 GRN VALLEY LT IVORY

Version Number 1.0 Revision Date 07/09/2004 Page 6 of 6 Print Date *11/15/2011*

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.