MATERIAL SAFETY DATA SHEET STAN-TONE MC-22467 BLUE

Version Number 1.0 Revision Date 05/20/2005

Page 1 of 6 Print Date 11/18/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone number	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE MC-22467 BLUE
Product code	:	FO20008996
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %			
Aluminum oxide	1344-28-1	10 - 30			

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET **STAN-TONE MC-22467 BLUE**

Version Number 1.0 Revision Date 05/20/2005 Page 2 of 6 Print Date 11/18/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 No data available No data available Not applicable Carbon dioxide blanket, water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.

PolyOne.

MATERIAL SAFETY DATA SHEET STAN-TONE MC-22467 BLUE

Version Number 1.0 Revision Date 05/20/2005 Page 3 of 6 Print Date 11/18/2011

		Leep containers dry a nd contamination. S				ubbolption				
8. E	EXPOSURE	CONTROLS / PEI	RSONAL	PROTECTION						
Respiratory protection	: Under normal handling conditions a respirator may not be required.									
Eye/Face Protection	: S	: Safety glasses with side-shields.								
Hand protection	: P	: Protective gloves.								
Skin and body protection	: Long sleeved clothing.									
Additional Protective Measures	: S	: Safety shoes.								
General Hygiene Considerations		landle in accordance Vash hands before bi				afety practice				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.									
Exposure limit(s)										
Components	Value	Exposure tin	ne	Exposure ty	pe	List:				
Aluminum oxide	10 mg/m3	Time Weighted A (TWA):	Total dust	ACGIH						
	5 mg/m3	PEL:		Respirable frac	ction.	OSHA Z1				
	15 mg/m3	PEL:		Total dust		OSHA Z1				
	9. PHYSIC	CAL AND CHEMI	CAL PRO	PERTIES						
Form Appearance		d d, Viscous liquid ersion		ration rate ic Gravity:		established determined				
Color	: BLU		Bulk density : Not applicable							
Odor	: Very		Vapor pressure : Not determined							
Melting point/range		applicable	-	r density		vier than air.				
Boiling Point: Water solubility	: Not a	applicable	pН		: Not	determined				
water solubility										
	10. 5	STABILITY AND I	REACTIV	ITY						
Stability	: S	table.								
Hazardous Polymerization	n : V	Vill not occur.								
Conditions to avoid		Leep away from oxid ecomposition, do no			e. To a	void thermal				

PolyOne

MATERIAL SAFETY DATA SHEET STAN-TONE MC-22467 BLUE

Version Number 1.0 Revision Date 05/20/2005 Page 4 of 6 Print Date 11/18/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ					
1344-28-1	Aluminum oxide	Systemic effects	Eyes, Skin, Respiratory system					
	12 ECOLOGI	ICAL INFORMATION	J					
Persistence and degrada	ability : Not readily	biodegradable.						
Environmental Toxicity	: Environmen whole.	Environmental toxicity has not been established for this mixture as a whole.No data available						
Bioaccumulation Poten	tial : No data ava							
Additional advice	: No data ava	ilable						
	13. DISPOSA	L CONSIDERATIONS	5					
Product Contaminated packagir	generator of classificatio applicable for the splicable for the splicable for and disposal	 Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal. 						
	14. TRANSPO	ORT INFORMATION						
U.S. DOT Classificatio	n : Refer to spe	cific regulation.						
ICAO/IATA (air)	: Refer to specific regulation.							
IMO / IMDG (maritime	e) : Refer to spe	: Refer to specific regulation.						
	15 DECILLAT	ORY INFORMATIO	λ.τ.					

PolyOne.

MATERIAL SAFETY DATA SHEET **STAN-TONE MC-22467 BLUE**

rsion Number 1.0 vision Date 05/20/2005						Prin	t Date	Page 5 of 11/18/201
US Regulations:								
OSHA Status	:	Classified as hazardo	us l	based on comp	onen	ts.		
TSCA Status	:	All components of th Inventory.	is p	product are liste	ed on	or exemp	ot from	the TSCA
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)						
Not applicable								
California Proposition 65	:	Not applicable						
SARA Title III Section 302 Ext Not applicable	rem	ely Hazardous Substan	ce					
SARA Title III Section 313 Tox	cic C	Chemicals:						
				1				
Chemical Name ALUMINUM OXIDE (CAS-No. 1344-28-1		Weight 10.51	%	
Canadian Regulations: National Pollutant Relea	se Iı	ventory (NPRI)						
Chemical Name	<u></u>		(CAS-No.	W	eight %	NPRI	ID#
Aluminum oxide			1	344-28-1).51	13	
Phthalocyanine blue			1	47-14-8	50	0.00	71	
WHMIS Classification DSL	:	Not controlled. All components of th Substances List (DSL		•	the C	anadian	Domest	tic
National Inventories:								
Australia AICS	:	Listed						
China IECS	:	Listed						
Europe EINECS	:	Listed						
Japan ENCS	:	Listed						
		.						

Korea KECI : Listed

PolyOne

MATERIAL SAFETY DATA SHEET STAN-TONE MC-22467 BLUE

Version Number 1.0 Revision Date 05/20/2005 Page 6 of 6 Print Date 11/18/2011

Philippines PICCS

: Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.