PolvOne

MATERIAL SAFETY DATA SHEET STAN-TONE MB-29922 PEARL

Version Number 1.2 Revision Date 05/17/2007 Page 1 of 7 Print Date 11/28/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

| Telephone Emergency telephone | : | Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
|----------------------------------|---|--|
| Product name | : | STAN-TONE MB-29922 PEARL |
| Product code | : | FO20009214 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

| Components | CAS-No. | Weight % |
|-------------------|------------|----------|
| Kaolin | 1332-58-7 | 1 - 5 |
| Silica, amorphous | 7631-86-9 | 1 - 5 |
| Titanium dioxide | 13463-67-7 | 30 - 60 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact | | |
|---------------------------------|---|--|--|
| Acute exposure | | | |
| Inhalation Ingestion Eyes | Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves. | | |
| Skin | : Experience shows no unusual dermatitis hazard from routine handling. | | |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. | | |

PolyOne.

MATERIAL SAFETY DATA SHEET **STAN-TONE MB-29922 PEARL**

Version Number 1.2 Revision Date 05/17/2007 Page 2 of 7 Print Date 11/28/2011

| Medical Conditions Aggravated by Exposure: | : None known. |
|---|--|
| | 4. FIRST AID MEASURES |
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice. |
| Ingestion | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists see medical attention. |
| | 5. FIRE-FIGHTING MEASURES |
| Flash point | : Not applicable |
| Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures | Not applicable Not applicable Not relevant Water spray, Dry powder, Foam, Carbon dioxide (CO2). Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne |
| Unusual Fire/Explosion Hazards | contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |
| | 6. ACCIDENTAL RELEASE MEASURES |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. |
| Methods for cleaning up | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods. |
| | 7. HANDLING AND STORAGE |
| Handling | : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. |

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET **STAN-TONE MB-29922 PEARL**

Version Number 1.2 Revision Date 05/17/2007

Page 3 of 7 Print Date 11/28/2011

| Storage | : | Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place. |
|-----------------------------------|------|--|
| 8. EXP | OSUI | RE CONTROLS / PERSONAL PROTECTION |
| Respiratory protection | : | No personal respiratory protective equipment normally required when handling the product itself. See "Engineering Measures" section below for precautions to be taken when heating or processing this material. |
| Eye/Face Protection | : | Safety glasses with side-shields |
| Hand protection | : | Protective gloves |
| Skin and body protection | : | Long sleeved clothing |
| Additional Protective Measures | : | Safety shoes |
| General Hygiene Considerations | : | Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. |
| Engineering measures | : | Heat only in areas with appropriate exhaust ventilation. Adequate ventilation and/or appropriate respiratory protection may also be necessary to minimize employee exposure to processing vapors. |
| Exposure limit(s) | | |

PolyOne.

MATERIAL SAFETY DATA SHEET STAN-TONE MB-29922 PEARL

Version Number 1.2 Revision Date 05/17/2007

Page 4 of 7 Print Date 11/28/2011

: Not applicable

:

:

:

:

:

Not determined

Not established

Not applicable

Not applicable

Not applicable

| Components | Value | Exposure time | Exposure type | List: |
|-------------------|-----------|-----------------------------------|------------------------|---------|
| Kaolin | 2 mg/m3 | Time Weighted Average (TWA): | Respirable fraction. | ACGIH |
| | 10 mg/m3 | Time Weighted Average (TWA): | | MX OEL |
| | 20 mg/m3 | Short Term Exposure Limit (STEL): | | MX OEL |
| | 5 mg/m3 | PEL: | Respirable fraction. | OSHA Z1 |
| | 15 mg/m3 | PEL: | Total dust. | OSHA Z1 |
| Silica, amorphous | 0.8 mg/m3 | Time Weighted Average (TWA): | | Z3 |
| | 10 mg/m3 | Time Weighted Average (TWA): | Inhalable particulate. | MX OEL |
| | 3 mg/m3 | Time Weighted Average (TWA): | Respirable dust. | MX OEL |
| Titanium dioxide | 10 mg/m3 | Time Weighted Average (TWA): | | ACGIH |
| | 15 mg/m3 | PEL: | Total dust. | OSHA Z1 |
| | 10 mg/m3 | Time Weighted Average (TWA): | as Ti | MX OEL |
| | 20 mg/m3 | Short Term Exposure Limit (STEL): | as Ti | MX OEL |

9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance:Color:Odour:Melting point/range: | Solid pellets, Slabs, sheets TAN Characteristic rubber odor Not determined | Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density |
|---|--|---|
| Boiling Point: : | Not applicable Insoluble | pH |

10. STABILITY AND REACTIVITY

| Stability | : | S |
|-----------|---|---|
| 5 | | |

Hazardous Polymerization

products

Stable.

- Will not occur. :
- Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
- **Incompatible Materials** Incompatible with strong acids and oxidizing agents. :
- Hazardous decomposition Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen : (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

MATERIAL SAFETY DATA SHEET STAN-TONE MB-29922 PEARL

Version Number 1.2 Revision Date 05/17/2007 Page 5 of 7 Print Date 11/28/2011

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No. | Chemical Name | Effect | Target Organ |
|------------|-------------------|------------------|-------------------------------|
| 1332-58-7 | Kaolin | Systemic effects | Respiratory system, digestive |
| | | | system. |
| 7631-86-9 | Silica, amorphous | Irritant | Eyes, Respiratory system. |
| 13463-67-7 | Titanium dioxide | Systemic effects | Respiratory system. |

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

| CAS-No. | Chemical Name | Route | Value | Species |
|-----------|-------------------|--------------------------|--------------------------------|----------|
| 7631-86-9 | Silica, amorphous | Oral LD50Oral LD50 | 15,000 mg/kg22,500 mg/kg | mouserat |

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

| CAS-No. | Chemical Name | OSHA | IARC | NTP |
|------------|------------------|------|------|-----|
| 13463-67-7 | Titanium dioxide | no | 2B | no |

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

| Additional advice | : | Not applicable | |
|-------------------------------|---|--|--|
| Bioaccumulation Potential | : | Chemicals are not readily available as they are bound within the polymer matrix. | |
| Environmental Toxicity | : | Chemicals are not readily available as they are bound within the polymer matrix. | |
| Persistence and degradability | : | Not readily biodegradable. | |

13. DISPOSAL CONSIDERATIONS

PolyOne.

MATERIAL SAFETY DATA SHEET STAN-TONE MB-29922 PEARL

| Version Number 1.2 Revision Date 05/17/2007 | Page 6 of 7 Print Date 11/28/2011 | |
|---|---|--|
| | | |
| Product | : Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. | |
| Contaminated packaging | : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. | |
| | 14. TRANSPORT INFORMATION | |
| | | |
| U.S. DOT Classification | : Not regulated for transportation. | |
| ICAO/IATA (air) | : Not regulated for transportation. | |
| IMO / IMDG (maritime) | : Not regulated for transportation. | |
| 15. REGULATORY INFORMATION | | |
| US Regulations: | | |
| OSHA Status | : Classified as hazardous based on components. | |
| TSCA Status | : All components of this product are listed on or exempt from the TSCA Inventory. | |
| US. EPA CERCLA Hazardo | us Substances (40 CFR 302) | |
| Not applicable | | |
| | | |
| California Proposition 65 | n : Not applicable | |
| SARA Title III Section 302 F | Extremely Hazardous Substance | |
| Unless specific chemicals are | e identified under this section, this product is Not Applicable under this regulation | |
| SARA Title III Section 313 7 | Foxic Chemicals: | |
| Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation | | |
| Canadian Regulations: | | |
| | | |
| | | |

PolyOne

MATERIAL SAFETY DATA SHEET STAN-TONE MB-29922 PEARL

Version Number 1.2 Revision Date 05/17/2007 Page 7 of 7 Print Date 11/28/2011

| National Pollutant Release Inventory (NPRI) | | | |
|---|--|--|--|
| Not applicable | | | |
| WHMIS Classification : | D2A | | |
| WHMIS Ingredient Disclos | ure List | | |
| CAS-No. 7631-86-9 | | | |
| DSL : | All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. | | |
| National Inventories: | | | |
| Australia AICS : | Listed | | |
| China IECS : | Listed | | |
| Europe EINECS : | Listed | | |
| Japan ENCS : | Listed | | |
| Korea KECI : | Listed | | |
| Philippines PICCS : | Listed | | |
| | 16 OTHER INFORMATION | | |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.