MATERIAL SAFETY DATA SHEET **STAN-TONE D-2700 RED**

Version Number 1.0 Revision Date 11/15/2006

Page 1 of 6 Print Date 11/25/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone number	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE D-2700 RED
Product code	:	FO20009261
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. In addition, heating or processing this material may result in product degradation or byproduct formation creating additional hazards. See Sections 8 and 11 for additional details.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation Ingestion Eyes Skin Chronic exposure	 Irritating to respiratory system. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling. Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air. When symptoms persist or in all cases of doubt seek

PolyOne.

MATERIAL SAFETY DATA SHEET **STAN-TONE D-2700 RED**

sion Number 1.0 rision Date 11/15/2006	Page Print Date 11/25	
	medical advice.	
Ingestion	: Seek medical attention if necessary. Do not induce vomiting witho medical advice.	ut
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If a irritation persists, seek medical attention.	eye
Skin	: Wash off with soap and plenty of water.	
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable No data available Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide 	
Special Fire Fighting Procedures Unusual Fire/Explosion	 Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen 	e
Hazards	(NOx), other hazardous materials, and smoke are all possible.	
	ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Avoid breathing dust. Avoid dust formation. Ensure adequate ventilation. Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil.	ot
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Do not create a powde cloud by using a brush or compressed air. Shovel into suitable container for disposal. Refer to Section 13 of this MSDS for prope disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Provide for appropriate exhaust ventilation and dust collection at machinery. Avoid formation of dust and aerosols.	
Storage	: Store in a cool dry place. Keep away from open flames, hot surface and sources of ignition.	es
8. EXP	URE CONTROLS / PERSONAL PROTECTION	
	2/6	

PolyOne.

MATERIAL SAFETY DATA SHEET **STAN-TONE D-2700 RED**

.

Version Number 1.0Page 3 of 6Revision Date 11/15/2006Print Date 11/25/2011

	must use appropriate respirators must be p	acing concentrations above e certified respirators. En properly trained. Employ as such as OSHA 29 CFF	mployees using yers must follow
Eye/Face Protection	: Safety glasses with s	side-shields.	
Hand protection	: Protective gloves. R	efer to equipment supplie	er to ensure protection.
Skin and body protection	: Long sleeved clothing.		
Additional Protective Measures	: Safety shoes.		
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and immediately after handling the product.		
Engineering measures	: Adequate ventilation and/or appropriate respiratory protection may also be necessary to minimize employee exposure to processing vapors.		
Exposure limit(s)			
There are no known hazardou	s components above regulat		oduct.
			 Not applicable Not determined Not determined Not applicable Not applicable Not applicable Not applicable
9. Form Appearance Color Odor Melting point/range Boiling Point:	 PHYSICAL AND CHEM Solid powder RED Very faint Not applicable Not applicable 	ICAL PROPERTIES Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH	 Not applicable Not determined Not determined Not applicable Not applicable
9. Form Appearance Color Odor Melting point/range Boiling Point:	 PHYSICAL AND CHEM Solid powder RED Very faint Not applicable Not applicable Negligible 	ICAL PROPERTIES Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH	 Not applicable Not determined Not determined Not applicable Not applicable
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	 PHYSICAL AND CHEM Solid powder RED Very faint Not applicable Not applicable Negligible 10. STABILITY AND	ICAL PROPERTIES Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH	 Not applicable Not determined Not determined Not applicable Not applicable
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	PHYSICAL AND CHEM : Solid : powder : RED : Very faint : Not applicable : Not applicable : Negligible 10. STABILITY AND : Stable.	ICAL PROPERTIES Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH REACTIVITY	 Not applicable Not determined Not determined Not applicable Not applicable
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	PHYSICAL AND CHEM Solid powder RED Very faint Not applicable Not applicable Negligible 10. STABILITY AND Stable. Will not occur. 	ICAL PROPERTIES Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH REACTIVITY	 Not applicable Not determined Not determined Not applicable Not applicable
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	 PHYSICAL AND CHEM Solid powder RED Very faint Not applicable Not applicable Negligible 10. STABILITY AND Stable. Will not occur. Heat, flames and spate strong acids and oxide 	ICAL PROPERTIES Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH REACTIVITY arks. dizing agents 2), carbon monoxide (CC	 Not applicable Not determined Not determined Not applicable Not applicable Not applicable

PolyOne

MATERIAL SAFETY DATA SHEET **STAN-TONE D-2700 RED**

Version Number 1.0 Revision Date 11/15/2006 Page 4 of 6 Print Date 11/25/2011

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOL	OGICAL INFORMA	TION	
Persistence and degradability	: Pigmen	ts are practically not bio	odegradable.	
Environmental Toxicity	: No data	: No data available		
Bioaccumulation Potential	: No data	: No data available		
Additional advice	: No data	available		
	13. DISPO	SAL CONSIDERAT	IONS	
Product	generat classific	or of waste material has cation, transportation ar	eferred to disposal or incineration. The sthe responsibility for proper wastend disposal in accordance with cial and local regulations.	
Contaminated packaging	has the and disp	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
	14. TRAN	NSPORT INFORMAT	TION	
U.S. DOT Classification	: Not reg	ulated for transportation	n.	
ICAO/IATA (air)	: Not reg	ulated for transportation	n.	
IMO / IMDG (maritime)	: Not reg	ulated for transportation	n.	
	15. REGU	LATORY INFORMA	TION	
US Regulations:				
OSHA Status		re no known hazardous lds in this product.	components above regulatory	
TSCA Status	TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory.			
US. EPA CERCLA Hazardo	us Substances (4	40 CFR 302)		
Chemical Name	CAS-No.	RQ for component	RQ for Mixture/Product	

PolyOne

MATERIAL SAFETY DATA SHEET **STAN-TONE D-2700 RED**

Version Number 1.0 Revision Date 11/15/2006 Page 5 of 6 Print Date 11/25/2011

Benzoic acid,	15782-06-6	1,000 lbs	1,000 LB
2-[(2-hydroxy-3,6-			
disulfo-1-naphthale			
nyl)azo]-, barium			
salt (2:3)			

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Substances List (DSL) or are exempt.

Chemical Name	CAS-No.	Weight %
BARIUM COMPOUNDS [EXCEPT BASO4]	15782-06-6	0.00 - 0.00

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Not applicable

WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic

National Inventories:

Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET STAN-TONE D-2700 RED

Version Number 1.0 Revision Date 11/15/2006

Page 6 of 6 Print Date 11/25/2011

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.