MATERIAL SAFETY DATA SHEET STAN-TONE MB-15786 RED

Version Number 1.0 Revision Date 05/21/2007 Page 1 of 6 Print Date 11/28/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE MB-15786 RED
Product code	:	FO20009266
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous, precipitated and gel	112926-00-8	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to 		
Skin	eyes.Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		

PolyOne.

MATERIAL SAFETY DATA SHEET **STAN-TONE MB-15786 RED**

Version Number 1.0 Revision Date 05/21/2007 Page 2 of 6 Print Date 11/28/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit		Not applicable
Lower explosion limit	÷	Not applicable
Autoignition temperature	÷	Not relevant
Suitable extinguishing media	:	Water spray, Dry powder, Foam, Carbon dioxide (CO2).
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET **STAN-TONE MB-15786 RED**

Version Number 1.0 Revision Date 05/21/2007 Page 3 of 6 Print Date 11/28/2011

	EXPOSURE	CONTROLS / PERS	ONAL	PROTECTIO	N	
Respiratory protection	ha be	o personal respiratory p andling the product itse elow for precautions to paterial.	lf. See	"Engineering N	leasures	" section
Eye/Face Protection	: Safety glasses with side-shields					
Hand protection	: Protective gloves					
Skin and body protection	: L	ong sleeved clothing				
Additional Protective Measures	: Safety shoes					
General Hygiene Considerations		andle in accordance wi /ash hands before breal				afety practice
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Adequate ventilation and/or appropriate respiratory protection may also be necessary to minimize employee exposure to processing vapors.					
Exposure limit(s)						
Components	Value	Exposure time		Exposure	type	List:
Silica, amorphous, precipitated and gel	10 mg/m3	Time Weighted Ave (TWA):	erage			MX OEL
	0.8 mg/m3	Time Weighted Ave (TWA):	erage			Z3
	9. PHYSIC	CAL AND CHEMICA	L PRO	PERTIES		
	. Calid		E		. Nat	
Form	: Solid	ts, Slabs, sheets		ation rate c Gravity		applicable determined
Form Appearance	• nelle	10, D1000, D110010				established
Appearance	-		Bulk de			applicable
	: RED	acteristic rubber odor	Bulk de Vapour	pressure		
Appearance Color	: RED : Char		Vapou	density		applicable
Appearance Color Odour Melting point/range Boiling Point:	: RED : Char : Not c : Not a	acteristic rubber odor letermined applicable	Vapou		: Not	applicable applicable
Appearance Color Odour Melting point/range	: RED : Char : Not c	acteristic rubber odor letermined applicable	Vapour Vapour		: Not	
Appearance Color Odour Melting point/range Boiling Point:	: RED : Char : Not c : Not a : Insol	acteristic rubber odor letermined applicable	Vapour Vapour pH	density	: Not	
Appearance Color Odour Melting point/range Boiling Point:	: RED : Char : Not c : Not a : Insol 10. S	acteristic rubber odor letermined applicable uble	Vapour Vapour pH	density	: Not	

PolvOn<u>e</u>

MATERIAL SAFETY DATA SHEET **STAN-TONE MB-15786 RED**

 Version Number 1.0
 Page 4 of 6

 Revision Date 05/21/2007
 Print Date 11/28/2011

 Conditions to avoid
 : Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.

Incompatible Materials: Incompatible with strong acids and oxidizing agents.Hazardous decomposition
products: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
(NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ		
	Silica, amorphous, precipitated and gel	Irritant	Respiratory system, Eyes.		
	12. ECOLOGIO	CAL INFORMATIO	ON		
Persistence and degradal	pility : Not readily b	iodegradable.			
Environmental Toxicity		: Chemicals are not readily available as they are bound within the polymer matrix.			
Bioaccumulation Potenti		: Chemicals are not readily available as they are bound within the polymer matrix.			
Additional advice	: Not applicabl	e			
	13. DISPOSAL	CONSIDERATIO	NS		
Product	generator of v classification	waste material has th , transportation and c	rred to disposal or incineration. The e responsibility for proper waste disposal in accordance with l and local regulations.		
Contaminated packaging	has the response and disposal	cycling is preferred when possible. The generator of waste material the responsibility for proper waste classification, transportation disposal in accordance with applicable federal, state/provincial local regulations.			
	14. TRANSPO	RT INFORMATIO	N		
U.S. DOT Classification	: Not regulated	for transportation.			
ICAO/IATA (air)	: Not regulated	for transportation.			
		A/C			

PolyOne.

MATERIAL SAFETY DATA SHEET **STAN-TONE MB-15786 RED**

Version Number 1.0 Revision Date 05/21/2007 Page 5 of 6 Print Date 11/28/2011

15. REGULATORY INFORMATION					
US Regulations:					
05 Regulations.					
OSHA Status	:	Classified as hazardous based on compo	nents.		
TSCA Status	:	: All components of this product are listed on or exempt from the TSCA Inventory.			
US. EPA CERCLA Hazardous	Subs	tances (40 CFR 302)			
Not applicable					
California Proposition 65	:	Not applicable			
		ely Hazardous Substance fied under this section, this product is Not	Applicable under this regulati		
SARA Title III Section 313 To:	dentif xic C	fied under this section, this product is Not			
Unless specific chemicals are in SARA Title III Section 313 To: Unless specific chemicals are in	dentif xic C	fied under this section, this product is Not hemicals: fied under this section, this product is Not	Applicable under this regulation		
Unless specific chemicals are id SARA Title III Section 313 To:	dentif xic C dentif	fied under this section, this product is Not hemicals: fied under this section, this product is Not CAS-No.			
Unless specific chemicals are in SARA Title III Section 313 To: Unless specific chemicals are in Chemical Name	dentif xic C dentif	fied under this section, this product is Not Themicals: fied under this section, this product is Not CAS-No. EPT BASO4] 7585-41-3	Applicable under this regulati		
Unless specific chemicals are id SARA Title III Section 313 To: Unless specific chemicals are id Chemical Name BARIUM COMPOUNDS [E Canadian Regulations: National Pollutant Relea	dentif xic C dentif	fied under this section, this product is Not Themicals: fied under this section, this product is Not CAS-No. EPT BASO4] 7585-41-3	Applicable under this regulati		
Unless specific chemicals are in SARA Title III Section 313 To: Unless specific chemicals are in Chemical Name BARIUM COMPOUNDS [E Canadian Regulations: National Pollutant Relea Not applicable	dentif xic C dentif XCE	fied under this section, this product is Not "hemicals: <u>fied under this section, this product is Not</u> <u>CAS-No.</u> <u>CAS-No.</u> <u>CAS-41-3</u> wentory (NPRI)	Applicable under this regulative weight %		
Unless specific chemicals are in SARA Title III Section 313 Tor Unless specific chemicals are in Chemical Name BARIUM COMPOUNDS [E] Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification	dentif xic C dentif EXCE	fied under this section, this product is Not hemicals: <u>fied under this section, this product is Not</u> <u>CAS-No.</u> <u>CAS-No.</u> <u>CAS-No.</u> <u>CAS-No.</u> <u>CAS-No.</u> <u>T585-41-3</u> wentory (NPRI) D2B All components of this product are on th	Applicable under this regulative weight %		
Unless specific chemicals are id SARA Title III Section 313 To: Unless specific chemicals are id Chemical Name BARIUM COMPOUNDS [E] Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification DSL	dentif xic C dentif EXCE	fied under this section, this product is Not hemicals: <u>fied under this section, this product is Not</u> <u>CAS-No.</u> <u>CAS-No.</u> <u>CAS-No.</u> <u>CAS-No.</u> <u>CAS-No.</u> <u>T585-41-3</u> wentory (NPRI) D2B All components of this product are on th	Applicable under this regulative weight %		

PolyOne

MATERIAL SAFETY DATA SHEET **STAN-TONE MB-15786 RED**

Version Number 1.0 Revision Date 05/21/2007 Page 6 of 6 Print Date 11/28/2011

Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.