

MATERIAL SAFETY DATA SHEET

DB3807E BLACK

Version Number 1.0 Revision Date 07/23/2004 Page 1 of 6 Print Date 11/15/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone number	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	DB3807E BLACK
Product code	:	FO20009482
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion				
Acute exposure					
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.				
Ingestion	: May be harmful if swallowed.				
Eyes	: May cause eye/skin irritation.				
Skin	: Experience shows no unusual dermatitis hazard from routine handling.				
Chronic exposure	: Refer to Section 11 for Toxicological Information.				
Medical Conditions Aggravated by Exposure:	: None known.				
	4. FIRST AID MEASURES				
Skin Chronic exposure Medical Conditions	 Experience shows no unusual dermatitis hazard from routine handling. Refer to Section 11 for Toxicological Information. None known. 				



MATERIAL SAFETY DATA SHEET DB3807E BLACK

ion Number 1.0 sion Date 07/23/2004	Page 2 Print Date 11/15/2
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits	
Upper explosion limit	: No data available
sower explosion limit	: No data available
Autoignition temperature	: Not applicable
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	 May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxide of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize



MATERIAL SAFETY DATA SHEET **DB3807E BLACK**

		Pag Print Date 11/	
	accumulation of the	ese materials.	
Storage		y and tightly closed to avoid moisture absorption	on
	and contamination.	Store in a cool dry place.	
8. EXP	OSURE CONTROLS / P	ERSONAL PROTECTION	
Respiratory protection	: No personal respira	tory protective equipment normally required.	
Eye/Face Protection	: Safety glasses with	side-shields.	
Hand protection	: Protective gloves.		
Skin and body protection	: Long sleeved cloth	ing.	
Additional Protective Measures	: Safety shoes.		
General Hygiene Considerations		ce with good industrial hygiene and safety pra- breaks and at the end of workday.	ctic
Engineering measures		with appropriate exhaust ventilation. Provide t ventilation at machinery.	
Exposure limit(s)			
There are no known hazardor		story thresholds in this product	
		atory thresholds in this product.	
	PHYSICAL AND CHEM		
9. Form	PHYSICAL AND CHEN : liquid	IICAL PROPERTIES Evaporation rate : Not establish	
9. Form Appearance	PHYSICAL AND CHEN : liquid : Viscous, liquid	Incal properties Evaporation rate : Not establish Specific Gravity: : Not determining	ed
9. Form Appearance Color	PHYSICAL AND CHEM : liquid : Viscous, liquid : BLACK	Incal properties Evaporation rate : Not establish Specific Gravity: : Not determine Bulk density : Not applicab	ed le
9. Form Appearance Color Odor	 PHYSICAL AND CHEN iquid Viscous, liquid BLACK Very faint 	IICAL PROPERTIES Evaporation rate : Not establish Specific Gravity: : Not determining Bulk density : Not applicab Vapor pressure : Not determining	led le led
9. Form Appearance Color Odor Melting point/range	 PHYSICAL AND CHEM iliquid Viscous, liquid BLACK Very faint Not applicable 	IICAL PROPERTIES Evaporation rate : Not establish Specific Gravity: : Not determine Bulk density : Not applicab Vapor pressure : Not determine Vapour density : Not determine Vapour density : Not determine	led le led led
9. Form Appearance Color Odor Melting point/range Boiling Point:	 PHYSICAL AND CHEM iliquid Viscous, liquid BLACK Very faint Not applicable Not applicable 	IICAL PROPERTIES Evaporation rate : Not establish Specific Gravity: : Not determining Bulk density : Not applicab Vapor pressure : Not determining	led le led led
9. Form Appearance Color Odor Melting point/range	 PHYSICAL AND CHEM iliquid Viscous, liquid BLACK Very faint Not applicable 	IICAL PROPERTIES Evaporation rate : Not establish Specific Gravity: : Not determine Bulk density : Not applicab Vapor pressure : Not determine Vapour density : Not determine Vapour density : Not determine	led le led led
9. Form Appearance Color Odor Melting point/range Boiling Point:	 PHYSICAL AND CHEM iliquid Viscous, liquid BLACK Very faint Not applicable Not applicable 	MICAL PROPERTIES Evaporation rate : Not establish Specific Gravity: : Not determining Bulk density : Not applicab Vapor pressure : Not determining Vapour density : Not determining pH : Not applicab	led le led led
9. Form Appearance Color Odor Melting point/range Boiling Point:	 PHYSICAL AND CHEN iliquid Viscous, liquid BLACK Very faint Not applicable Not applicable Immiscible 	MICAL PROPERTIES Evaporation rate : Not establish Specific Gravity: : Not determining Bulk density : Not applicab Vapor pressure : Not determining Vapour density : Not determining pH : Not applicab	led le led led
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	 PHYSICAL AND CHEM iliquid Viscous, liquid BLACK Very faint Not applicable Not applicable Immiscible 10. STABILITY ANI	MICAL PROPERTIES Evaporation rate : Not establish Specific Gravity: : Not determining Bulk density : Not applicab Vapor pressure : Not determining Vapour density : Not determining pH : Not applicab	led le led led
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	 PHYSICAL AND CHEM iliquid Viscous, liquid BLACK Very faint Not applicable Not applicable Immiscible 10. STABILITY ANI Stable. Will not occur. 	MICAL PROPERTIES Evaporation rate : Not establish Specific Gravity: : Not determining Bulk density : Not applicab Vapor pressure : Not determining Vapour density : Not determining pH : Not applicab D REACTIVITY stidizing agents and open flame. To avoid thermal	ed le ed ed le



MATERIAL SAFETY DATA SHEET DB3807E BLACK

Hazardous decomposition products :: Carbon dioxide (CO2), carbon mor (NOx), hydrogen chloride (HC1), of smoke are all possible. Prolonged 1 degradation. As a general rule of th after one hour at 177 °C (350 °F), a and within 5 minutes at 232 °C (450 11. TOXICOLOGICAL INFORMATI There are no known hazardous components above regulatory thresholds 12. ECOLOGICAL INFORMATION Persistence and degradability : Not readily biodegradable. Environmental Toxicity : Environmental toxicity has not been whole. Bioaccumulation Potential : No data available Additional advice : No data available 13. DISPOSAL CONSIDERATION Product : Where possible recycling is preferr generator of waste material has the classification, transportation and di applicable federal, state/provincial a Contaminated packaging : Recycling is preferred when possibl has the responsibility for proper wa and disposal in accordance with app and local regulations. 14. TRANSPORT INFORMATION U.S. DOT Classification : Refer to specific regulation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation.	Print Date 11/15/2
There are no known hazardous components above regulatory thresholds I2. ECOLOGICAL INFORMATION Persistence and degradability : Not readily biodegradable. Environmental Toxicity : Environmental toxicity has not been whole. Bioaccumulation Potential : No data available Additional advice : No data available I3. DISPOSAL CONSIDERATION Product : Where possible recycling is preferre generator of waste material has the classification, transportation and dis applicable federal, state/provincial a Contaminated packaging : Recycling is preferred when possibl has the responsibility for proper wa and disposal in accordance with applicable federal, state/provincial a U.S. DOT Classification : Refer to specific regulation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation.	ther hazardous materials, and heating may result in product humb, degradation begins to occu fiter 10 minutes at 204 °C (400 °F
12. ECOLOGICAL INFORMATION Persistence and degradability Environmental Toxicity : Not readily biodegradable. Environmental Toxicity : Environmental toxicity has not been whole. Bioaccumulation Potential : No data available Additional advice : No data available I3. DISPOSAL CONSIDERATION Product : Where possible recycling is preferred generator of waste material has the classification, transportation and dis applicable federal, state/provincial a classification, transportation and dis applicable federal, state/provincial a and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification U.S. DOT Classification : Refer to specific regulation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation.	ION
Persistence and degradability : Not readily biodegradable. Environmental Toxicity : Environmental toxicity has not beer whole. Bioaccumulation Potential : No data available Additional advice : No data available I3. DISPOSAL CONSIDERATION Product : Where possible recycling is preferred generator of waste material has the classification, transportation and dis applicable federal, state/provincial a Contaminated packaging : Recycling is preferred when possibl has the responsibility for proper wa and disposal in accordance with app and local regulations. U.S. DOT Classification : Refer to specific regulation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation.	in this product.
Environmental Toxicity : Environmental toxicity has not beer whole. Bioaccumulation Potential : No data available Additional advice : No data available 13. DISPOSAL CONSIDERATION Product : Where possible recycling is preferred generator of waste material has the classification, transportation and dis applicable federal, state/provincial a Contaminated packaging : Recycling is preferred when possible has the responsibility for proper wa and disposal in accordance with applicable regulations. U.S. DOT Classification : Refer to specific regulation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation.	N
whole. Bioaccumulation Potential : No data available Additional advice : No data available 13. DISPOSAL CONSIDERATION Product : Where possible recycling is preferred generator of waste material has the classification, transportation and dis applicable federal, state/provincial a Contaminated packaging : Recycling is preferred when possibl has the responsibility for proper wa and disposal in accordance with app and local regulations. U.S. DOT Classification : Refer to specific regulation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. 15. REGULATORY INFORMATIO	
Additional advice : No data available 13. DISPOSAL CONSIDERATION Product : Where possible recycling is preferred generator of waste material has the classification, transportation and dis applicable federal, state/provincial a Contaminated packaging : Recycling is preferred when possibl has the responsibility for proper wa and disposal in accordance with applicable regulations. U.S. DOT Classification : Refer to specific regulation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation.	n established for this mixture as a
13. DISPOSAL CONSIDERATION Product : Where possible recycling is preferred generator of waste material has the classification, transportation and dis applicable federal, state/provincial a Contaminated packaging : Recycling is preferred when possibl has the responsibility for proper wa and disposal in accordance with app and local regulations. U.S. DOT Classification : Refer to specific regulation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation.	
Product : Where possible recycling is preferred generator of waste material has the classification, transportation and dis applicable federal, state/provincial a Contaminated packaging : Recycling is preferred when possibl has the responsibility for proper wa and disposal in accordance with applicable regulations. U.S. DOT Classification : Refer to specific regulation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation.	
generator of waste material has the classification, transportation and dis applicable federal, state/provincial a Contaminated packaging : Recycling is preferred when possibl has the responsibility for proper wa and disposal in accordance with app and local regulations. U.S. DOT Classification : Refer to specific regulation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. 15. REGULATORY INFORMATIO	S
has the responsibility for proper wa and disposal in accordance with app and local regulations. U.S. DOT Classification : Refer to specific regulation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. 15. REGULATORY INFORMATIO	responsibility for proper waste sposal in accordance with and local regulations.
U.S. DOT Classification : Refer to specific regulation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. 15. REGULATORY INFORMATIO	ste classification, transportation
ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation. 15. REGULATORY INFORMATIO	N
IMO / IMDG (maritime) : Refer to specific regulation. 15. REGULATORY INFORMATIO	
15. REGULATORY INFORMATIO	
US Regulations:	N
US REgulations.	
OSHA Status : There are no known hazardous com thresholds in this product.	ponents above regulatory



MATERIAL SAFETY DATA SHEET DB3807E BLACK

Version Number 1.0 Revision Date 07/23/2004 Page 5 of 6 Print Date 11/15/2011

TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	
California Proposition 65	: WARNING! This product contains a chemical known to the State of California to cause cancer.
SARA Title III Section 302 Ex	tremely Hazardous Substance
Not applicable	
SARA Title III Section 313 To	xic Chemicals:
Not applicable Canadian Regulations:	
National Pollutant Relea	ase Inventory (NPRI)
Not applicable	
WHMIS Classification	: Not controlled.
DSL	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:	
Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Not determined
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined
	16. OTHER INFORMATION



MATERIAL SAFETY DATA SHEET **DB3807E BLACK**

Version Number 1.0 Revision Date 07/23/2004

Page 6 of 6 Print Date 11/15/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.