MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27262 RED BROWN

Version Number 1.0 Revision Date 08/12/2004

Page 1 of 6 Print Date 11/15/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

| Telephone:Emergency telephone:number | Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
|--------------------------------------|--|
| Product name : | STAN-TONE HCC-27262 RED BROWN |
| Product code : | FO20009595 |
| Chemical Name : | Mixture |
| CAS-No. : | Mixture |
| Product Use : | Industrial Applications |

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

| Components | CAS-No. | Weight % |
|------------------|------------|----------|
| Iron oxide | 1309-37-1 | 10 - 30 |
| Titanium dioxide | 13463-67-7 | 10 - 30 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Skin contact, Ingestion |
|---|--|
| Acute exposure | |
| Inhalation | : Inhalation of airborne droplets may cause irritation of the respiratory tract. |
| Ingestion | : May be harmful if swallowed. |
| Eyes | : May cause eye/skin irritation. |
| Skin | : Experience shows no unusual dermatitis hazard from routine handling. |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. |
| Medical Conditions Aggravated by Exposure: | : None known. |

PolyOne

MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27262 RED BROWN

Version Number 1.0 Revision Date 08/12/2004 Page 2 of 6 Print Date 11/15/2011

| | 4. FIRST AID MEASURES |
|--|--|
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. |
| Ingestion | : Do not induce vomiting without medical advice. Seek medical attention if necessary. |
| Eyes | : Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists see medical attention. |
| | 5. FIRE-FIGHTING MEASURES |
| Flash point | : No data available |
| Flammable Limits Upper explosion limit sower explosion limit Autoignition temperature Suitable extinguishing media | No data available No data available Not applicable Carbon dioxide blanket, water spray, dry powder, foam. |
| Special Fire Fighting Procedures | : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. |
| Unusual Fire/Explosion Hazards | : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |
| | 6. ACCIDENTAL RELEASE MEASURES |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment. |
| Methods for cleaning up | : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods. |
| | 7. HANDLING AND STORAGE |
| Handling | : Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation. |

PolyOne

MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27262 RED BROWN

Version Number 1.0 Revision Date 08/12/2004

Page 3 of 6 Print Date 11/15/2011

| Storage | | Leep containers dry a nd contamination. S | | closed to avoid moisture ool dry place. | absorption |
|------------------------------------|----------|--|------------|---|----------------|
| 8. H | EXPOSURE | CONTROLS / PEP | RSONAL | PROTECTION | |
| Respiratory protection | : U | Under normal handlin | g conditio | ons a respirator may not b | e required. |
| Eye/Face Protection | : S | afety glasses with sig | de-shields | | |
| Hand protection | : P | rotective gloves. | | | |
| Skin and body protection | : L | ong sleeved clothing | | | |
| Additional Protective Measures | : S | afety shoes. | | | |
| General Hygiene Considerations | | | | l industrial hygiene and sa at the end of workday. | afety practice |
| Engineering measures | | leat only in areas wit ppropriate exhaust v | | iate exhaust ventilation. at machinery. | Provide |
| Exposure limit(s) | | | | | |
| Components | Value | Exposure tir | ne | Exposure type | List: |
| Iron oxide | 5 mg/m3 | Time Weighted A (TWA): | | Dust and fume. as Fe | ACGIH |
| Titanium dioxide | 10 mg/m3 | Time Weighted A (TWA): | verage | | ACGIH |
| | 15 mg/m3 | PEL: | | Total dust. | OSHA Z1 |
| | 9. PHYSI | CAL AND CHEMI | CAL PRO | PERTIES | |
| Form | : liqui | d | Evapo | ration rate : Not | established |
| Appearance | - | d, Viscous liquid | | | determined |
| •• | dispe | ersion | - | · | |
| Color | : BRC | | Bulk d | | applicable |
| Odor | | faint | | 1 | determined |
| Melting point/range | | applicable | | 2 | vier than air. |
| Boiling Point: Water solubility | | applicable iscible | pН | : Not | determined |
| water solubility | . 111111 | iscible | | | |
| | 10. 5 | STABILITY AND H | REACTIV | /ITY | |
| Stability | : S | table. | | | |
| Hazardous Polymerization | n : V | Vill not occur. | | | |
| | | | | | |
| Conditions to avoid | : K | keep away from oxid | izing agen | its and open flame. To a | void thermal |

PolyOne

MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27262 RED BROWN

Version Number 1.0 Revision Date 08/12/2004 Page 4 of 6 Print Date 11/15/2011

| | | decomposition | n, do not overheat. | | | |
|--|-------------|--|---|---|--|--|
| Incompatible Materi | als | : Incompatible | with strong acids and o | oxidizing agents. | | |
| Hazardous decomposition products | | : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. | | | | |
| | | 11. TOXICOLOG | ICAL INFORMATIO | DN | | |
| health data for the ir <u>Toxicity Overview</u> | ndividual c | omponents which co | omprise the mixture. | are effects listed are based on exi | | |
| | | | | have the following characteristic | | |
| CAS-No. | | Chemical Name | Effect | Target Organ | | |
| 1309-37-1 | Iron o | | Systemic effects | Respiratory system. | | |
| 13463-67-7 | Titani | um dioxide | Systemic effects | Respiratory system. | | |
| | | 12. ECOLOGIC | AL INFORMATION | I | | |
| | | | | | | |
| Bioaccumulation Po Additional advice | tential | No data availa No data availa | able | | | |
| | tential | : No data availa | | 1 | | |
| | tential | No data availa 13. DISPOSAL Where possible generator of we classification, | able CONSIDERATIONS le recycling is preferred vaste material has the r | d to disposal or incineration. The esponsibility for proper waste posal in accordance with | | |
| Additional advice | | No data availa 13. DISPOSAL Where possible generator of we classification, applicable fed Recycling is phas the response | Able CONSIDERATIONS le recycling is preferrer vaste material has the re- transportation and displayer leral, state/provincial and preferred when possible usibility for proper was n accordance with appla | d to disposal or incineration. The esponsibility for proper waste posal in accordance with | | |
| Additional advice | | No data availa 13. DISPOSAL Where possible generator of we classification, applicable fed Recycling is phas the responsant disposal in and local regularity | Able CONSIDERATIONS le recycling is preferrer vaste material has the re- transportation and displayer leral, state/provincial and preferred when possible usibility for proper was n accordance with appla | d to disposal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste materia te classification, transportation | | |
| Additional advice | ging | No data availa 13. DISPOSAL Where possible generator of we classification, applicable fed Recycling is phas the responsant disposal in and local regularity | Able CONSIDERATIONS le recycling is preferrer vaste material has the re- transportation and displayer leral, state/provincial and preferred when possible asibility for proper was n accordance with appli- lations. RT INFORMATION | d to disposal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste materia te classification, transportation | | |
| Additional advice Product Contaminated packa | ging | No data availa 13. DISPOSAL Where possible generator of we classification, applicable fed Recycling is phas the responsand disposal in and local regues 14. TRANSPOL | Able CONSIDERATIONS le recycling is preferrer vaste material has the r transportation and displeral, state/provincial an preferred when possible isbibility for proper was n accordance with appli- lations. RT INFORMATION fic regulation. | d to disposal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste materia te classification, transportation | | |

PolyOne

MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27262 RED BROWN

Version Number 1.0 Revision Date 08/12/2004 Page 5 of 6 Print Date 11/15/2011

| | 15 | S. REGULATORY INFORMATION |
|---|------------|---|
| US Regulations: | | |
| OSHA Status | : | Classified as hazardous based on components. |
| TSCA Status | : | All components of this product are listed on or exempt from the TSCA Inventory. |
| US. EPA CERCLA Hazardous | Sub | stances (40 CFR 302) |
| Not applicable | | |
| California Proposition 65 | : | This product does not contain a substance listed by California Prop 65 |
| SARA Title III Section 302 Ext | rem | ely Hazardous Substance |
| Not applicable | | |
| SARA Title III Section 313 Tox | kic C | Chemicals: |
| | | |
| Not applicable Canadian Regulations: | | |
| Not applicable | | |
| Not applicable Canadian Regulations: | | |
| Not applicable Canadian Regulations: National Pollutant Relea | | |
| Not applicable Canadian Regulations: National Pollutant Relea Not applicable | se Iı | nventory (NPRI) |
| Not applicable Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification DSL | se Iı : | nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic |
| Not applicable Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification DSL | se Iı : | nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic |
| Not applicable Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification DSL National Inventories: | se Iı : | nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. |
| Not applicable Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification DSL National Inventories: Australia AICS | se Iı : | nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Listed |
| Not applicable Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification DSL National Inventories: Australia AICS China IECS | se Iı : | nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Listed Listed |



MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27262 RED BROWN

Version Number 1.0 Revision Date 08/12/2004 Page 6 of 6 Print Date 11/15/2011

Philippines PICCS : Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.