# MATERIAL SAFETY DATA SHEET 50000RMP RMP-52 PURPLE

Version Number 1.1 Revision Date 07/17/2007 Page 1 of 6 Print Date 11/30/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone <b>Emergency telephone</b>	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	50000RMP RMP-52 PURPLE
Product code	:	FO20010111
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

### 3. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES

POLYONE CORPORATION

PolyOne.

# MATERIAL SAFETY DATA SHEET 50000RMP RMP-52 PURPLE

ion Number 1.1 sion Date 07/17/2007	Page 2 Print Date 11/30/2
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Plash politi	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>No data available</li> <li>No data available</li> <li>Not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	<ul> <li>May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) unde fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxide of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or th soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize

PolyOne.

## MATERIAL SAFETY DATA SHEET 50000RMP RMP-52 PURPLE

Version Number 1.1 Revision Date 07/17/2007 Page 3 of 6 Print Date 11/30/2011

Storage	:	accumulation of these materials. Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.	
0. EAI	0501		
Respiratory protection	:	No personal respiratory protective equipment normally required.	
Eye/Face Protection	:	Safety glasses with side-shields	
Hand protection	:	Protective gloves	
Skin and body protection	:	Long sleeved clothing	
Additional Protective Measures	:	Safety shoes	
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.	
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.	
Exposure limit(s)			
There are no known hazardous components above regulatory thresholds in this product.			

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Color Odour Melting point/range **Boiling Point:** Water solubility

\_

:	liquid
:	Viscous, liquid
:	PURPLE
:	Very faint
:	Not applicable
:	Not applicable
:	Immiscible

Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pН

: Not established : Not determined : Not applicable : Not determined : Not determined : Not applicable

	1(	STABILITY AND REACTIVITY	T
Stability	:	Stable.	
Hazardous Polymerization	:	Will not occur.	
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.	
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents., Avoid contact with acetal homopolymers and acetal copolymers during processing.	

PolyOne

# MATERIAL SAFETY DATA SHEET 50000RMP RMP-52 PURPLE

Version Number 1.1 Revision Date 07/17/2007 Page 4 of 6 Print Date 11/30/2011

Hazardous decomposition<br/>products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen<br/>(NOx), hydrogen chloride (HCl), other hazardous materials, and<br/>smoke are all possible. Prolonged heating may result in product<br/>degradation. As a general rule of thumb, degradation begins to occur<br/>after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F),<br/>and within 5 minutes at 232 °C (450 °F).

#### 11. TOXICOLOGICAL INFORMATION

There are no known hazardous components above regulatory thresholds in this product.

12. ECOLOGICAL	<b>INFORMATION</b>

ot readily biodegradable. avironmental toxicity has not been established for this mixture as a hole. b data available b data available <b>ISPOSAL CONSIDERATIONS</b> here possible recycling is preferred to disposal or incineration. The nerator of waste material has the responsibility for proper waste assification, transportation and disposal in accordance with plicable federal, state/provincial and local regulations. ecycling is preferred when possible. The generator of waste material s the responsibility for proper waste classification, transportation d disposal in accordance with applicable federal, state/provincial d local regulations.
nole. b data available b data available <b>ISPOSAL CONSIDERATIONS</b> here possible recycling is preferred to disposal or incineration. The nerator of waste material has the responsibility for proper waste assification, transportation and disposal in accordance with plicable federal, state/provincial and local regulations. ecycling is preferred when possible. The generator of waste material s the responsibility for proper waste classification, transportation d disposal in accordance with applicable federal, state/provincial
De data available ISPOSAL CONSIDERATIONS here possible recycling is preferred to disposal or incineration. The nerator of waste material has the responsibility for proper waste assification, transportation and disposal in accordance with plicable federal, state/provincial and local regulations. ecycling is preferred when possible. The generator of waste material s the responsibility for proper waste classification, transportation d disposal in accordance with applicable federal, state/provincial
ISPOSAL CONSIDERATIONS here possible recycling is preferred to disposal or incineration. The nerator of waste material has the responsibility for proper waste assification, transportation and disposal in accordance with plicable federal, state/provincial and local regulations. ecycling is preferred when possible. The generator of waste material s the responsibility for proper waste classification, transportation d disposal in accordance with applicable federal, state/provincial
here possible recycling is preferred to disposal or incineration. The nerator of waste material has the responsibility for proper waste assification, transportation and disposal in accordance with plicable federal, state/provincial and local regulations. ecycling is preferred when possible. The generator of waste material s the responsibility for proper waste classification, transportation d disposal in accordance with applicable federal, state/provincial
nerator of waste material has the responsibility for proper waste assification, transportation and disposal in accordance with plicable federal, state/provincial and local regulations. ecycling is preferred when possible. The generator of waste material s the responsibility for proper waste classification, transportation d disposal in accordance with applicable federal, state/provincial
s the responsibility for proper waste classification, transportation d disposal in accordance with applicable federal, state/provincial
6
TRANSPORT INFORMATION
efer to specific regulation.
fer to specific regulation.
efer to specific regulation.
EGULATORY INFORMATION
here are no known hazardous components above regulatory

PolyOne

# MATERIAL SAFETY DATA SHEET 50000RMP RMP-52 PURPLE

Version Number 1.1 Revision Date 07/17/2007

**TSCA Status** 

Page 5 of 6 Print Date 11/30/2011

: All components of this product are listed on or exempt from the TSCA Inventory.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)			
Chemical Name	CAS-No.	Weight %	NPRI ID#
Bisphenol A	80-05-7	0.10 - 1.00	143
Miscellaneous Zinc Compounds	Not Available	0.10 - 1.00	241

	WHMIS Classification	:	Not controlled.
	DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
Natio	nal Inventories:		
	Australia AICS	:	Not determined
	China IECS	:	Not determined
	Europe EINECS	:	Listed
	Japan ENCS	:	Not determined
	Korea KECI	:	Not determined
	Philippines PICCS	:	Not determined

PolyOne

# MATERIAL SAFETY DATA SHEET 50000RMP RMP-52 PURPLE

Version Number 1.1 Revision Date 07/17/2007 Page 6 of 6 Print Date 11/30/2011

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.