## MATERIAL SAFETY DATA SHEET STAN-TONE MB-29718 GREEN

Version Number 1.0 Revision Date 10/26/2004

Page 1 of 6 Print Date 11/16/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone : Emergency telephone : number	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE MB-29718 GREEN
Product code	:	FO20010150
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

## 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Stearic acid	57-11-4	1 - 5

## 3. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

## POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact	
Acute exposure		
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	
Medical Conditions Aggravated by Exposure:	: None known.	

PolyOne

# MATERIAL SAFETY DATA SHEET STAN-TONE MB-29718 GREEN

Version Number 1.0 Revision Date 10/26/2004 Page 2 of 6 Print Date 11/16/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not relevant
Suitable extinguishing media	: water spray, dry powder, foam, carbon dioxide (CO2).
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

2/6

PolyOne.

# MATERIAL SAFETY DATA SHEET STAN-TONE MB-29718 GREEN

Version Number 1.0 Revision Date 10/26/2004 Page 3 of 6 Print Date 11/16/2011

ð. f	XPOSURE	CONTROLS / PERSONAL	PROTECTION			
Respiratory protection	: No personal respiratory protective equipment normally required w handling the product itself. See "Engineering Measures" section below for precautions to be taken when heating or processing this material.					
Eye/Face Protection	: S	afety glasses with side-shields				
Hand protection	: P	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures	V	leat only in areas with appropr entilation and/or appropriate re	espiratory protection may			
Exposure limit(s)	11	ecessary to minimize employe	e exposure to processing	vapors.		
Exposure limit(s) Components Stearic acid	Value 10 mg/m3	Exposure time Time Weighted Average (TWA):	e exposure to processing Exposure type Total dust. as stearates	vapors. List: ACGIH		
Components	Value 10 mg/m3	Exposure time Time Weighted Average	Exposure type Total dust. as stearates	List:		
Components	Value 10 mg/m3 9. PHYSIC : Solic : Pelle : GRE : Char : Not of	Exposure time         Time Weighted Average         (TWA):         CAL AND CHEMICAL PRO         d       Evapo         ets, slabs, sheets       Specif         EEN       Bulk d         cracteristic rubber odor       Vapor         determined       Vapou         applicable       pH	Exposure type         Total dust. as stearates <b>DPERTIES</b> ration rate       : Not         Total dust. as stearates         Description         ration rate       : Not         Total dust. as stearates         Description         ration rate       : Not         Total dust. as stearates         Description         ration rate       : Not         pressure       : Not         pressure       : Not         ur density       : Not	List:		
Components Stearic acid Form Appearance Color Odor Melting point/range Boiling Point:	Value 10 mg/m3 9. PHYSIC : Solic : Pelle : GRE : Char : Not a : Not a : Insol	Exposure time         Time Weighted Average         (TWA):         CAL AND CHEMICAL PRO         d       Evapo         ets, slabs, sheets       Specif         EEN       Bulk d         cracteristic rubber odor       Vapor         determined       Vapou         applicable       pH	Exposure type         Total dust. as stearates         DPERTIES         ration rate       : Not         ic Gravity:       : Not         lensity       : Not         pressure       : Not         : Not       : Not	List: ACGIH applicable determined established applicable applicable		

PolyOne

# MATERIAL SAFETY DATA SHEET STAN-TONE MB-29718 GREEN

Version Number 1.0 Revision Date 10/26/2004 Page 4 of 6 Print Date 11/16/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

## 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
57-11-4	Stearic acid	Irritant	Eyes, Skin.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
57-11-4	Stearic acid			
		Dermal LD50	> 5 gm/kg	rabbit

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: Not applicable
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materi has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION

PolyOne

# MATERIAL SAFETY DATA SHEET STAN-TONE MB-29718 GREEN

Version Number 1.0 Revision Date 10/26/2004 Page 5 of 6 Print Date 11/16/2011

U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA (air)	:	Not regulated for transportation.
IMO / IMDG (maritime)	:	Not regulated for transportation.
	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition	:	This product does not contain a substance listed by California Prop 65.
65		
SARA Title III Section 302 Ext	rem	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	ic C	Chemicals:
Not applicable Canadian Regulations:		
National Pollutant Relea	se Iı	nventory (NPRI)
Not applicable		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Not determined
China IECS	:	Not determined

PolyOne

# MATERIAL SAFETY DATA SHEET **STAN-TONE MB-29718 GREEN**

Version Number 1.0 Revision Date 10/26/2004 Page 6 of 6 Print Date 11/16/2011

Europe EINECS	: Not determined
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.