PolvOne

MATERIAL SAFETY DATA SHEET **STAN-TONE HCC-29756 WHITE**

Version Number 1.1 Revision Date 05/23/2007

Page 1 of 7 Print Date 11/28/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone:Emergency telephone:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	STAN-TONE HCC-29756 WHITE
Product code :	FO20010343
Chemical Name :	Mixture
CAS-No.	Mixture
Product Use :	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Distillates (petroleum), hydrotreated light	64742-47-8	0.1 - 1
Aluminum oxide	1344-28-1	1 - 5
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET **STAN-TONE HCC-29756 WHITE**

Version Number 1.1 Revision Date 05/23/2007 Page 2 of 7 Print Date 11/28/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 No data available No data available Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE

PolyOne.

MATERIAL SAFETY DATA SHEET **STAN-TONE HCC-29756 WHITE**

Version Number 1.1 Revision Date 05/23/2007		Page 3 of 7 Print Date 11/28/2011		
Handling Storage	:	Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation. Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.		
8. EXPOS	UR	RE CONTROLS / PERSONAL PROTECTION		
Respiratory protection	:	Under normal handling conditions a respirator may not be required.		
Eye/Face Protection	: Safety glasses with side-shields			
Hand protection	:	Protective gloves		
Skin and body protection	:	Long sleeved clothing		
Additional Protective Measures	:	Safety shoes		
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures				


Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Aluminum oxide	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):		MX OEL
Silica, amorphous	0.8 mg/m3	Time Weighted Average (TWA):		Z3
	10 mg/m3	Time Weighted Average (TWA):	Inhalable particulate.	MX OEL
	3 mg/m3	Time Weighted Average (TWA):	Respirable dust.	MX OEL
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL

9. PHYSICAL AND CHEMICAL PROPERTIES

MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29756 WHITE

Version Number 1.1 Revision Date 05/23/2007



Form	: liquid	Evaporation rate	: Not established
Appearance	: liquid, Viscous liquid dispersion	Specific Gravity	: Not determined
Color	: WHITE	Bulk density	: Not applicable
Odour	: Very faint	Vapour pressure	: Not determined
Melting point/range	: Not applicable	Vapour density	: Heavier than air.
Boiling Point:	: Not applicable	pH	: Not determined
Water solubility	: Immiscible		
	10. STABILITY AND	REACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from oxid decomposition, do no	001	lame. To avoid thermal

Inc	compatible Materials	:	Incompatible with strong acids and oxidizing agents.
	azardous decomposition oducts	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1344-28-1	Aluminum oxide	Systemic effects	Eyes, Skin, Respiratory system.
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
7631-86-9	Silica, amorphous	Oral	15,000	mouserat
		LD50Oral	mg/kg22,500	
		LD50	mg/kg	

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP

PolyOne.

MATERIAL SAFETY DATA SHEET **STAN-TONE HCC-29756 WHITE**

Version Number 1.1 Revision Date 05/23/2007 Page 5 of 7 Print Date 11/28/2011

64742-47-8	Distillates (petroleum),	no	2A	no		
13463-67-7	hydrotreated light Titanium dioxide	no	2B	no		
2A - The component2B - The componentNTP Carcinogen Cla1 - The component is	carcinogenic to humans. is probably carcinogenic to is possibly carcinogenic to	humans. inogen.				
	12. ECOLOG	GICAL INFORMATIO	N			
Persistence and degra	dability : Not readily	v biodegradable.				
Environmental Toxic	ity : Environme whole.	ental toxicity has not bee	n established for th	is mixture as a		
Bioaccumulation Pot	ential : No data av	ailable				
Additional advice	: No data av	: No data available				
	13. DISPOSA	AL CONSIDERATION	S			
Product Contaminated packag	generator of classificati applicable ging : Recycling has the res	sible recycling is preferr of waste material has the on, transportation and di federal, state/provincial is preferred when possib ponsibility for proper wa al in accordance with ap egulations.	responsibility for j sposal in accordan- and local regulatio le. The generator of ste classification, t	proper waste ce with ns. of waste materia ransportation		
		ORT INFORMATION	J			
	17, 11/11/01		·			
U.S. DOT Classificat	ion : Refer to sp	ecific regulation.				
ICAO/IATA (air)	: Refer to sp	ecific regulation.				
IMO / IMDG (mariti	me) : Refer to sp	ecific regulation.				
	15. REGULA	TORY INFORMATIO	N			
US Regulations:						

PolyOne.

MATERIAL SAFETY DATA SHEET **STAN-TONE HCC-29756 WHITE**

Version Number 1.1 Revision Date 05/23/2007 Page 6 of 7 Print Date 11/28/2011

TSCA Status : All component Inventory.	s of this product a	e listed on or exe	empt from the TSCA
US. EPA CERCLA Hazardous Substances (40 CFR	302)		
Not applicable			
California Proposition : Not applicable 65			
SARA Title III Section 302 Extremely Hazardous Su	ubstance		
Unless specific chemicals are identified under this se	ection, this produc	t is Not Applicat	ble under this regulation
SARA Title III Section 313 Toxic Chemicals:			
Unless specific chemicals are identified under this se			
Chemical Name ALUMINUM OXIDE (FIBROUS FORMS)	CAS-1 1344-2		<u>ght %</u> - 5.00
			5.00
Canadian Regulations:			
National Pollutant Release Inventory (NPRI)			
Chemical Name	CAS-No.	Weight %	NPRI ID#
Aluminum oxide	1344-28-1	1.00 - 5.00	13
	ts of this product a t (DSL) or are exe		an Domestic
National Inventories:		-	
Australia AICS : Not determined	l		

PolyOne

MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29756 WHITE

Version Number 1.1 Revision Date 05/23/2007 Page 7 of 7 Print Date 11/28/2011

	16. OTHER INFORMATION	
Philippines PICCS	: Not determined	
Korea KECI	: Not determined	
Japan ENCS	: Not determined	
Europe EINECS	: Not determined	
China IECS	: Not determined	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.