MATERIAL SAFETY DATA SHEET

STAN-TONE HCC-27306 GRANDVIEW KAKHI

Version Number 1.0 Revision Date 02/16/2005 Page 1 of 6 Print Date 11/17/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone number	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE HCC-27306 GRANDVIEW KAKHI
Product code	:	FO20010965
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27306 GRANDVIEW KAKHI

Version Number 1.0 Revision Date 02/16/2005 Page 2 of 6 Print Date 11/17/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 No data available No data available Not applicable Carbon dioxide blanket, water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.



MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27306 GRANDVIEW KAKHI

Version Number 1.0 Revision Date 02/16/2005

Page 3 of 6 Print Date 11/17/2011

		eep containers dry and nd contamination. Stor			ture absorption	
8. EXPOSURE CONTROLS / PERSONAL PROTECTION						
Respiratory protection	: U	nder normal handling	conditio	ns a respirator may n	ot be required.	
Eye/Face Protection	: S	Safety glasses with side-shields.				
Hand protection	: P	Protective gloves.				
Skin and body protection	: L	ong sleeved clothing.	sleeved clothing.			
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.					
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)						
Components	Value	Exposure time		Exposure type	List:	
Titanium dioxide	10 mg/m3	*		1 91		
			eruge		ACGIH	
	15 mg/m3		eruge	Total dust.	OSHA Z1	
		(TWA): PEL:				
	9. PHYSIC	(TWA): PEL: CAL AND CHEMICA	AL PRO	PERTIES	OSHA Z1	
Form	9. PHYSIC	(TWA): PEL: CAL AND CHEMICA	AL PRO Evapor	PERTIES	OSHA Z1	
	9. PHYSIC : liquio : liquio	(TWA): PEL: CAL AND CHEMICA d d, Viscous liquid	AL PRO Evapor	PERTIES	OSHA Z1	
Form Appearance	9. PHYSIC : liquid : liquid dispe	(TWA): PEL: CAL AND CHEMICA d d, Viscous liquid ersion	AL PRO Evapor Specifi	PERTIES ration rate : N c Gravity: : N	OSHA Z1	
Form Appearance Color	9. PHYSIC : liquid : liquid dispe : TAN	(TWA): PEL: CAL AND CHEMICA d d, Viscous liquid ersion	AL PRO Evapor Specifi Bulk de	PERTIES ration rate : N c Gravity: : N ensity : N	OSHA Z1 Not established Not determined Not applicable	
Form Appearance Color Odor	9. PHYSIC : liquid : liquid dispe : TAN : Very	(TWA): PEL: CAL AND CHEMICA d d, Viscous liquid ersion faint	AL PRO Evapor Specifi Bulk de Vapor	PERTIES ration rate : N c Gravity: : N ensity : N pressure : N	OSHA Z1	
Form Appearance Color Odor Melting point/range	9. PHYSIC : liquid : liquid dispe : TAN : Very : Not a	(TWA): PEL: CAL AND CHEMICA d d, Viscous liquid ersion faint applicable	AL PRO Evapor Specifi Bulk de Vapor Vapou	PERTIES ration rate : c Gravity: : ensity : pressure : r density :	OSHA Z1 Not established Not determined Not applicable Not determined Heavier than air.	
Form Appearance Color Odor	9. PHYSIC : liquid : liquidispe : TAN : Very : Not a : Not a	(TWA): PEL: CAL AND CHEMICA d d, Viscous liquid ersion faint	AL PRO Evapor Specifi Bulk de Vapor	PERTIES ration rate : c Gravity: : ensity : pressure : r density :	OSHA Z1	
Form Appearance Color Odor Melting point/range Boiling Point:	9. PHYSIC : liquid dispe : TAN : Very : Not a : Not a : Imm	(TWA): PEL: CAL AND CHEMICA d d, Viscous liquid ersion faint applicable applicable	AL PRO Evapor Specifi Bulk de Vapor Vapour pH	PERTIES ation rate : N c Gravity: : N ensity : N pressure : N r density : H : N	OSHA Z1 Not established Not determined Not applicable Not determined Heavier than air.	
Form Appearance Color Odor Melting point/range Boiling Point:	9. PHYSIC : liquid : liquidispe : TAN : Very : Not a : Not a : Imm 10. S	(TWA): PEL: CAL AND CHEMICA d d, Viscous liquid ersion faint applicable applicable iscible	AL PRO Evapor Specifi Bulk de Vapor Vapour pH	PERTIES ation rate : N c Gravity: : N ensity : N pressure : N r density : H : N	OSHA Z1 Not established Not determined Not applicable Not determined Heavier than air.	



MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27306 GRANDVIEW KAKHI

Version Number 1.0 Page 4 of 6 Revision Date 02/16/2005 Print Date 11/17/2011 Incompatible Materials : Incompatible with strong acids and oxidizing agents. Hazardous decomposition : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen products (NOx), other hazardous materials, and smoke are all possible. **11. TOXICOLOGICAL INFORMATION** This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture. Toxicity Overview This product contains the following components which in their pure form have the following characteristics: CAS-No. Chemical Name Target Organ Effect 13463-67-7 Titanium dioxide Systemic effects Respiratory system. **12. ECOLOGICAL INFORMATION** Persistence and degradability : Not readily biodegradable. Environmental Toxicity Environmental toxicity has not been established for this mixture as a whole. **Bioaccumulation Potential** No data available Additional advice No data available **13. DISPOSAL CONSIDERATIONS** Product Where possible recycling is preferred to disposal or incineration. The : generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging Recycling is preferred when possible. The generator of waste material ÷ has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. **14. TRANSPORT INFORMATION** U.S. DOT Classification : Refer to specific regulation. ICAO/IATA (air) Refer to specific regulation. : IMO / IMDG (maritime) : Refer to specific regulation. **15. REGULATORY INFORMATION**

PolyOne.

MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27306 GRANDVIEW KAKHI

ersion Number 1.0 evision Date 02/16/2005		Page 5 of Print Date <i>11/17/201</i>
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	ostances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Ext Not applicable	rem	nely Hazardous Substance
SARA Title III Section 313 Tox	kic (Chemicals:
Not applicable Canadian Regulations:		
National Pollutant Relea	se I	nventory (NPRI)
Not applicable		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Listed
Korea KECI	:	Listed
Philippines PICCS	:	Listed
		16. OTHER INFORMATION
		5/6



MATERIAL SAFETY DATA SHEET STAN-TONE HCC-27306 GRANDVIEW KAKHI

Version Number 1.0 Revision Date 02/16/2005 Page 6 of 6 Print Date 11/17/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.