## MATERIAL SAFETY DATA SHEET (Obs) 99100CBA PLAST-O-CELL OBSH

Version Number 1.1 Revision Date 07/03/2007 Page 1 of 6 Print Date 11/29/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	(Obs) 99100CBA PLAST-O-CELL OBSH
Product code	:	FO20011005
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Diphenyloxide-4,4'-disulfohydrazide	80-51-3	30 - 60

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

May release high amount of nitrogen if inadvertenly heated above 50°C (122°F) or stored incorrectly. Pressure inside the container can increase and cause its rupture. This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

: Eyes, Inhalation, Skin contact, Ingestion
<ul> <li>At process temperatures, product emissions may cause irritation.</li> <li>May be harmful if swallowed.</li> <li>May cause eye/skin irritation.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>
<ul><li>Refer to Section 11 for Toxicological Information.</li><li>None known.</li></ul>

PolyOne.

# MATERIAL SAFETY DATA SHEET (Obs) 99100CBA PLAST-O-CELL OBSH

Version Number 1.1 Revision Date 07/03/2007 Page 2 of 6 Print Date 11/29/2011

	4. FIRST AID MEASURES
Inhalation	: Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. When symptoms persist or in all cases of doub seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water.
	5. FIRE-FIGHTING MEASURES
Flash point	: Greater than 200 °F (93 °C)
Flammable Limits	
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Autoignition temperature	: No data available
Suitable extinguishing media	: Water.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Cool closed containers exposed to fire with water spra If inadvertent heating of product results in smoke production, spray immediately and thoroughly with water. May release high amount on nitrogen if inadvertenly heated above 50°C (122°F) or stored incorrectly. Pressure inside the container can increase and cause its rupture.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. May release high amount of nitrogen if inadvertenly heated above 50°C (122°F) or stored incorrectly. Pressure inside the container can increase and cause its rupture.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and plac in container for disposal according to local / national regulations (see



## MATERIAL SAFETY DATA SHEET (Obs) 99100CBA PLAST-O-CELL OBSH

Version Number 1.1 Revision Date 07/03/2007 Page 3 of 6 Print Date 11/29/2011

	7.	HANDLING AND STORAG	<b>FE</b>	
Handling	: Wear personal protective equipment. Take measures to prevent the build up of electrostatic charge. Provide for appropriate exhaust ventilation and dust collection at machinery.			
Storage	: Keep away from open flames, hot surfaces and sources of ignition. Keep away from direct sunlight. Keep in a dry, cool place. May release high amount of nitrogen if inadvertenly heated above 50°C (122°F) or stored incorrectly. Pressure inside the container can increase and cause its rupture.			
8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	m re	When workers are facing concernust use appropriate certified respirators must be properly traipplicable regulations such as O	espirators. Employees us ned. Employers must fo	sing llow
Eye/Face Protection	: Safety glasses with side-shields			
Hand protection	: Protective gloves			
Skin and body protection	: Long sleeved shirts and long pants are adequate for normal handling. Where operations present a splash or spill potential, employees should wear chemically resistant clothing, boots, apron, gloves, and eye/face protection.			
Additional Protective Measures	: When using, do not eat, drink or smoke.			
General Hygiene Considerations	: Do not breathe dust or spray mist. Handle in accordance with good industrial hygiene and safety practices.			
Engineering measures	: Adequate ventilation and/or appropriate respiratory protection may also be necessary to minimize employee exposure to processing vapors.			
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Diphenyloxide-4,4'-dis ulfohydrazide	0.1 mg/m3	Time Weighted Average (TWA):	Inhalable fraction.	ACGIH
	9. PHYSIC	CAL AND CHEMICAL PRO	PERTIES	
Form	: liqui	d Evapor	ration rate : Not	applicable

# MATERIAL SAFETY DATA SHEET (Obs) 99100CBA PLAST-O-CELL OBSH

Version Number 1.1 Revision Date 07/03/2007 Page 4 of 6 Print Date *11/29/2011* 

Appearance Color Odour Melting point/range Boiling Point: Water solubility	: Viscous liquid dispersionSpecific Gravity: Not determined: NOT APPLICABLEBulk density: Not established: Very faintVapour pressure: Not determined: Not applicableVapour density: Not determined: Not applicablepH: Not determined: negligible: Not applicable: Not determined
	10. STABILITY AND REACTIVITY
Stability	: Stable.
Hazardous Polymerization	: Will not occur.
Conditions to avoid	: Heat, flames and sparks.
Incompatible Materials	: Reacts with water or acids to form carbon dioxide (CO2)
Hazardous decomposition products	<ul> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> <li>Ammonia May release high amount of nitrogen if inadvertenly heated above 50°C (122°F) or stored incorrectly. Pressure inside the container can increase and cause its rupture.</li> </ul>

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	(	Chemical Name	Effect	Target Organ	
80-51-3	Dipher hydraz	yloxide-4,4'-disulfo ide	Irritant	Eyes, Skin.	
		12. ECOLOGICA	L INFORMATIO	)N	
Persistence and deg	gradability	: No data availab	le		
Environmental Toxicity		: No data available			
<b>Bioaccumulation Potential</b>		: No data available			
Additional advice		: No data available			
		13. DISPOSAL C	ONSIDERATION	NS	
Product		: The generator of waste material has the responsibility for proper wast classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			

*'olyOne* 

## MATERIAL SAFETY DATA SHEET (Obs) 99100CBA PLAST-O-CELL OBSH

Version Number 1.1 Page 5 of 6 Print Date 11/29/2011 Revision Date 07/03/2007 Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. 14. TRANSPORT INFORMATION U.S. DOT Classification Refer to specific regulation. : Refer to specific regulation. ICAO/IATA (air) · IMO / IMDG (maritime) : Refer to specific regulation. **15. REGULATORY INFORMATION** US Regulations: **OSHA Status** : Classified as hazardous based on components. **TSCA Status** All components of this product are listed on or exempt from the TSCA : Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : Not applicable 65 SARA Title III Section 302 Extremely Hazardous Substance Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation SARA Title III Section 313 Toxic Chemicals: Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation Canadian Regulations: National Pollutant Release Inventory (NPRI) Not applicable

PolyOne

# MATERIAL SAFETY DATA SHEET (Obs) 99100CBA PLAST-O-CELL OBSH

Version Number 1.1 Revision Date 07/03/2007 Page 6 of 6 Print Date 11/29/2011

WHMIS Classification DSL	:	D2B All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.		
National Inventories:				
Australia AICS	:	Not determined		
China IECS	:	Not determined		
Europe EINECS	:	Listed		
Japan ENCS	:	Not determined		
Korea KECI	:	Not determined		
Philippines PICCS	:	Not determined		
16. OTHER INFORMATION				

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.