#### MATERIAL SAFETY DATA SHEET STAN-TONE HCC-24965 GOLD

Version Number 1.0 Revision Date 05/24/2005

Page 1 of 6 Print Date 11/18/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone number	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE HCC-24965 GOLD
Product code	:	FO20011094
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Stoddard solvent	8052-41-3	1 - 5
Aluminum	7429-90-5	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

# MATERIAL SAFETY DATA SHEET **STAN-TONE HCC-24965 GOLD**

Version Number 1.0 Revision Date 05/24/2005 Page 2 of 6 Print Date 11/18/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>No data available</li> <li>No data available</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or th soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.

PolyOne.

# MATERIAL SAFETY DATA SHEET **STAN-TONE HCC-24965 GOLD**

Version Number 1.0 Revision Date 05/24/2005

\_

Page 3 of 6 Print Date 11/18/2011

Storage		Keep containers dry and tightly nd contamination. Store in a c		e absorption
8. E2	XPOSURE	<b>CONTROLS / PERSONAL</b>	PROTECTION	
Respiratory protection	: U	Under normal handling condition	ons a respirator may not b	be required.
Eye/Face Protection	: \$	afety glasses with side-shields		
Hand protection	: F	Protective gloves.		
Skin and body protection	: I	long sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		Handle in accordance with good Wash hands before breaks and a		afety practice
Engineering measures		Heat only in areas with appropri ppropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
-		÷		1

Components	Value	Exposure time	Exposure type	List:
Aluminum	10 mg/m3	Time Weighted Average	Dust.	ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust. as Al	OSHA Z1
	5 mg/m3	PEL:	Respirable dust. as Al	OSHA Z1
Stoddard solvent	100 ppm	Time Weighted Average	Vapor and mist.	ACGIH
	525 mg/m3	(TWA):		
	500 ppm	PEL:	Vapor and mist.	OSHA Z1
	2,900			
	mg/m3			

Form	: liquid	Evaporation rate	: Not established
Appearance	: liquid, Viscous liquid dispersion	Specific Gravity:	: Not determined
Color	: YELLOW	Bulk density	: Not applicable
Odor	: Very faint	Vapor pressure	: Not determined
Melting point/range	: Not applicable	Vapour density	: Heavier than air.
Boiling Point:	: Not applicable	pН	: Not determined
Water solubility	: Immiscible		
	10. STABILITY AND I	REACTIVITY	
Stability	: Stable.		

PolyOne

# MATERIAL SAFETY DATA SHEET STAN-TONE HCC-24965 GOLD

Version Number 1.0 Revision Date 05/24/2005 Page 4 of 6 Print Date 11/18/2011

Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
8052-41-3	Stoddard solvent	Systemic effects	Kidney, Liver, central nervous
			system (CNS).
		Irritant	Eyes, Skin, Respiratory system.
7429-90-5	Aluminum	Irritant	Skin, Respiratory system.
		Systemic effects	Eyes, Skin, Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
8052-41-3	Stoddard solvent	Oral LD50	> 5,000 mg/kg	rat
		Dermal LD50	> 3,000 mg/kg	rabbit

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.
<b>Bioaccumulation Potential</b>	: No data available
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.

PolyOne.

# MATERIAL SAFETY DATA SHEET STAN-TONE HCC-24965 GOLD

Version Number 1.0 Revision Date 05/24/2005 Page 5 of 6 Print Date 11/18/2011

	has t and	ycling is preferred when possible. The generator of waste material the responsibility for proper waste classification, transportation disposal in accordance with applicable federal, state/provincial local regulations.
	14. TR	RANSPORT INFORMATION
U.S. DOT Classification	: Refe	er to specific regulation.
ICAO/IATA (air)	: Refe	er to specific regulation.
IMO / IMDG (maritime)	: Refe	er to specific regulation.
	15. RE(	GULATORY INFORMATION
US Regulations:		
OSHA Status	: Clas	ssified as hazardous based on components.
TSCA Status		components of this product are listed on or exempt from the TSCA entory.
US. EPA CERCLA Hazardou	is Substance	es (40 CFR 302)
Not applicable		
California Propositior 65	n : Not	applicable
-		
65 SARA Title III Section 302 E	Extremely Ha	azardous Substance
65 SARA Title III Section 302 E Not applicable	Extremely Ha	azardous Substance icals: CAS-No. Weight %
65 SARA Title III Section 302 E Not applicable SARA Title III Section 313 T Chemical Name ALUMINUM (FUMI	Extremely Ha	azardous Substance icals: CAS-No. Weight %
65 SARA Title III Section 302 E Not applicable SARA Title III Section 313 T Chemical Name	Extremely Ha	azardous Substance icals: CAS-No. Weight % C) 7429-90-5 14.23

PolyOne.

## MATERIAL SAFETY DATA SHEET STAN-TONE HCC-24965 GOLD

Version Number 1.0 Revision Date 05/24/2005

\_

Page 6 of 6 Print Date 11/18/2011

WHMIS Classification :	D2B
WHMIS Ingredient Disclosure List	
CAS-No. 7429-90-5 8052-41-3	
DSL :	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:	
Australia AICS :	Listed
China IECS :	Listed
Europe EINECS :	Listed
Japan ENCS :	Not determined
Korea KECI :	Listed
Philippines PICCS :	Listed
16. OTHER INFORMATION	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.