### MATERIAL SAFETY DATA SHEET 10180PC HELENA

Version Number 1.1 Revision Date 07/03/2007

Page 1 of 6 Print Date 11/29/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

| Telephone<br>Emergency telephone | : | Product Stewardship (770) 590-3500 x.3563<br>CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure<br>or accident). |
|----------------------------------|---|--|
| Product name                     | : | 10180PC HELENA   |
| Product code                     | : | FO20011132   |
| Chemical Name                    | : | Mixture  |
| CAS-No.                          | : | Mixture  |
| Product Use                      | : | Industrial Applications  |

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

| Components | CAS-No. | Weight % |
|------------|---------|----------|
| Isobutane  | 75-28-5 | 5 - 10   |

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

### POTENTIAL HEALTH EFFECTS

| <b>Routes of Exposure:</b>                    | : Inhalation, Skin contact, Ingestion  |  |  |
|---|--|--|--|
| Acute exposure                                |  |  |  |
| Inhalation                                    | : Inhalation of airborne droplets may cause irritation of the respiratory tract. |  |  |
| Ingestion                                     | : May be harmful if swallowed.   |  |  |
| Eyes  | : May cause eye/skin irritation.   |  |  |
| Skin  | : Experience shows no unusual dermatitis hazard from routine handling.           |  |  |
| Chronic exposure                              | : Refer to Section 11 for Toxicological Information.                             |  |  |
| Medical Conditions<br>Aggravated by Exposure: | : None known.  |  |  |

**POLYONE CORPORATION** 



## MATERIAL SAFETY DATA SHEET 10180PC HELENA

Version Number 1.1 Revision Date 07/03/2007 Page 2 of 6 Print Date 11/29/2011

|                                     | 4. FIRST AID MEASURES  |
|-------------------------------------|--|
| Inhalation                          | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.   |
| Ingestion                           | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.   |
| Eyes                                | : Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.   |
| Skin                                | : Wash off with soap and plenty of water. If skin irritation persists see medical attention.   |
|                                     | 5. FIRE-FIGHTING MEASURES  |
| Flash point                         | : No data available  |
|                                     |  |
| Flammable Limits                    | No data ang labla  |
| Upper explosion limit               | : No data available  |
| Lower explosion limit               | : No data available  |
| Autoignition temperature            | : Not applicable   |
| Suitable extinguishing media        | : Carbon dioxide blanket, Water spray, Dry powder, Foam.   |
| Special Fire Fighting<br>Procedures | : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.   |
| Unusual Fire/Explosion              | : May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) unde  |
| Hazards                             | fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxide of nitrogen (NOx), other hazardous materials, and smoke are all possible.   |
|                                     | 6. ACCIDENTAL RELEASE MEASURES   |
| Personal precautions                | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.   |
| Environmental precautions           | : The product should not be allowed to enter drains, water courses or th soil. Should not be released into the environment.  |
| Methods for cleaning up             | : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder<br>universal binder, sawdust). Package all material in appropriate<br>container for disposal. Refer to Section 13 of this MSDS for proper<br>disposal methods. |
|                                     | 7. HANDLING AND STORAGE  |
| Handling                            | : Heat only in areas with appropriate exhaust ventilation. Processing  |



## MATERIAL SAFETY DATA SHEET 10180PC HELENA

| ision Date 07/03/2007   |   |  |                            | Prir  | Page 3<br>nt Date 11/29/  |
|---|---|--|----------------------------|---|---|
| Storage   | P<br>a  | eriodically clean how<br>ccumulation of these                      | ods, ducts,<br>e materials | combustible or toxic<br>and other surfaces to<br>closed to avoid mois | o minimize  |
| Biolage   |   | nd contamination. S  |                            |   |   |
| 8. 1  | EXPOSURE  | CONTROLS / PE  | RSONAL                     | PROTECTION  |   |
| Respiratory protection  | : N   | lo personal respirato  | ry protecti                | ve equipment norma  | lly required.   |
| Eye/Face Protection   | : S   | afety glasses with si  | de-shields                 |   |   |
| Hand protection   | : P   | rotective gloves   |                            |   |   |
| Skin and body protection  | : L   | ong sleeved clothing   | 5                          |   |   |
| Additional Protective<br>Measures   | : Safety shoes  |  |                            |   |   |
| General Hygiene<br>Considerations   | : Handle in accordance with good industrial hygiene and safety practice Wash hands before breaks and at the end of workday. |  |                            |   |   |
| Engineering measures  | : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.            |  |                            |   |   |
| Exposure limit(s)   |   |  |                            |   |   |
| Components  | Value   | Exposure ti  | ne                         | Exposure type   | List:   |
| Isobutane   | 1,000 ppm   | Time Weighted A<br>(TWA):  |                            |   | ACGIH   |
|   | 9 PHYSI   | CAL AND CHEMI  | CAL PRO                    | PERTIES   |   |
|   |   |  |                            |   |   |
| Form<br>Appearance<br>Color<br>Odour<br>Melting point/range<br>Boiling Point:<br>Water solubility | : NOT<br>: Very<br>: Not :  | ous, liquid<br>7 APPLICABLE<br>7 faint<br>applicable<br>applicable | Specifi<br>Bulk d<br>Vapou | c Gravity : 1<br>ensity : 1<br>r pressure : 1<br>r density : 1        | Not established<br>Not determined<br>Not applicable<br>Not determined<br>Not determined<br>Not applicable |
|   | 10. 8   | STABILITY AND I  | REACTIV                    | ITY   |   |
| Stability   |   | table.   |                            |   |   |
| Hazardous Polymerizatio   | n : V   | Vill not occur.  |                            |   |   |
| Conditions to avoid   | T   | Leep away from oxid  |                            |   |   |



## MATERIAL SAFETY DATA SHEET 10180PC HELENA

| 0180PC HELENA  | 4            |   |                      |   |
|--|--------------|---|----------------------|---|
| ersion Number 1.1<br>evision Date 07/03/2007         | 7            |   |                      | Page 4 o<br>Print Date 11/29/20                                       |
|  |              | decomposition,  | do not overheat.     |   |
| Incompatible Materials                               | :            |   |                      | d oxidizing agents., Avoid contact etal copolymers during processing. |
| Hazardous decomposition : products                   |              | Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F). |                      |   |
|  | 11. '        | TOXICOLOGI  | CAL INFORMAT         | ION   |
| <u>Toxicity Overview</u><br>This product contains th | he following | components whi  | ch in their pure for | m have the following characteristics:                                 |
| CAS-No.  |              | nical Name  | Effect               | Target Organ  |
| 75-28-5  | Isobutane    |   | Irritant             | Eyes, Respiratory system.   |
|  | 12           | 2. ECOLOGICA  | L INFORMATIO         | DN  |
| Persistence and degrada                              | ability :    | Not readily biod  | legradable.          |   |
| Environmental Toxicity                               | :            | Environmental whole.  | toxicity has not bee | en established for this mixture as a                                  |
|  |              |   |                      |   |
| Bioaccumulation Poten                                | tial :       | No data availab   | le                   |   |
| Bioaccumulation Poten<br>Additional advice           | tial :<br>:  | No data availab<br>No data availab  |                      |   |
|  | :            | No data availab   |                      | NS  |

generator of waste material has the responsibility for proper waste<br/>classification, transportation and disposal in accordance with<br/>applicable federal, state/provincial and local regulations.Contaminated packaging:Recycling is preferred when possible. The generator of waste material<br/>has the responsibility for proper waste classification, transportation<br/>and disposal in accordance with applicable federal, state/provincial

### 14. TRANSPORT INFORMATION

U.S. DOT Classification

: Refer to specific regulation.

and local regulations.

PolyOne.

# MATERIAL SAFETY DATA SHEET 10180PC HELENA

| ion Number 1.1<br>sion Date 07/03/2007                                 | Page 5<br>Print Date 11/29/2  |
|--|---|
|  |   |
| ICAO/IATA (air)  | : Refer to specific regulation.   |
| IMO / IMDG (maritime)  | : Refer to specific regulation.   |
|  | 15. REGULATORY INFORMATION  |
| US Regulations:  |   |
| OSHA Status  | : Classified as hazardous based on components.                                    |
| TSCA Status  | : All components of this product are listed on or exempt from the TSCA Inventory. |
| US. EPA CERCLA Hazardo   | us Substances (40 CFR 302)  |
| Not applicable   |   |
|  |   |
| California Proposition<br>65   | n : Not applicable  |
| SARA Title III Section 302 F   | Extremely Hazardous Substance   |
| Unless specific chemicals are  | e identified under this section, this product is Not Applicable under this regula |
|  |   |
| SARA Title III Section 313 7   | Foxic Chemicals:  |
| Unless specific chemicals are  | e identified under this section, this product is Not Applicable under this regula |
| Canadian Regulations:  |   |
| 8  |   |
| -  | lease Inventory (NPRI)  |
| -  | lease Inventory (NPRI)  |
| National Pollutant Rel   |   |
| National Pollutant Rel   |   |
| National Pollutant Rel<br>Not applicable<br>WHMIS Classificatio        | on : A, B1<br>: All components of this product are on the Canadian Domestic       |
| National Pollutant Rel<br>Not applicable<br>WHMIS Classificatio<br>DSL | on : A, B1<br>: All components of this product are on the Canadian Domestic       |

PolyOne

### MATERIAL SAFETY DATA SHEET 10180PC HELENA

Version Number 1.1 Revision Date 07/03/2007 Page 6 of 6 Print Date 11/29/2011

| Europe EINECS     | : | Listed         |
|-------------------|---|----------------|
| Japan ENCS        | : | Not determined |
| Korea KECI        | : | Not determined |
| Philippines PICCS | : | Not determined |
|                   |   |                |

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.