MATERIAL SAFETY DATA SHEET

D2908A Sky Blue

Version Number 1.2 Revision Date 03/05/2007 Page 1 of 7 Print Date 11/26/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

| Telephone Emergency telephone number | : | Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
|--|---|--|
| Product name | : | D2908A Sky Blue |
| Product code | : | FO20011314 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

| Components | CAS-No. | Weight % |
|--|-------------|----------|
| Titanium dioxide | 13463-67-7 | 0.1 - 1 |
| Silica, amorphous, fumed, crystal-free | 112945-52-5 | 1 - 5 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Skin contact, Ingestion | | |
|---|--|--|--|
| Acute exposure | | | |
| Inhalation | : Inhalation of airborne droplets may cause irritation of the respiratory tract. | | |
| Ingestion | : May be harmful if swallowed. | | |
| Eyes | : May cause eye/skin irritation. | | |
| Skin | : Experience shows no unusual dermatitis hazard from routine handling. | | |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. | | |
| Medical Conditions Aggravated by Exposure: | : None known. | | |



MATERIAL SAFETY DATA SHEET **D2908A Sky Blue**

Version Number 1.2 Revision Date 03/05/2007 Page 2 of 7 Print Date 11/26/2011

| | 4. FIRST AID MEASURES |
|--|--|
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. |
| Ingestion | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists see medical attention. |
| | 5. FIRE-FIGHTING MEASURES |
| Flash point | : No data available |
| Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards | No data available No data available Not applicable Carbon dioxide blanket, water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxide of nitrogen (NOx), other hazardous materials, and smoke are all possible. 6. ACCIDENTAL RELEASE MEASURES |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment. |
| Methods for cleaning up | : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods. |
| | 7. HANDLING AND STORAGE |
| Handling | : Heat only in areas with appropriate exhaust ventilation. Processing |



MATERIAL SAFETY DATA SHEET **D2908A Sky Blue**

| Version Number 1.2 Revision Date 03/05/2007 | Page 3 of 7 Print Date 11/26/2011 |
|--|--|
| Storage : | fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials. Keep containers dry and tightly closed to avoid moisture absorption |
| Storage . | and contamination. Store in a cool dry place. |
| 8. EXPOSUE | RE CONTROLS / PERSONAL PROTECTION |
| Respiratory protection : | No personal respiratory protective equipment normally required. |
| Eye/Face Protection : | Safety glasses with side-shields. |
| Hand protection : | Protective gloves. |
| Skin and body protection : | Long sleeved clothing. |
| Additional Protective : Measures | Safety shoes. |
| General Hygiene : Considerations | Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. |
| Engineering measures : | Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. |

Exposure limit(s)

| Components | Value | Exposure time | Exposure type | List: |
|--|-----------|-----------------------------------|------------------------|---------|
| Silica, amorphous, fumed, crystal-free | 20 mppcf | PEL: | Total dust. | Z3 |
| | 0.8 mg/m3 | Time Weighted Average (TWA): | | Z3 |
| | 10 mg/m3 | Time Weighted Average (TWA): | Inhalable particulate. | MX OEL |
| | 3 mg/m3 | Time Weighted Average (TWA): | Respirable dust. | MX OEL |
| Titanium dioxide | 10 mg/m3 | Time Weighted Average (TWA): | | ACGIH |
| | 15 mg/m3 | PEL: | Total dust. | OSHA Z1 |
| | 20 mg/m3 | Short Term Exposure Limit (STEL): | as Ti | MX OEL |

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Color Odor liquid
Viscous, liquid
BLUE
Very faint

Evaporation rate Specific Gravity: Bulk density Vapor pressure Not establishedNot determinedNot applicableNot determined

MATERIAL SAFETY DATA SHEET

Version Number 1.2 Revision Date 03/05/2007

COLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No. | Chemical Name | Effect | Target Organ |
|-------------|--|------------------|---------------------------|
| 13463-67-7 | Titanium dioxide | Systemic effects | Respiratory system. |
| 112945-52-5 | Silica, amorphous, fumed, crystal-free | Irritant | Eyes, Respiratory system. |

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

| CAS-No. | Chemical Name | Route | Value | Species |
|-------------|---------------------------|-----------|-------------|---------|
| 112945-52-5 | Silica, amorphous, fumed, | Oral LD50 | 3,160 mg/kg | rat |
| | crystal-free | | | |

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

| CAS-No. | Chemical Name | OSHA | IARC | NTP |
|------------|------------------|------|------|-----|
| 13463-67-7 | Titanium dioxide | no | 2B | no |

4/7

D2908A Sky Blue

| Melting point/range Boiling Point: Water solubility | Not applicableNot applicableImmiscible | Vapour density pH | : Not determined : Not applicable |
|---|--|---|---|
| | 10. STABILITY AN | D REACTIVITY | |
| Stability | : Stable. | | |
| Hazardous Polymerization | : Will not occur. | | |
| Conditions to avoid | : Keep away from o decomposition, do | xidizing agents and open a not overheat. | flame. To avoid thermal |
| Incompatible Materials | - | strong acids and oxidizing olymers and acetal copoly | |
| Hazardous decomposition products | (NOx), hydrogen c smoke are all poss degradation. As a after one hour at 1' | O2), carbon monoxide (C chloride (HCl), other hazar ible. Prolonged heating n general rule of thumb, de 77 °C (350 °F), after 10 m tes at 232 °C (450 °F). | rdous materials, and hay result in product |
| | 11. TOXICOLOGICA | L INFORMATION | 11 |

Page 4 of 7 Print Date 11/26/2011

PolyOne.

MATERIAL SAFETY DATA SHEET **D2908A Sky Blue**

Version Number 1.2 Revision Date 03/05/2007

Page 5 of 7 Print Date 11/26/2011

IARC Carcinogen Classifications:1 - The component is carcinogenic to humans.2A - The component is probably carcinogenic to humans.2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

| adily biodegradable. onmental toxicity has not been established for this mixture as a ta available ta available COSAL CONSIDERATIONS e possible recycling is preferred to disposal or incineration. The tor of waste material has the responsibility for proper waste fication, transportation and disposal in accordance with able federal, state/provincial and local regulations. ling is preferred when possible. The generator of waste materia e responsibility for proper waste classification, transportation sposal in accordance with applicable federal, state/provincial cal regulations. |
|--|
| ta available ta available COSAL CONSIDERATIONS e possible recycling is preferred to disposal or incineration. The tor of waste material has the responsibility for proper waste fication, transportation and disposal in accordance with able federal, state/provincial and local regulations. ling is preferred when possible. The generator of waste materia e responsibility for proper waste classification, transportation sposal in accordance with applicable federal, state/provincial |
| ta available COSAL CONSIDERATIONS e possible recycling is preferred to disposal or incineration. The tor of waste material has the responsibility for proper waste fication, transportation and disposal in accordance with able federal, state/provincial and local regulations. ling is preferred when possible. The generator of waste materia e responsibility for proper waste classification, transportation sposal in accordance with applicable federal, state/provincial |
| POSAL CONSIDERATIONS e possible recycling is preferred to disposal or incineration. The ator of waste material has the responsibility for proper waste fication, transportation and disposal in accordance with able federal, state/provincial and local regulations. ling is preferred when possible. The generator of waste materia e responsibility for proper waste classification, transportation sposal in accordance with applicable federal, state/provincial |
| e possible recycling is preferred to disposal or incineration. The tor of waste material has the responsibility for proper waste fication, transportation and disposal in accordance with able federal, state/provincial and local regulations. ling is preferred when possible. The generator of waste materia e responsibility for proper waste classification, transportation sposal in accordance with applicable federal, state/provincial |
| tor of waste material has the responsibility for proper waste fication, transportation and disposal in accordance with able federal, state/provincial and local regulations. ling is preferred when possible. The generator of waste materia e responsibility for proper waste classification, transportation sposal in accordance with applicable federal, state/provincial |
| e responsibility for proper waste classification, transportation sposal in accordance with applicable federal, state/provincial |
| |
| NSPORT INFORMATION |
| to specific regulation. |
| to specific regulation. |
| to specific regulation. |
| ULATORY INFORMATION |
| |
| |
| fied as hazardous based on components. |
| |

PolyOne

MATERIAL SAFETY DATA SHEET **D2908A Sky Blue**

Version Number 1.2 Revision Date 03/05/2007 Page 6 of 7 Print Date 11/26/2011

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)Chemical NameCAS-No.Weight %NPRI ID#Phthalocyanine blue147-14-80.10 - 1.0071Miscellaneous Zinc Compounds0-31-70.10 - 1.00241

| WHMIS Classification | : | Not controlled. |
|-----------------------|---|--|
| DSL | : | All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. |
| National Inventories: | | |
| Australia AICS | : | Not determined |
| China IECS | : | Not determined |
| Europe EINECS | : | Not determined |
| Japan ENCS | : | Not determined |
| Korea KECI | : | Not determined |
| Philippines PICCS | : | Not determined |
| | | 16. OTHER INFORMATION |
| | | |

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET **D2908A Sky Blue**

Version Number 1.2 Revision Date 03/05/2007

Page 7 of 7 Print Date 11/26/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.