MATERIAL SAFETY DATA SHEET **MASTERMIX HMT 5883 PASTE**

Version Number 1.1 Revision Date 02/26/2007 Page 1 of 6 Print Date 11/26/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone:Emergency telephone:number	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	MASTERMIX HMT 5883 PASTE
Product code	FO20011363
Chemical Name	Mixture
CAS-No.	Mixture
Product Use	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Hexamine	100-97-0	60 - 100

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET MASTERMIX HMT 5883 PASTE

Version Number 1.1 Revision Date 02/26/2007 Page 2 of 6 Print Date 11/26/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 No data available No data available Not applicable Carbon dioxide blanket, water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. ACCIDENTAL RELEASE MEASURES Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or th soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.

PolyOne.

MATERIAL SAFETY DATA SHEET MASTERMIX HMT 5883 PASTE

Version Number 1.1 Revision Date 02/26/2007 Page 3 of 6 Print Date 11/26/2011

		p containers dry as contamination. St	tore in a cool dry place.	
8. EXP	POSURE C	ONTROLS / PER	RSONAL PROTECTI	ON
Respiratory protection	: Unc	ler normal handlin	g conditions a respirato	or may not be required.
Eye/Face Protection	: Safe	ety glasses with sic	de-shields.	
Hand protection	: Pro	tective gloves.		
Skin and body protection	: Lon	g sleeved clothing	ŗ.	
Additional Protective Measures	: Safe	ety shoes.		
General Hygiene Considerations			with good industrial hy reaks and at the end of w	giene and safety practice vorkday.
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)				
-	. PHYSICA	L AND CHEMIC	CAL PROPERTIES	
-	: liquid : liquid,	Viscous liquid	CAL PROPERTIES Evaporation rate Specific Gravity:	: Not established : Not determined
9. Form Appearance	: liquid : liquid, dispers	Viscous liquid ion	Evaporation rate Specific Gravity:	: Not determined
9. Form	: liquid : liquid, dispers : NO PIO	Viscous liquid ion GMENT	Evaporation rate Specific Gravity: Bulk density	
9. Form Appearance Color	 liquid liquid, dispers NO PIG Very fa 	Viscous liquid ion GMENT	Evaporation rate Specific Gravity:	Not determinedNot applicable
9. Form Appearance Color Odor Melting point/range Boiling Point:	 liquid liquid, dispers NO PIG Very fa Not app Not app 	Viscous liquid ion GMENT int plicable plicable	Evaporation rate Specific Gravity: Bulk density Vapor pressure	Not determinedNot applicableNot determined
9. Form Appearance Color Odor Melting point/range	 liquid liquid, dispers NO PIG Very fa Not app 	Viscous liquid ion GMENT int plicable plicable	Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density	 Not determined Not applicable Not determined Heavier than air.
9. Form Appearance Color Odor Melting point/range Boiling Point:	 liquid liquid, dispers NO PIG Very fa Not apj Not apj Immisc 	Viscous liquid ion GMENT int plicable plicable	Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH	 Not determined Not applicable Not determined Heavier than air.
9. Form Appearance Color Odor Melting point/range Boiling Point:	 liquid liquid, dispers NO PIG Very fa Not apj Not apj Immisc 	Viscous liquid ion GMENT int plicable plicable ible ABILITY AND R	Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH	 Not determined Not applicable Not determined Heavier than air.
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	 liquid liquid, dispers NO PIG Very fa Not app Not app Immisc 10. ST State 	Viscous liquid ion GMENT int plicable plicable ible ABILITY AND R	Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH	 Not determined Not applicable Not determined Heavier than air.
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	 liquid liquid, dispers NO PIG Very fa Not apj Not apj Inmisc 10. ST Stat Will Kee 	Viscous liquid ion GMENT int plicable blicable ible ABILITY AND R ble. l not occur.	Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH REACTIVITY	 Not determined Not applicable Not determined Heavier than air.
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 liquid liquid, dispers NO PIC Very fa Not apj Not apj Inot apj Immisc 10. ST Stalt Will Kee decomposition 	Viscous liquid ion GMENT int plicable plicable ible ABILITY AND R ble. l not occur. p away from oxidi pmposition, do not	Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH REACTIVITY	 Not determined Not applicable Not determined Heavier than air. Not determined

MATERIAL SAFETY DATA SHEET **MASTERMIX HMT 5883 PASTE**

Version Number 1.1 Revision Date 02/26/2007

Page 4 of 6 Print Date 11/26/2011

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
100-97-0	Hexamine	Irritant	Skin.
		sensitizer	Skin.
		Systemic effects	Kidney.

LC50 / LD50

_

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Ch	emical Name	Route	Value	Species
100-97-0	Hexamine		Oral LD50	569 mg/kg	mouse
		12. ECOLOGIC	AL INFORMAT	ION	
Persistence and degradab	ility	: Not readily bi	odegradable.		
Environmental Toxicity		: Environmenta whole.	l toxicity has not b	been established fo	r this mixture as a
Bioaccumulation Potentia	al	: No data availa	ble		
Additional advice		: No data availa	ble		

13. DISPOSAL CONSIDERATIONS

Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materi has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION

U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA (air)	:	Refer to specific regulation.

PolyOne.

MATERIAL SAFETY DATA SHEET MASTERMIX HMT 5883 PASTE

Version Number 1.1 Revision Date 02/26/2007 Page 5 of 6 Print Date 11/26/2011

IMO / IMDG (maritime)	
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	
California Proposition 65	: Not applicable
SARA Title III Section 302 Ex	tremely Hazardous Substance
	dentified under this section, this product is Not Applicable under this regulat
Unless specific chemicals are is SARA Title III Section 313 To	dentified under this section, this product is Not Applicable under this regulat xic Chemicals:
Unless specific chemicals are is SARA Title III Section 313 To	dentified under this section, this product is Not Applicable under this regulat xic Chemicals:
Unless specific chemicals are is SARA Title III Section 313 To Unless specific chemicals are is	dentified under this section, this product is Not Applicable under this regulat xic Chemicals: dentified under this section, this product is Not Applicable under this regulat
Unless specific chemicals are is SARA Title III Section 313 To Unless specific chemicals are is Canadian Regulations:	dentified under this section, this product is Not Applicable under this regulat xic Chemicals: dentified under this section, this product is Not Applicable under this regulat
Unless specific chemicals are is SARA Title III Section 313 To Unless specific chemicals are is Canadian Regulations: National Pollutant Relea	dentified under this section, this product is Not Applicable under this regulat xic Chemicals: dentified under this section, this product is Not Applicable under this regulat ase Inventory (NPRI)
Unless specific chemicals are is SARA Title III Section 313 To Unless specific chemicals are is Canadian Regulations: National Pollutant Relea Not applicable	dentified under this section, this product is Not Applicable under this regulat xic Chemicals: dentified under this section, this product is Not Applicable under this regulat ase Inventory (NPRI) : D2B
Unless specific chemicals are is SARA Title III Section 313 To Unless specific chemicals are is Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification	dentified under this section, this product is Not Applicable under this regulat xic Chemicals: dentified under this section, this product is Not Applicable under this regulat ase Inventory (NPRI) : D2B
Unless specific chemicals are is SARA Title III Section 313 To Unless specific chemicals are is Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification WHMIS Ingredient Disc	dentified under this section, this product is Not Applicable under this regulat xic Chemicals: dentified under this section, this product is Not Applicable under this regulat ase Inventory (NPRI) : D2B
Unless specific chemicals are is SARA Title III Section 313 To Unless specific chemicals are is Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification WHMIS Ingredient Disc CAS-No. 100-97-0	<pre>dentified under this section, this product is Not Applicable under this regulation xic Chemicals: dentified under this section, this product is Not Applicable under this regulation ase Inventory (NPRI) : D2B closure List : All components of this product are on the Canadian Domestic</pre>

PolyOne.

MATERIAL SAFETY DATA SHEET MASTERMIX HMT 5883 PASTE

Version Number 1.1 Revision Date 02/26/2007 Page 6 of 6 Print Date 11/26/2011

China IECS	. Listed
China IECS	: Listed
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Listed
Philippines PICCS	: Listed
	16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.