MATERIAL SAFETY DATA SHEET **DB3884 YELLOW**

Version Number 1.0 Revision Date 04/22/2005

Page 1 of 7 Print Date 11/17/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone number	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	DB3884 YELLOW
Product code	:	FO20011386
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Antimony trioxide	1309-64-4	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET **DB3884 YELLOW**

Version Number 1.0 Revision Date 04/22/2005 Page 2 of 7 Print Date 11/17/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 No data available No data available Not applicable Carbon dioxide blanket, water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxide
	of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing



MATERIAL SAFETY DATA SHEET DB3884 YELLOW

and contamination. Store in a cool dry place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection : No personal respiratory protective equipment normally requir Eye/Face Protection : Safety glasses with side-shields. Hand protection : Protective gloves. Skin and body protection : Long sleeved clothing. Additional Protective : Safety shoes. Measures : Handle in accordance with good industrial hygiene and safety Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery. Exposure limit(s) Exposure time Exposure type Antimony trioxide 0.5 mg/m3 PEL: as Sb OS 0.5 mg/m3 Time Weighted Average as Sb A (TWA): : Not estab Appearance : Viscous, liquid Evaporation rate : Not estab Appearance : Viscous, liquid Specific Gravity: : Not deter Color : YELLOW Bulk density : Not appli	n Number 1.0 on Date 04/22/2005			Print D	Page ate 11/17	
and contamination. Store in a cool dry place. Support of the second		Р	eriodically clean hoods, ducts,	and other surfaces to mi		
Respiratory protection : No personal respiratory protective equipment normally requir Eye/Face Protection : Safety glasses with side-shields. Hand protection : Protective gloves. Skin and body protection : Long sleeved clothing. Additional Protective : Safety shoes. Measures : Safety shoes. General Hygiene : Handle in accordance with good industrial hygiene and safety Considerations : Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery. Exposure limit(s) : Safety Shoes. Components Value Exposure time Exposure type Antimony trioxide 0.5 mg/m3 PEL: as Sb OS 9. PHYSICAL AND CHEMICAL PROPERTIES : Not estab Form : liquid Evaporation rate : Not deter Color : YELLOW Bulk density : Not appli Odor : Viscous, liquid Specific Gravity: : Not appli Odor : Vist applicable Vapour density : Not appli Odor : Vist applicable Vapour d						
Eye/Face Protection :: Safety glasses with side-shields. Hand protection :: Protective gloves. Skin and body protection :: Long sleeved clothing. Additional Protective :: Safety shoes. Measures : Safety shoes. General Hygiene :: Handle in accordance with good industrial hygiene and safety Considerations : Heat only in areas with appropriate exhaust ventilation. Engineering measures :: Heat only in areas with appropriate exhaust ventilation. Exposure limit(s) : Prove appropriate exhaust ventilation at machinery. Exposure limit(s) : : as Sb OS O.5 mg/m3 PEL: as Sb OS Antimony trioxide 0.5 mg/m3 Time Weighted Average as Sb A (TWA): : . Not estab Appearance : Viscous, liquid Specific Gravity: : Not appli Odor : YELLOW Bulk density : Not appli Odor : : Not applicable Vapour density :	8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION		
Hand protection : Protective gloves. Skin and body protection : Long sleeved clothing. Additional Protective : Safety shoes. Measures : Safety shoes. General Hygiene : Handle in accordance with good industrial hygiene and safety Considerations : Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery. Exposure limit(s) : . Components Value Exposure time Exposure type Antimony trioxide 0.5 mg/m3 PEL: as Sb OS 0.5 mg/m3 Time Weighted Average as Sb A Form : liquid Evaporation rate : Not estab Appearance : Viscous, liquid Specific Gravity: : Not deter Color : YELLOW Bulk density : Not deter Odor : : Not applicable Vapor pressure : Not deter Goling Point: : Not applicable PH : Not appli Water solubil	espiratory protection	: N	lo personal respiratory protecti	ve equipment normally r	equired.	
Skin and body protection : Long sleeved clothing. Additional Protective : Safety shoes. Measures : General Hygiene : Handle in accordance with good industrial hygiene and safety Considerations : Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery. Exposure limit(s) : Components Value Exposure limit(s) : as Sb OS 0.5 mg/m3 PEL: as Sb OS 0.5 mg/m3 Time Weighted Average as Sb A Of the stable in account of the stable	ye/Face Protection	: S	afety glasses with side-shields			
Additional Protective Measures : Safety shoes. General Hygiene Considerations : Handle in accordance with good industrial hygiene and safety Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery. Exposure limit(s) 	and protection	: P	rotective gloves.			
Measures : Handle in accordance with good industrial hygiene and safety Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery. Exposure limit(s) : Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery. Exposure limit(s) : Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery. Exposure limit(s) : Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery. Exposure limit(s) : Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery. Exposure limit(s) : Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery. Exposure limit(s) : Use is a Sb OS OS OS mg/m3 PEL: as Sb OS OS OS (TWA): Second D.5 mg/m3 Time Weighted Average as Sb A (TWA): : A (TWA): Second D.5 mg/m3 Time Weighted Average is So OS	kin and body protection	: L	ong sleeved clothing.			
Considerations Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery. Exposure limit(s) 		: S	afety shoes.			
appropriate exhaust ventilation at machinery. Exposure limit(s) Components Value Exposure time Exposure type Antimony trioxide 0.5 mg/m3 PEL: as Sb OS 0.5 mg/m3 Time Weighted Average as Sb A (TWA): 0.5 mg/m3 Time Weighted Average as Sb A PHYSICAL AND CHEMICAL PROPERTIES Form : liquid Evaporation rate : Not estab Appearance : Viscous, liquid Specific Gravity: : Not deter Color : YELLOW Bulk density : Not appli Odor : Very faint Vapor pressure : Not deter Melting point/range : Not applicable Vapour density : Not deter Boiling Point: : Not applicable pH : Not appli Water solubility : Immiscible Immiscible Immiscible		: H V	Iandle in accordance with good Vash hands before breaks and a	industrial hygiene and sa at the end of workday.	afety practi	
Exposure limit(s) Components Value Exposure time Exposure type Antimony trioxide 0.5 mg/m3 PEL: as Sb OS 0.5 mg/m3 Time Weighted Average (TWA): as Sb A 9. PHYSICAL AND CHEMICAL PROPERTIES Form : liquid Evaporation rate : Not estab Appearance : Viscous, liquid Specific Gravity: : Not deter Color : YELLOW Bulk density : Not appli Odor : Very faint Vapor pressure : Not deter Melting point/range : Not applicable Vapour density : Not deter Boiling Point: : Not applicable pH : Not appli Water solubility : Immiscible Immiscible Immiscible	ngineering measures				Provide	
Antimony trioxide 0.5 mg/m3 PEL: as Sb OS 0.5 mg/m3 Time Weighted Average (TWA): as Sb A 9. PHYSICAL AND CHEMICAL PROPERTIES Form : liquid Evaporation rate : Not estab Appearance : Viscous, liquid Specific Gravity: : Not deter Color : YELLOW Bulk density : Not appli Oddor : Very faint Vapor pressure : Not deter Melting point/range : Not applicable pH : Not appli Water solubility : Immiscible 10. STABILITY AND REACTIVITY	xposure limit(s)	,		,		
Antimony trioxide 0.5 mg/m3 PEL: as Sb OS 0.5 mg/m3 Time Weighted Average (TWA): as Sb A 9. PHYSICAL AND CHEMICAL PROPERTIES Form : liquid Evaporation rate : Not estab Appearance : Viscous, liquid Specific Gravity: : Not deter Color : YELLOW Bulk density : Not appli Oddor : Very faint Vapor pressure : Not deter Melting point/range : Not applicable pH : Not appli Water solubility : Immiscible 10. STABILITY AND REACTIVITY	Components	Value	Exposure time	Exposure type	List:	
0.5 mg/m3 Time Weighted Average (TWA): as Sb A 9. PHYSICAL AND CHEMICAL PROPERTIES Form : liquid Evaporation rate : Not estab Appearance : Viscous, liquid Specific Gravity: : Not deter Color : YELLOW Bulk density : Not appli Odor : Very faint Vapor pressure : Not deter Melting point/range : Not applicable Vapour density : Not deter Boiling Point: : Not applicable pH : Not appli Water solubility : Immiscible 10. STABILITY AND REACTIVITY					OSHA 2	
Form: liquidEvaporation rate: Not estabAppearance: Viscous, liquidSpecific Gravity:: Not deterColor: YELLOWBulk density: Not appliOdor: Very faintVapor pressure: Not deterMelting point/range: Not applicableVapour density: Not deterBoiling Point:: Not applicablepH: Not appliWater solubility: ImmiscibleImmiscibleImmiscible				as Sb	ACGI	
Appearance : Viscous, liquid Specific Gravity: : Not deter Color : YELLOW Bulk density : Not appli Odor : Very faint Vapor pressure : Not deter Melting point/range : Not applicable Vapour density : Not deter Boiling Point: : Not applicable pH : Not appli Water solubility : Immiscible Immiscible Immiscible		9. PHYSIC	CAL AND CHEMICAL PRO	PERTIES		
Appearance : Viscous, liquid Specific Gravity: : Not deter Color : YELLOW Bulk density : Not appli Odor : Very faint Vapor pressure : Not deter Melting point/range : Not applicable Vapour density : Not deter Boiling Point: : Not applicable pH : Not appli Water solubility : Immiscible Immiscible Immiscible	orm	· liqui	d Eveno	ration rate · Not	establishe	
Color : YELLOW Bulk density : Not appli Odor : Very faint Vapor pressure : Not deter Melting point/range : Not applicable Vapour density : Not deter Boiling Point: : Not applicable pH : Not appli Water solubility : Immiscible Immiscible Immiscible					determined	
Odor : Very faint Vapor pressure : Not deter Melting point/range : Not applicable Vapour density : Not deter Boiling Point: : Not applicable pH : Not appli Water solubility : Immiscible Immiscible Immiscible 10. STABILITY AND REACTIVITY				•	applicable	
Boiling Point: : Not applicable pH : Not appli Water solubility : Immiscible Immiscible Immiscible 10. STABILITY AND REACTIVITY			v faint Vapor	pressure : Not	determined	
Water solubility : Immiscible 10. STABILITY AND REACTIVITY				•	determined	
10. STABILITY AND REACTIVITY				: Not	applicable	
	ater solubility	: Imm	iscible			
Stability : Stable		10. \$	STABILITY AND REACTIV	TITY		
	ability	: S	table.			
Hazardous Polymerization : Will not occur.						



MATERIAL SAFETY DATA SHEET **DB3884 YELLOW**

Version Number 1.0 Page 4 of 7 Revision Date 04/22/2005 Print Date 11/17/2011 Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat. Incompatible Materials : Incompatible with strong acids and oxidizing agents., Avoid contact with acetal homopolymers and acetal copolymers during processing. Hazardous decomposition Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen : (NOx), hydrogen chloride (HCl), other hazardous materials, and products smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F). **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1309-64-4	Antimony trioxide	Systemic effects	Eyes, Respiratory system.
		sensitizer	Skin.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1309-64-4	Antimony trioxide	Oral LD50	> 34,600 mg/kg	rat

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1309-64-4	Antimony trioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

PolyOne.

MATERIAL SAFETY DATA SHEET **DB3884 YELLOW**

Version Number 1.0 Revision Date 04/22/2005 Page 5 of 7 Print Date 11/17/2011

Antimony trioxide 1309-64-4 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	: No data available
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	

PolyOne.

MATERIAL SAFETY DATA SHEET **DB3884 YELLOW**

Version Number 1.0	
Revision Date 04/22/200)5

Page 6 of 7 Print Date 11/17/2011

California Proposition:WARNING! This product contains a chemical known to the State of
California to cause cancer.

SARA Title III Section 302 Extremely Hazardous Substance Not applicable

SARA Title III Section 313 Toxic Chemicals:

Chemical Name	CAS-No.	Weight %
ANTIMONY COMPOUNDS	1309-64-4	3.79

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name	CAS-No.	Weight %	NPRI ID#
Antimony trioxide	1309-64-4	3.79	17

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.	
1309-64-4	

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	:	Not determined
China IECS	:	Not determined
Europe EINECS	:	Not determined
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Not determined

:

16. OTHER INFORMATION



MATERIAL SAFETY DATA SHEET **DB3884 YELLOW**

Version Number 1.0 Revision Date 04/22/2005

Page 7 of 7 Print Date 11/17/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.