MATERIAL SAFETY DATA SHEET

DB3390 NEUTRAL

Version Number 1.0 Revision Date 05/10/2005 Page 1 of 7 Print Date 11/18/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone : Emergency telephone : number	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	DB3390 NEUTRAL
Product code	:	FO20011580
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Antimony trioxide	1309-64-4	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET **DB3390 NEUTRAL**

Version Number 1.0 Revision Date 05/10/2005 Page 2 of 7 Print Date 11/18/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting	 No data available No data available Not applicable Carbon dioxide blanket, water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures Unusual Fire/Explosion Hazards	 pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxide of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing



MATERIAL SAFETY DATA SHEET DB3390 NEUTRAL

Storage:Periodically clean accumulation of the and containers dat and contamination 8. EXPOSURE CONTROLS / I Respiratory protection:No personal respire Eye/Face ProtectionEye/Face Protection:Safety glasses with Protective gloves.Hand protection:Protective gloves.Skin and body protection:Long sleeved cloth Additional ProtectiveAdditional Protective:Safety shoes.General Hygiene Considerations:Handle in accordat Wash hands before	and tightly closed to avoid mo Store in a cool dry place. ERSONAL PROTECTION ory protective equipment norm side-shields.	to minimize
and contamination 8. EXPOSURE CONTROLS / I Respiratory protection : No personal respir Eye/Face Protection : Safety glasses with Hand protection : Protective gloves. Skin and body protection : Long sleeved cloth Additional Protective : Safety shoes. Measures : Handle in accordar General Hygiene : Handle in accordar Considerations : Heat only in areas Engineering measures : Heat only in areas Exposure limit(s) : Exposure Components Value Exposure 0.5 mg/m3 Time Weighte (TWA : Form : liquid Appearance : Viscous, liquid Color : NO PIGMENT	Store in a cool dry place. ERSONAL PROTECTION ory protective equipment norm side-shields.	
Respiratory protection : No personal respir Eye/Face Protection : Safety glasses with Hand protection : Protective gloves. Skin and body protection : Long sleeved cloth Additional Protective : Safety shoes. Measures : Safety shoes. General Hygiene : Handle in accordan Considerations : Heat only in areas appropriate exhausting Engineering measures : Heat only in areas appropriate exhausting Exposure limit(s) 0.5 mg/m3 PEL 0.5 mg/m3 Time Weighte (TWA) Form : liquid Appearance : Viscous, liquid Color : NO PIGMENT	ory protective equipment norn side-shields.	nally required.
Eye/Face Protection : Safety glasses with Hand protection : Protective gloves. Skin and body protection : Long sleeved cloth Additional Protective : Safety shoes. Measures : Safety shoes. General Hygiene : Handle in accordate Considerations : Heat only in areas Engineering measures : Heat only in areas Exposure limit(s) : Yalue Exposure limit(s) 0.5 mg/m3 PEL O.5 mg/m3 Time Weighte (TWA : Form : liquid Appearance : Viscous, liquid Color : NO PIGMENT	side-shields.	nally required.
Hand protection : Protective gloves. Skin and body protection : Long sleeved cloth Additional Protective : Safety shoes. Measures : Safety shoes. General Hygiene : Handle in accordar Considerations : Head only in areas Engineering measures : Heat only in areas Exposure limit(s) : Heat only in areas Components Value Exposure Antimony trioxide 0.5 mg/m3 PEL 0.5 mg/m3 Time Weighte (TWA Form : liquid Appearance : Viscous, liquid Color : NO PIGMENT		
Skin and body protection : Long sleeved cloth Additional Protective : Safety shoes. Measures : Handle in accordat General Hygiene : Handle in accordat Considerations Wash hands before Engineering measures : Heat only in areas appropriate exhaust : Exposure limit(s) Components Value Exposure Antimony trioxide 0.5 mg/m3 Time Weighte 0.5 mg/m3 Time Weighte (TWA Form : liquid Appearance : Viscous, liquid Color : NO PIGMENT	ıg.	
Additional Protective : Safety shoes. Measures : Handle in accordate General Hygiene : Handle in accordate Considerations : Wash hands before Engineering measures : Heat only in areas appropriate exhaust : Exposure limit(s) Components Value Exposure limit(s) 0.5 mg/m3 PEL 0.5 mg/m3 Time Weighte (TWA Form : liquid Appearance : Viscous, liquid Color : NO PIGMENT	ng.	
Measures General Hygiene : Handle in accordat Considerations Wash hands before Engineering measures : Heat only in areas appropriate exhaus Exposure limit(s) . Components Value Exposure Antimony trioxide 0.5 mg/m3 PEL 0.5 mg/m3 Time Weighte (TWA Form : liquid 2.5 mg/m3 Appearance : Viscous, liquid 2.0 NO PIGMENT		
Considerations Wash hands before Engineering measures : Heat only in areas appropriate exhaus Exposure limit(s)		
appropriate exhaust Exposure limit(s) Components Value Antimony trioxide 0.5 mg/m3 0.5 mg/m3 Time Weighte 0.5 mg/m3 Time Weighte (TWA PHYSICAL AND CHES Form : liquid Appearance : Viscous, liquid Color : NO PIGMENT	e with good industrial hygiene breaks and at the end of workd	
Exposure limit(s) Components Value Exposure Antimony trioxide 0.5 mg/m3 PEL 0.5 mg/m3 Time Weighte (TWA PHYSICAL AND CHEI Form : liquid Appearance : Viscous, liquid Color : NO PIGMENT	vith appropriate exhaust ventila	tion. Provide
Antimony trioxide 0.5 mg/m3 PEL 0.5 mg/m3 Time Weighte 0.5 mg/m3 Time Weighte (TWA 9. PHYSICAL AND CHE Form : liquid Appearance : Viscous, liquid Color : NO PIGMENT	, ,	
Antimony trioxide 0.5 mg/m3 PEL 0.5 mg/m3 Time Weighte 0.5 mg/m3 Time Weighte (TWA 9. PHYSICAL AND CHE Form : liquid Appearance : Viscous, liquid Color : NO PIGMENT	ime Exposure type	e List:
0.5 mg/m3 Time Weighte (TWA) 9. PHYSICAL AND CHE Form : liquid Appearance : Viscous, liquid Color : NO PIGMENT	as Sb	OSHA Z
Form : liquid Appearance : Viscous, liquid Color : NO PIGMENT	Average as Sb	ACGII
Appearance: Viscous, liquidColor: NO PIGMENT	ICAL PROPERTIES	
Appearance: Viscous, liquidColor: NO PIGMENT		Not established
Color : NO PIGMENT	Evaporation rate	Not determined
Odor : Verv faint	Evaporation rate : Specific Gravity: :	Not applicable
		Not determine
Melting point/range : Not applicable	Specific Gravity::Bulk density:Vapor pressure:	
Boiling Point: : Not applicable	Specific Gravity::Bulk density:Vapor pressure:Vapour density:	
Water solubility : Immiscible	Specific Gravity::Bulk density:Vapor pressure:	
10. STABILITY AN	Specific Gravity::Bulk density:Vapor pressure:Vapour density:	
Stability : Stable.	Specific Gravity::Bulk density:Vapor pressure:Vapour density:pH:	
Hazardous Polymerization : Will not occur.	Specific Gravity::Bulk density:Vapor pressure:Vapour density:pH:	Not determined Not applicable



MATERIAL SAFETY DATA SHEET **DB3390 NEUTRAL**

Version Number 1.0 Revision Date 05/10/2005		Page 4 of 7 Print Date 11/18/2011		
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.		
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents., Avoid contact with acetal homopolymers and acetal copolymers during processing.		
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).		
11. TOXICOLOGICAL INFORMATION				

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1309-64-4	Antimony trioxide	Systemic effects	Eyes, Respiratory system.
		sensitizer	Skin.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1309-64-4	Antimony trioxide	Oral LD50	> 34,600 mg/kg	rat

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1309-64-4	Antimony trioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

PolyOne.

MATERIAL SAFETY DATA SHEET **DB3390 NEUTRAL**

Version Number 1.0 Revision Date 05/10/2005

Page 5 of 7 Print Date 11/18/2011

Antimony trioxide 1309-64-4 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

	12. EC	OLOGICAL INFORMA	HUN			
Persistence and degradability	i Not	readily biodegradable.				
Environmental Toxicity : Environmental toxicity has not been established for this mixture as a whole.						
Bioaccumulation Potential	: No c	: No data available				
Additional advice	: No c	lata available				
	13. DIS	SPOSAL CONSIDERAT	IONS			
Product	gene class	erator of waste material has	eferred to disposal or incineration. The sthe responsibility for proper wastend disposal in accordance with cial and local regulations.			
Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.						
	14. TR	ANSPORT INFORMAT	TION			
U.S. DOT Classification	: Refe	er to specific regulation.				
ICAO/IATA (air) : Refer to specific regulation.						
IMO / IMDG (maritime)	: Refe	er to specific regulation.				
	15. RE(GULATORY INFORMA	TION			
US Regulations:						
OSHA Status	: Clas	sified as hazardous based of	on components.			
TSCA Status		components of this producentory.	t are listed on or exempt from the TSC			
US. EPA CERCLA Hazardo	us Substance	es (40 CFR 302)				
es. El li eliteri iniziado		RQ for component	RQ for			
Chemical Name	CAS-No.	KQ for component	Mixture/Product			

PolyOne

MATERIAL SAFETY DATA SHEET **DB3390 NEUTRAL**

Version Number 1.0 Revision Date 05/10/2005

Page 6 of 7 Print Date 11/18/2011

California Proposition 65 : WARNING! This product contains a chemical known to the State of California to cause cancer.

SARA Title III Section 302 Extremely Hazardous Substance Not applicable

SARA Title III Section 313 Toxic Chemicals:

Chemical Name	CAS-No.	Weight %
ANTIMONY COMPOUNDS	1309-64-4	8.77

Canadian Regulations:

National Pollutant Release Inventory (NPRI)			
Chemical Name	CAS-No.	Weight %	NPRI ID#
Antimony trioxide	1309-64-4	8.77	17

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.
1309-64-4

DSL

: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	: Listed
China IECS	: Listed
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Listed
Philippines PICCS	: Listed

16. OTHER INFORMATION



MATERIAL SAFETY DATA SHEET **DB3390 NEUTRAL**

Version Number 1.0 Revision Date 05/10/2005

Page 7 of 7 Print Date 11/18/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.