## MATERIAL SAFETY DATA SHEET **STAN-TONE HCC-29876 RED**

Version Number 1.1 Revision Date 05/25/2007 Page 1 of 6 Print Date 11/28/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE HCC-29876 RED
Product code	:	FO20011684
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Sodium dodecylbenzenesulfonate	25155-30-0	1 - 5

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion		
Acute exposure			
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.		
Ingestion	: May be harmful if swallowed.		
Eyes	: May cause eye/skin irritation.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		

PolyOne.

# MATERIAL SAFETY DATA SHEET **STAN-TONE HCC-29876 RED**

Version Number 1.1 Revision Date 05/25/2007 Page 2 of 6 Print Date 11/28/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>No data available</li> <li>No data available</li> <li>Not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.

PolyOne.

# MATERIAL SAFETY DATA SHEET **STAN-TONE HCC-29876 RED**

Version Number 1.1 Revision Date 05/25/2007 Page 3 of 6 Print Date 11/28/2011

	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.				
8. EXP	OSURE CONTROLS / PE	RSONAL PROTECTION			
Respiratory protection	: Under normal handling conditions a respirator may not be required.				
Eye/Face Protection	: Safety glasses with s	Safety glasses with side-shields			
Hand protection	: Protective gloves				
Skin and body protection	: Long sleeved clothin	g			
Additional Protective Measures	: Safety shoes	Safety shoes			
General Hygiene Considerations		Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures		ith appropriate exhaust ventilation. Provide ventilation at machinery.			
-					
Form	. PHYSICAL AND CHEM : liquid : liquid, Viscous liquid	Evaporation rate : Not established			
9.	<ul><li>liquid</li><li>liquid, Viscous liquid</li><li>dispersion</li></ul>	Evaporation rate : Not established Specific Gravity : Not determined			
9. Form Appearance Color	<ul> <li>liquid</li> <li>liquid, Viscous liquid</li> <li>dispersion</li> <li>RED</li> </ul>	Evaporation rate: Not establishedSpecific Gravity: Not determinedBulk density: Not applicable			
9. Form Appearance Color Odour	<ul> <li>liquid</li> <li>liquid, Viscous liquid dispersion</li> <li>RED</li> <li>Very faint</li> </ul>	Evaporation rate: Not establishedSpecific Gravity: Not determinedBulk density: Not applicableVapour pressure: Not determined			
9. Form Appearance Color Odour Melting point/range	<ul> <li>liquid</li> <li>liquid, Viscous liquid dispersion</li> <li>RED</li> <li>Very faint</li> <li>Not applicable</li> </ul>	Evaporation rate: Not establishedSpecific Gravity: Not determinedBulk density: Not applicableVapour pressure: Not determinedVapour density: Heavier than air.			
9. Form Appearance Color Odour Melting point/range Boiling Point:	<ul> <li>liquid</li> <li>liquid, Viscous liquid dispersion</li> <li>RED</li> <li>Very faint</li> </ul>	Evaporation rate: Not establishedSpecific Gravity: Not determinedBulk density: Not applicableVapour pressure: Not determined			
9. Form Appearance Color Odour Melting point/range Boiling Point:	<ul> <li>liquid</li> <li>liquid, Viscous liquid dispersion</li> <li>RED</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> </ul>	Evaporation rate Specific Gravity: Not established Source : Not determinedBulk density Vapour pressure Vapour density PH: Not applicable : Not determined : Heavier than air. : Not determined			
9. Form Appearance Color Odour	<ul> <li>liquid</li> <li>liquid, Viscous liquid dispersion</li> <li>RED</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul>	Evaporation rate Specific Gravity: Not established Source : Not determinedBulk density Vapour pressure Vapour density PH: Not applicable : Not determined : Heavier than air. : Not determined			
9. Form Appearance Color Odour Melting point/range Boiling Point: Water solubility	<ul> <li>liquid</li> <li>liquid, Viscous liquid dispersion</li> <li>RED</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul> 10. STABILITY AND	Evaporation rate Specific Gravity: Not established Source : Not determinedBulk density Vapour pressure Vapour density PH: Not applicable : Not determined : Heavier than air. : Not determined			
9. Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability	<ul> <li>liquid</li> <li>liquid, Viscous liquid dispersion</li> <li>RED</li> <li>Very faint</li> <li>Not applicable</li> <li>Inot applicable</li> <li>Immiscible</li> </ul> <b>10. STABILITY AND</b> <ul> <li>Stable.</li> <li>Will not occur.</li> </ul>	Evaporation rate       : Not established         Specific Gravity       : Not determined         Bulk density       : Not applicable         Vapour pressure       : Not determined         Vapour density       : Heavier than air.         pH       : Not determined         REACTIVITY         dizing agents and open flame. To avoid thermal			
9. Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>liquid</li> <li>liquid, Viscous liquid dispersion</li> <li>RED</li> <li>Very faint</li> <li>Not applicable</li> <li>Inmiscible</li> </ul> <b>10. STABILITY AND</b> <ul> <li>Stable.</li> <li>Will not occur.</li> <li>Keep away from oxid decomposition, do not</li> </ul>	Evaporation rate       : Not established         Specific Gravity       : Not determined         Bulk density       : Not applicable         Vapour pressure       : Not determined         Vapour density       : Heavier than air.         pH       : Not determined         REACTIVITY         dizing agents and open flame. To avoid thermal			

PolyOne

## MATERIAL SAFETY DATA SHEET STAN-TONE HCC-29876 RED

#### Version Number 1.1 Revision Date 05/25/2007

Page 4 of 6 Print Date *11/28/2011* 

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
25155-30-0	Sodium dodecylbenzenesulfonate	Irritant	Eyes, Skin.
		Toxic	Refer to LC50 / LD50 Data on MSDS

### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
25155-30-0	Sodium	Oral LD50	438 mg/kg	rat
	dodecylbenzenesulfonate			

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	: No data available
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.

PolyOne.

# MATERIAL SAFETY DATA SHEET **STAN-TONE HCC-29876 RED**

Version Number 1.1 Revision Date 05/25/2007 Page 5 of 6 Print Date 11/28/2011

ICAO/IATA (air) : Refer to specific regulation.				
IMO / IMDG (maritime)	MO / IMDG (maritime) : Refer to specific regulation.			
15. REGULATORY INFORMATION				
US Regulations:				
OSHA Status	: Classified as hazardous based on components.			
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.			
US. EPA CERCLA Hazardous S	Substances (40 CFR 302)			
Not applicable				
California Proposition 65	: Not applicable			
SARA Title III Section 302 Extr	remely Hazardous Substance			
Unless specific chemicals are ide	entified under this section, this product is Not Applicable under this regulation			
SARA Title III Section 313 Tox	ic Chemicals:			
Unless specific chemicals are ide	entified under this section, this product is Not Applicable under this regulation			
Canadian Regulations:				
National Pollutant Releas	se Inventory (NPRI)			
Not applicable				
WHMIS Classification	: D2B			
WHMIS Ingredient Discl	osure List			
CAS-No. 25155-30-0				
DSL	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.			
National Inventories:				

PolyOne

## MATERIAL SAFETY DATA SHEET **STAN-TONE HCC-29876 RED**

Version Number 1.1 Revision Date 05/25/2007 Page 6 of 6 Print Date *11/28/2011* 

Australia AICS	:	Not determined
China IECS	:	Not determined
Europe EINECS	:	Not determined
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Not determined

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.