### MATERIAL SAFETY DATA SHEET STAN-TONE MB-29887 YELLOW

Version Number 1.0 Revision Date 06/08/2005

Page 1 of 6 Print Date 11/18/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone number	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE MB-29887 YELLOW
Product code	:	FO20011736
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	5 - 10

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eves.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne

# MATERIAL SAFETY DATA SHEET **STAN-TONE MB-29887 YELLOW**

Version Number 1.0 Revision Date 06/08/2005 Page 2 of 6 Print Date 11/18/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>water spray, dry powder, foam, carbon dioxide (CO2).</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne

## MATERIAL SAFETY DATA SHEET **STAN-TONE MB-29887 YELLOW**

Version Number 1.0 Revision Date 06/08/2005 Page 3 of 6 Print Date 11/18/2011

6 E	VDASUDI	E CONTROLS / PERSONAL	PDOTECTION	
0. L	AFUSUKI	E CONTROLS / FERSONAL	FROIECTION	
Respiratory protection		No personal respiratory protecti handling the product itself. See below for precautions to be take material.	"Engineering Measures"	" section
Eye/Face Protection	:	Safety glasses with side-shields		
Hand protection	:	Protective gloves.		
Skin and body protection	:	Long sleeved clothing.		
Additional Protective Measures	:	Safety shoes.		
General Hygiene Considerations		Handle in accordance with good Wash hands before breaks and a		afety practice.
Engineering measures		Heat only in areas with appropr ventilation and/or appropriate re necessary to minimize employe	espiratory protection may	y also be
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3		Total dust.	OSHA Z1

Form	: Solid	Evaporation rate	· Not applicable
		Specific Gravity:	: Not applicable : Not determined
Appearance	: Pellets, Slabs, sheets	1 6	
Color Odor	: YELLOW	Bulk density	: Not established
Melting point/range	<ul><li>Characteristic rubber odor</li><li>Not determined</li></ul>	r Vapor pressure Vapour density	: Not applicable : Not applicable
Boiling Point:	: Not applicable	pH	: Not applicable
Water solubility	: Insoluble		
	10 STADILITY AND D		
	10. STABILITY AND R		
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from oxidi decomposition, do not	00	lame. To avoid thermal

PolyOne

## MATERIAL SAFETY DATA SHEET STAN-TONE MB-29887 YELLOW

Version Number 1.0 Revision Date 06/08/2005 Page 4 of 6 Print Date 11/18/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: Not applicable
	13. DISPOSAL CONSIDERATIONS
Product Contaminated packaging	<ul> <li>Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> <li>Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal.</li> </ul>
	14. TRANSPORT INFORMATION
	: Not regulated for transportation.
U.S. DOT Classification	
U.S. DOT Classification ICAO/IATA (air)	: Not regulated for transportation.

PolyOne

# MATERIAL SAFETY DATA SHEET **STAN-TONE MB-29887 YELLOW**

Version Number 1.0 Revision Date 06/08/2005 Page 5 of 6 Print Date 11/18/2011

	13	S. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Subs	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	Not applicable
SARA Title III Section 302 Ext Not applicable	reme	ely Hazardous Substance
SARA Title III Section 313 Tox	tic C	Chemicals:
Not applicable Canadian Regulations:		
National Pollutant Releas	se Ir	ventory (NPRI)
Not applicable		
WHMIS Classification	:	Not controlled.
within Classification		
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
	:	
DSL	:	
DSL National Inventories:		Substances List (DSL) or are exempt.
DSL National Inventories: Australia AICS	:	Substances List (DSL) or are exempt.
DSL National Inventories: Australia AICS China IECS	:	Substances List (DSL) or are exempt. Listed Listed
DSL National Inventories: Australia AICS China IECS Europe EINECS	:	Substances List (DSL) or are exempt. Listed Listed Listed

PolyOne

## MATERIAL SAFETY DATA SHEET STAN-TONE MB-29887 YELLOW

Version Number 1.0 Revision Date 06/08/2005 Page 6 of 6 Print Date 11/18/2011

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.