MATERIAL SAFETY DATA SHEET 10120PC FR ADDITIVE

Version Number 1.1 Revision Date 11/12/2007

Page 1 of 7 Print Date 12/2/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone:Emergency telephone:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	10120PC FR ADDITIVE
Product code :	FO20012213
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Antimony trioxide	1309-64-4	60 - 100

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET 10120PC FR ADDITIVE

Version Number 1.1 Revision Date 11/12/2007 Page 2 of 7 Print Date 12/2/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards Personal precautions Environmental precautions	 No data available No data available Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 6. ACCIDENTAL RELEASE MEASURES Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	 Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.

PolyOne

MATERIAL SAFETY DATA SHEET 10120PC FR ADDITIVE

Version Number 1.1 Revision Date 11/12/2007

_

_

Page 3 of 7 Print Date 12/2/2011

Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.				
8.]	EXPOSURE	CONTROLS / PERSO	NAL PROTECTION	N	
Respiratory protection	: U	Inder normal handling co	nditions a respirator r	nay not ł	be required.
Eye/Face Protection	: S	afety glasses with side-sh	iields		
Hand protection	: P	rotective gloves			
Skin and body protection	1 : L	ong sleeved clothing			
Additional Protective Measures	: S	afety shoes			
General Hygiene: Handle in accordance with good industrial hygiene and safety practice.ConsiderationsWash hands before breaks and at the end of workday.					
Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)					
Components	Value	Exposure time	Exposure t	type	List:
Antimony trioxide	0.5 mg/m3	Time Weighted Avera (TWA):		* 1	MX OEL
	0.5 mg/m3	Time Weighted Avera (TWA):	age as Sb		ACGIH
	0.5 mg/m3	PEL:	as Sb		OSHA Z1
	9. PHYSIC	CAL AND CHEMICAL	PROPERTIES		
Form				: Not	established
Form Appearance	: liqui : liqui	d E	vaporation rate pecific Gravity		established determined

Color Odour Melting point/range Boiling Point: Water solubility

10. STABILITY AND REACTIVITY

Vapour pressure

Vapour density

pН

: Not determined

: Heavier than air.

: Not determined

: Very faint

: Immiscible

: Not applicable

: Not applicable

Stability:Stable.Hazardous Polymerization:Will not occur.Conditions to avoid:Keep away from oxidizing agents and open flame. To avoid thermal

MATERIAL SAFETY DATA SHEET 10120PC FR ADDITIVE

Version Number 1.1 Revision Date 11/12/2007 Page 4 of 7 Print Date 12/2/2011

Incompatible Materials:Incompatible with strong acids and oxidizing agents.Hazardous decomposition
products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
(NOx), other hazardous materials, and smoke are all possible.

decomposition, do not overheat.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1309-64-4	Antimony trioxide	Systemic effects	Eyes, Respiratory system.
		sensitizer	Skin.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1309-64-4	Antimony trioxide	Oral LD50	> 34,600 mg/kg	rat

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1309-64-4	Antimony trioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Antimony trioxide 1309-64-4 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

12. ECOLOGICAL INFORMATION

Persistence and degradability

: Not readily biodegradable.

PolyOne.

MATERIAL SAFETY DATA SHEET 10120PC FR ADDITIVE

Version Number 1.1 Revision Date 11/12/2007 Page 5 of 7 Print Date 12/2/2011

	whole	•				
Bioaccumulation Potential	: No da	: No data available				
Additional advice	: No da	ta available				
	13. DISH	OSAL CONSIDERATI	IONS			
Product	genera classi	ator of waste material has fication, transportation an	eferred to disposal or incineration. The the responsibility for proper waste d disposal in accordance with cial and local regulations.			
Contaminated packaging	has th and di	e responsibility for prope	ssible. The generator of waste materia r waste classification, transportation h applicable federal, state/provincial			
	14. TRA	NSPORT INFORMAT	ION			
U.S. DOT Classification	· Refer	to specific regulation.				
ICAO/IATA (air)	: Refer	to specific regulation.				
IMO / IMDG (maritime)	: Refer	to specific regulation.				
	15. REG	ULATORY INFORMA	TION			
US Regulations:						
OSHA Status	: Classi	fied as hazardous based o	on components.			
TSCA Status	: All co Inven		are listed on or exempt from the TSCA			
US. EPA CERCLA Hazard	ous Substances	(40 CFR 302)				
Chemical Name	CAS-No.	RQ for component	RQ for Mixture/Product			
Arsenic	7440-38-2	001 lbs	1,333 LB			
California Propositi			tains a chemical known to the State of			

MATERIAL SAFETY DATA SHEET 10120PC FR ADDITIVE

Version Number 1.1 Revision Date 11/12/2007

Page 6 of 7 Print Date 12/2/2011

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

U	nless specific chemicals are identified under this section, this	s product is Not Ap	plicable under this	s regulation
	Chemical Name	CAS-No.	Weight %	
	ANTIMONY COMPOUNDS	1309-64-4	60.00 - 100.00	

Canadian Regulations:

National Pollutant Release Inventory (NPRI)			
Chemical Name	CAS-No.	Weight %	NPRI ID#
Antimony trioxide	1309-64-4	60.00 - 100.00	17

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.	-
1309-64-4	

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

:

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The

PolyOne.

MATERIAL SAFETY DATA SHEET 10120PC FR ADDITIVE

Version Number 1.1 Revision Date 11/12/2007 Page 7 of 7 Print Date 12/2/2011

information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.