PolvOne

# MATERIAL SAFETY DATA SHEET S1400CP COTTON PRO SCARLET

Version Number 1.3 Revision Date 03/29/2007 Page 1 of 7 Print Date 11/27/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone number	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	S1400CP COTTON PRO SCARLET
Product code	:	FO20012663
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Alkenes, C12-24, chloro	68527-02-6	1 - 5
Calcium carbonate	471-34-1	10 - 30

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion		
Acute exposure			
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.		
Ingestion	: May be harmful if swallowed.		
Eyes	: May cause eye/skin irritation.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		

PolyOne.

# MATERIAL SAFETY DATA SHEET S1400CP COTTON PRO SCARLET

Version Number 1.3 Revision Date 03/29/2007 Page 2 of 7 Print Date 11/27/2011

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: no data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>no data available</li> <li>no data available</li> <li>Not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxide of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE

PolyOne.

# MATERIAL SAFETY DATA SHEET S1400CP COTTON PRO SCARLET

rsion Number 1.3 vision Date 03/29/2007		Page 3 o Print Date 11/27/20		
Handling	:	Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials.		
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.		
8. EXI	POSUI	RE CONTROLS / PERSONAL PROTECTION		
Respiratory protection	:	No personal respiratory protective equipment normally required.		
Eye/Face Protection	:	Safety glasses with side-shields		
Hand protection	:	Protective gloves		
Skin and body protection	:	Long sleeved clothing		
Additional Protective Measures	:	Safety shoes		
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.		
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)				

re limit(s)

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):		MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):		MX OEL
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance : liquid : Viscous, liquid Evaporation rate Specific Gravity: : Not established : Not determined

# MATERIAL SAFETY DATA SHEET S1400CP COTTON PRO SCARLET

Version Number 1.3 Revision Date 03/29/2007 Page 4 of 7 Print Date 11/27/2011

Color Odour Melting point/range Boiling Point: Water solubility	<ul> <li>RED</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul>	Bulk density Vapour pressure Vapour density pH	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not determined</li> <li>Not applicable</li> </ul>
	10. STABILITY AN	D REACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from o decomposition, do	xidizing agents and open f not overheat.	lame. To avoid thermal
Incompatible Materials	-	strong acids and oxidizing olymers and acetal copoly	•
Hazardous decomposition products	(NOx), hydrogen c smoke are all possi degradation. As a after one hour at 1'	O2), carbon monoxide (CC chloride (HCl), other hazar ible. Prolonged heating m general rule of thumb, deg 77 °C (350 °F), after 10 mi tes at 232 °C (450 °F).	dous materials, and ay result in product tradation begins to occur

### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
471-34-1	Calcium carbonate	Irritant	Eyes, Skin.

#### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
471-34-1	Calcium carbonate	Oral LD50	6,450 mg/kg	rat

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

PolyOne

# MATERIAL SAFETY DATA SHEET S1400CP COTTON PRO SCARLET

Version Number 1.3 Revision Date 03/29/2007 Page 5 of 7 Print Date 11/27/2011

IARC Carcinogen Classifications:1 - The component is carcinogenic to humans.2A - The component is probably carcinogenic to humans.2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

et readily biodegradable. vironmental toxicity has not been established for this mixture as a tole. data available data available ISPOSAL CONSIDERATIONS here possible recycling is preferred to disposal or incineration. The herator of waste material has the responsibility for proper waste ssification, transportation and disposal in accordance with plicable federal, state/provincial and local regulations. cycling is preferred when possible. The generator of waste material s the responsibility for proper waste classification, transportation d disposal in accordance with applicable federal, state/provincial d local regulations.
data available data available <b>ISPOSAL CONSIDERATIONS</b> here possible recycling is preferred to disposal or incineration. The nerator of waste material has the responsibility for proper waste ssification, transportation and disposal in accordance with plicable federal, state/provincial and local regulations. cycling is preferred when possible. The generator of waste materia s the responsibility for proper waste classification, transportation d disposal in accordance with applicable federal, state/provincial d local regulations.
data available <b>ISPOSAL CONSIDERATIONS</b> here possible recycling is preferred to disposal or incineration. The herator of waste material has the responsibility for proper waste ssification, transportation and disposal in accordance with plicable federal, state/provincial and local regulations. cycling is preferred when possible. The generator of waste materia s the responsibility for proper waste classification, transportation d disposal in accordance with applicable federal, state/provincial d local regulations.
ISPOSAL CONSIDERATIONS here possible recycling is preferred to disposal or incineration. The herator of waste material has the responsibility for proper waste ssification, transportation and disposal in accordance with plicable federal, state/provincial and local regulations. cycling is preferred when possible. The generator of waste materia is the responsibility for proper waste classification, transportation d disposal in accordance with applicable federal, state/provincial d local regulations.
here possible recycling is preferred to disposal or incineration. The herator of waste material has the responsibility for proper waste ssification, transportation and disposal in accordance with plicable federal, state/provincial and local regulations. cycling is preferred when possible. The generator of waste materia is the responsibility for proper waste classification, transportation d disposal in accordance with applicable federal, state/provincial d local regulations.
herator of waste material has the responsibility for proper waste ssification, transportation and disposal in accordance with plicable federal, state/provincial and local regulations. cycling is preferred when possible. The generator of waste materia is the responsibility for proper waste classification, transportation d disposal in accordance with applicable federal, state/provincial d local regulations.
s the responsibility for proper waste classification, transportation d disposal in accordance with applicable federal, state/provincial d local regulations.
PRANSPORT INFORMATION
fer to specific regulation.
fer to specific regulation.
fer to specific regulation.
EGULATORY INFORMATION
assified as hazardous based on components.
ll components of this product are listed on or exempt from the TSCA

PolvOne

# MATERIAL SAFETY DATA SHEET S1400CP COTTON PRO SCARLET

Version Number 1.3 Revision Date 03/29/2007

Page 6 of 7 Print Date 11/27/2011

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Not applicable

WHMIS Classification	:	D2A
DSL	:	DSL status has not been determined. Quantity use in Canada may be restricted by regulations.

National Inventories:

Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The

PolyOne.

# MATERIAL SAFETY DATA SHEET S1400CP COTTON PRO SCARLET

Version Number 1.3 Revision Date 03/29/2007 Page 7 of 7 Print Date 11/27/2011

information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.