PolyOne

MATERIAL SAFETY DATA SHEET S1802CP COTTON PRO LEMON YELLOW

Version Number 1.3 Revision Date 05/03/2007 Page 1 of 7 Print Date 11/28/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone number	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	S1802CP COTTON PRO LEMON YELLOW
Product code	:	FO20012697
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Alkenes, C12-24, chloro	68527-02-6	1 - 5
Titanium dioxide	13463-67-7	5 - 10
Calcium carbonate	471-34-1	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion		
Acute exposure			
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.		
Ingestion	: May be harmful if swallowed.		
Eyes	: May cause eye/skin irritation.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		

PolyOne.

MATERIAL SAFETY DATA SHEET S1802CP COTTON PRO LEMON YELLOW

Version Number 1.3 Revision Date 05/03/2007 Page 2 of 7 Print Date 11/28/2011

Medical Conditions : None known. Aggravated by Exposure:				
	4. FIRST AID MEASURES			
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.			
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.			
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.			
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.			
	5. FIRE-FIGHTING MEASURES			
Flash point	: No data available			
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 No data available No data available Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxide of nitrogen (NOx), other hazardous materials, and smoke are all possible. 			
	6. ACCIDENTAL RELEASE MEASURES			
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.			
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.			
	7. HANDLING AND STORAGE			



MATERIAL SAFETY DATA SHEET S1802CP COTTON PRO LEMON YELLOW

Version Number 1.3 Revision Date 05/03/2007		Page 3 of 7 Print Date 11/28/2011
Handling	:	Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue.
		Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.
8. EXP	OSUF	RE CONTROLS / PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields
Hand protection	:	Protective gloves
Skin and body protection	:	Long sleeved clothing
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):		MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):		MX OEL
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL

9. PHYSICAL AND CHEMICAL PROPERTIES

MATERIAL SAFETY DATA SHEET S1802CP COTTON PRO LEMON YELLOW

Version Number 1.3 Revision Date 05/03/2007 Page 4 of 7 Print Date 11/28/2011

Form Appearance Color Odour Melting point/range Boiling Point: Water solubility	: `` : `` : 1 : 1 : 1	liquid Viscous, liquid YELLOW Very faint Not applicable Not applicable Immiscible	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	::	Not established Not determined Not applicable Not determined Not determined Not applicable
		10. STABILITY AND RE	EACTIVITY		
Stability	:	Stable.			
Hazardous Polymerization	:	Will not occur.			
Conditions to avoid	:	Keep away from oxidiz decomposition, do not o		me.	To avoid thermal
Incompatible Materials	:	Incompatible with stron with acetal homopolym		-	
Hazardous decomposition products	:	 Carbon dioxide (CO2), (NOx), hydrogen chlori smoke are all possible. degradation. As a gene after one hour at 177 °C and within 5 minutes at 	de (HCl), other hazardo Prolonged heating may ral rule of thumb, degra (350 °F), after 10 minu	ous i v res idati	materials, and sult in product ion begins to occur

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
471-34-1	Calcium carbonate	Irritant	Eyes, Skin.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
471-34-1	Calcium carbonate	Oral LD50	6,450 mg/kg	rat

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

	CAS-No.	Chemical Name	OSHA	IARC	NTP
--	---------	---------------	------	------	-----

PolyOne.

MATERIAL SAFETY DATA SHEET S1802CP COTTON PRO LEMON YELLOW

Version Number 1.3 Revision Date 05/03/2007 Page 5 of 7 Print Date 11/28/2011

13463-67-7	Titanium d	ioxide	no	2B	no
IARC Carcinogen Class 1 - The component is ca 2A - The component is p 2B - The component is p NTP Carcinogen Classif 1 - The component is kn 2 - The component is rea	rcinogenic probably ca possibly car fications: own to be a	rcinogenic to human cinogenic to humans a human carcinogen.			
	1	2. ECOLOGICAL I	NFORMATION	I	
Persistence and degrada	bility :	Not readily biodeg	radable.		
Environmental Toxicity	:	Environmental toxi whole.	city has not been	established for th	nis mixture as a
Bioaccumulation Potent	ial :	No data available			
Additional advice	:	No data available			
	1	3. DISPOSAL CON	SIDERATIONS		
Product Contaminated packaging	: 5 :	Where possible rec generator of waste classification, trans applicable federal, Recycling is prefer has the responsibili and disposal in acc	material has the r portation and disp state/provincial a red when possible ty for proper was	esponsibility for posal in accordan nd local regulatio b. The generator of te classification, t	proper waste ce with ns. of waste materia transportation
		and local regulation			
]	14. TRANSPORT II	NFORMATION		
U.S. DOT Classification	ı :	Refer to specific re	gulation.		
ICAO/IATA (air)	:	Refer to specific re	gulation.		
IMO / IMDG (maritime) :	Refer to specific re	gulation.		
	15	5. REGULATORY	INFORMATION	1	
US Regulations:					
OSHA Status	:	Classified as hazar	dous based on co	nponents.	
		All components of			

PolyOne

MATERIAL SAFETY DATA SHEET S1802CP COTTON PRO LEMON YELLOW

Version Number 1.3 Revision Date 05/03/2007 Page 6 of 7 Print Date 11/28/2011

Inventory.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Not applicable

WHMIS Classification	:	D2A
DSL	:	DSL status has not been determined. Quantity use in Canada may be restricted by regulations.

National Inventories:

Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

16. OTHER INFORMATION

PolyOne

MATERIAL SAFETY DATA SHEET S1802CP COTTON PRO LEMON YELLOW

Version Number 1.3 Revision Date 05/03/2007 Page 7 of 7 Print Date 11/28/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.