## MATERIAL SAFETY DATA SHEET **D3371 WHITE**

Version Number 1.2 Revision Date 03/27/2007 Page 1 of 6 Print Date 11/27/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone number	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	D3371 WHITE
Product code	:	FO20012953
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



# MATERIAL SAFETY DATA SHEET **D3371 WHITE**

Version Number 1.2 Revision Date 03/27/2007 Page 2 of 6 Print Date 11/27/2011

Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: no data available
-	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>no data available</li> <li>no data available</li> <li>Not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	<ul> <li>May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxide of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing



# MATERIAL SAFETY DATA SHEET **D3371 WHITE**

sion Date 03/27/2007			Print I	Page 2 /Date 11/27	
	Р	ame condensates may contain eriodically clean hoods, ducts ccumulation of these material	, and other surfaces to m		
Storage		eep containers dry and tightly nd contamination. Store in a		re absorption	
8. H	EXPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: N	o personal respiratory protect	tive equipment normally	required.	
Eye/Face Protection	: S	afety glasses with side-shield	S		
Hand protection	: P	rotective gloves			
Skin and body protection	: L	ong sleeved clothing			
Additional Protective Measures	: S	afety shoes			
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety pra Wash hands before breaks and at the end of workday.			
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Components Titanium dioxide	Value 10 mg/m3	Time Weighted Average	Exposure type		
	10 mg/m3			ACGIH	
		Time Weighted Average (TWA):	Total dust.	ACGIH OSHA Z	
	10 mg/m3 15 mg/m3 20 mg/m3	Time Weighted Average (TWA): PEL: Short Term Exposure Limit	Total dust. as Ti	ACGIH OSHA Z	
	10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC	Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL): CAL AND CHEMICAL PR	Total dust. as Ti OPERTIES	ACGIH OSHA Z MX OEI	
Titanium dioxide	10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC : liqui	Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL): CAL AND CHEMICAL PR d Evapo	Total dust.       as Ti       OPERTIES       oration rate     : No	ACGIH OSHA Z MX OEI	
Titanium dioxide	10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC : liqui	Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL): CAL AND CHEMICAL PR d Evape ous, liquid Speci TE Bulk	Total dust.         as Ti         OPERTIES         oration rate       : No         fic Gravity:       : No         density       : No	ACGIH OSHA Z MX OEI	
Titanium dioxide Form Appearance Color Odour	10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC : liqui : Visc : WHI : Very	Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL): CAL AND CHEMICAL PR d Evape ous, liquid Speci TE Bulk faint Vapo	Total dust.         as Ti         OPERTIES         oration rate       : No         fic Gravity:       : No         density       : No         ur pressure       : No	ACGIH OSHA Z MX OEI t established t determined t applicable	
Titanium dioxide Titanium dioxide Form Appearance Color Odour Melting point/range	10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC : liqui : Visc : WHI : Very : Not :	Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL): CAL AND CHEMICAL PR d Evapo ous, liquid Speci TE Bulk faint Vapo applicable Vapo	Total dust.         as Ti         OPERTIES         oration rate       : No         fic Gravity:       : No         density       : No         ur pressure       : No         ur density       : No	ACGIH OSHA Z MX OEI t established t determined t determined t determined	
Titanium dioxide Titanium dioxide Form Appearance Color Odour Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC : liqui : Visc : WHI : Very : Not : : Not :	Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL): CAL AND CHEMICAL PR d Evapo ous, liquid Speci TE Bulk faint Vapo applicable Vapo applicable pH	Total dust.         as Ti         OPERTIES         oration rate       : No         fic Gravity:       : No         density       : No         ur pressure       : No         ur density       : No	ACGIH OSHA Z MX OEI t established t determined t applicable t determined	
Titanium dioxide Titanium dioxide Form Appearance Color Odour Melting point/range	10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC : liqui : Visc : WHI : Very : Not : : Not :	Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL): CAL AND CHEMICAL PR d Evapo ous, liquid Speci TE Bulk faint Vapo applicable Vapo	Total dust.         as Ti         OPERTIES         oration rate       : No         fic Gravity:       : No         density       : No         ur pressure       : No         ur density       : No	ACGIH OSHA Z MX OEI t established t determined t determined t determined	
Titanium dioxide Titanium dioxide Form Appearance Color Odour Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC : liqui : Visc : WHI : Very : Not : Not : Imm	Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL): CAL AND CHEMICAL PR d Evapo ous, liquid Speci TE Bulk faint Vapo applicable Vapo applicable pH	Total dust.         as Ti         OPERTIES         oration rate       : No         fic Gravity:       : No         density       : No         ur pressure       : No         ur density       : No         : No	ACGIH OSHA Z MX OEI t established t determined t determined t determined	
Titanium dioxide Titanium dioxide Form Appearance Color Odour Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC : liqui : Visc : WHI : Very : Not a : Inmm 10. §	Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL): CAL AND CHEMICAL PR d Evapo ous, liquid Speci TE Bulk faint Vapo applicable Vapo applicable pH iscible	Total dust.         as Ti         OPERTIES         oration rate       : No         fic Gravity:       : No         density       : No         ur pressure       : No         ur density       : No         : No	ACGIH OSHA Z MX OEI t established t determined t determined t determined	
Titanium dioxide Form Appearance Color Odour Melting point/range Boiling Point: Water solubility	10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC : liqui : Visc : WHI : Very : Not a : Inmm 10. §	Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL): CAL AND CHEMICAL PR d Evape ous, liquid Speci TE Bulk faint Vapo applicable Vapo applicable pH iscible	Total dust.         as Ti         OPERTIES         oration rate       : No         fic Gravity:       : No         density       : No         ur pressure       : No         ur density       : No         : No	ACGIH OSHA Z MX OEI t established t determined t determined t determined	

# MATERIAL SAFETY DATA SHEET **D3371 WHITE**

Version Number 1.2 Revision Date 03/27/2007		Page 4 of 6 Print Date 11/27/2011
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents., Avoid contact with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).
	11.	TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

### **12. ECOLOGICAL INFORMATION**

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	:	no data available



# MATERIAL SAFETY DATA SHEET **D3371 WHITE**

Version Number 1.2 Revision Date 03/27/2007 Page 5 of 6 Print Date 11/27/2011

Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	us Substances (40 CFR 302)
Not applicable	
California Propositior 65	i : Not applicable
SARA Title III Section 302 E	xtremely Hazardous Substance
Unless specific chemicals are	identified under this section, this product is Not Applicable under this regula

# MATERIAL SAFETY DATA SHEET **D3371 WHITE**

Version Number 1.2	Page 6 of 6
Revision Date 03/27/2007	Print Date 11/27/2011

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Not applicable

WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	:	Not determined
China IECS	:	Not determined
Europe EINECS	:	Not determined
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Not determined

## **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.