MATERIAL SAFETY DATA SHEET **DB4109 NEUTRAL**

Version Number 1.2 Revision Date 10/22/2009 Page 1 of 6 Print Date <u>1/9/2012</u>

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	DB4109 NEUTRAL
Product code	:	FO20014947
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye and skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET **DB4109 NEUTRAL**

Version Number 1.2 Revision Date 10/22/2009 Page 2 of 6 Print Date 1/9/2012

	4. FIRST AID MEASURES				
Inhalation	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.				
Ingestion	: Do not induce vomiting without medical advice. When symptom persist or in all cases of doubt seek medical advice.				
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.				
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.				
	5. FIRE-FIGHTING MEASURES				
Flash point	: no data available				
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 no data available no data available Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) unde fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), 				
	oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.				
	5. ACCIDENTAL RELEASE MEASURES				
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.				
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.				
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.				
	7. HANDLING AND STORAGE				
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing				



MATERIAL SAFETY DATA SHEET **DB4109 NEUTRAL**

sion Date 10/22/2009		Print Date	age (1/9/
		may contain combustible or toxic residue. hoods, ducts, and other surfaces to minimize ese materials.	
Storage		y and tightly closed to avoid moisture absorp Store in a cool dry place.	otion
8. EX	POSURE CONTROLS/P	ERSONAL PROTECTION	
Respiratory protection	: No personal respira	atory protective equipment normally required	l .
Eye/Face Protection	: Safety glasses with	side-shields	
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved cloth	ing	
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations		nce with good industrial hygiene and safety nds before breaks and at the end of workday.	
Engineering measures		with appropriate exhaust ventilation. Provid t ventilation at machinery.	e
Exposure limit(s)			
There are no known hazardo	ous components above regul	atory thresholds in this product.	
	D. PHYSICAL AND CHEM	MICAL PROPERTIES	
Form Appearance Colour Odour Melting point/range	 liquid viscous, liquid NO PIGMENT very faint not applicable 	Evaporation rate: Not establisSpecific Gravity: Not determBulk density: Not applicaVapour pressure: Not determVapour density: Not determ	ined ble ined ined
Form Appearance Colour Odour	 liquid viscous, liquid NO PIGMENT very faint 	Evaporation rate: Not establisSpecific Gravity: Not determBulk density: Not applicaVapour pressure: Not determVapour density: Not determ	ined ble ined ined
Form Appearance Colour Odour Melting point/range Boiling Point:	 liquid viscous, liquid NO PIGMENT very faint not applicable not applicable 	Evaporation rate : Not establis Specific Gravity : Not determ Bulk density : Not applica Vapour pressure : Not determ Vapour density : Not determ pH : Not applica	ined ble ined ined
Form Appearance Colour Odour Melting point/range Boiling Point:	 liquid viscous, liquid NO PIGMENT very faint not applicable not applicable immiscible 	Evaporation rate : Not establis Specific Gravity : Not determ Bulk density : Not applica Vapour pressure : Not determ Vapour density : Not determ pH : Not applica	ined ble ined ined
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 liquid viscous, liquid NO PIGMENT very faint not applicable not applicable immiscible 10. STABILITY ANI	Evaporation rate : Not establis Specific Gravity : Not determ Bulk density : Not applica Vapour pressure : Not determ Vapour density : Not determ pH : Not applica	ined ble ined ined
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	 liquid viscous, liquid NO PIGMENT very faint not applicable not applicable immiscible 10. STABILITY ANI Stable Will not occur. 	Evaporation rate : Not establis Specific Gravity : Not determ Bulk density : Not applica Vapour pressure : Not determ Vapour density : Not determ pH : Not applica D REACTIVITY Not applica xidizing agents and open flame. To avoid the	ined ble ined ble

PolyOne.

MATERIAL SAFETY DATA SHEET **DB4109 NEUTRAL**

sion Number 1.2 ision Date 10/22/2009	Page 4 Print Date 1/9/2
	with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).
	11. TOXICOLOGICAL INFORMATION
There are no known hazardous	components above regulatory thresholds in this product.
	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	: no data available
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. Th generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory

P<u>olyOne</u>

MATERIAL SAFETY DATA SHEET **DB4109 NEUTRAL**

Version Number 1.2 Revision Date 10/22/2009 Page 5 of 6 Print Date 1/9/2012

TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI) Chemical Name			CAS-No. Not Available	Weight percent 0.10 - 1.00	NPRI ID# 241	
Miscellaneous Zinc Compounds						
WHMIS Classification	:	Not controlled.				
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.				
ational Inventories:						
Australia AICS	:	Not determined				
China IECS	:	Not determined				
Europe EINECS	:	Listed				
Japan ENCS	:	Not determined				
Korea KECI	:	Not determined				

6/6

POLYONE CORPORATION

MATERIAL SAFETY DATA SHEET **DB4109 NEUTRAL**

Version Number 1.2 Revision Date 10/22/2009

Philippines PICCS

: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

<u>PolyOne</u>

Page 6 of 6 Print Date 1/9/2012