MATERIAL SAFETY DATA SHEET STAN-TONE HCC-30666 YELLOW

Version Number 1.0 Revision Date 10/31/2006

Page 1 of 5 Print Date 11/25/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone number	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE HCC-30666 YELLOW
Product code	:	FO20015306
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure: : Inhalation, Skin contact, Ingestion		
Acute exposure		
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.	
Ingestion	: May be harmful if swallowed.	
Eyes	: May cause eye/skin irritation.	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	
Medical Conditions Aggravated by Exposure:	: None known.	
	4. FIRST AID MEASURES	

PolyOne.

MATERIAL SAFETY DATA SHEET STAN-TONE HCC-30666 YELLOW

sion Number 1.0 ision Date 10/31/2006	Page 2 0 Print Date 11/25/20
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 No data available No data available Not applicable Carbon dioxide blanket, water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.
	2/5

PolyOne.

MATERIAL SAFETY DATA SHEET STAN-TONE HCC-30666 YELLOW

Version Number 1.0 Revision Date 10/31/2006 Page 3 of 5 Print Date 11/25/2011

8. EAI	OSURE CONTROLS / PE	RSONAL PROTECTION	
Respiratory protection	: Under normal handli	ng conditions a respirator may not be requi	ed.
Eye/Face Protection	: Safety glasses with s	ide-shields.	
Hand protection	: Protective gloves.		
Skin and body protection	: Long sleeved clothin	g.	
Additional Protective Measures	: Safety shoes.		
General Hygiene Considerations		e with good industrial hygiene and safety proceeding and at the end of workday.	actice
Engineering measures		th appropriate exhaust ventilation. Provide ventilation at machinery.	;
Exposure limit(s)			
There are no known hazardou	is components above regulat	ory thresholds in this product.	
There are no known nazardou	is components above regulat	ory uncondus in this product.	
9.	PHYSICAL AND CHEM	ICAL PROPERTIES	
Form	: liquid	Evaporation rate : Not establis	
Form Appearance	: liquid, Viscous liquid	Evaporation rate : Not establis Specific Gravity: : Not determi	
Appearance	: liquid, Viscous liquid dispersion	Specific Gravity: : Not determi	ned
Appearance Color	liquid, Viscous liquid dispersionYELLOW	Specific Gravity:: Not determiBulk density: Not application	ned ole
Appearance Color Odor	 liquid, Viscous liquid dispersion YELLOW Very faint 	Specific Gravity:: Not determiBulk density: Not applicaVapor pressure: Not determi	ned ole ned
Appearance Color Odor Melting point/range	 liquid, Viscous liquid dispersion YELLOW Very faint Not applicable 	Specific Gravity:: Not determineBulk density: Not applicationVapor pressure: Not determineVapour density: Heavier that	ned ble ned n air.
Appearance Color Odor Melting point/range Boiling Point:	 liquid, Viscous liquid dispersion YELLOW Very faint Not applicable Not applicable 	Specific Gravity:: Not determiBulk density: Not applicaVapor pressure: Not determi	ned ble ned n air.
Appearance Color Odor Melting point/range Boiling Point:	 liquid, Viscous liquid dispersion YELLOW Very faint Not applicable 	Specific Gravity:: Not determineBulk density: Not applicationVapor pressure: Not determineVapour density: Heavier that	ned ble ned n air.
Appearance Color Odor Melting point/range Boiling Point:	 liquid, Viscous liquid dispersion YELLOW Very faint Not applicable Not applicable 	Specific Gravity:: Not determiBulk density: Not applicaVapor pressure: Not determiVapour density: Heavier thapH: Not determi	ned ble ned n air.
Appearance Color Odor Melting point/range Boiling Point: Water solubility	 liquid, Viscous liquid dispersion YELLOW Very faint Not applicable Not applicable Immiscible 	Specific Gravity:: Not determiBulk density: Not applicaVapor pressure: Not determiVapour density: Heavier thapH: Not determi	ned ble ned n air.
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	 liquid, Viscous liquid dispersion YELLOW Very faint Not applicable Not applicable Immiscible 10. STABILITY AND	Specific Gravity:: Not determiBulk density: Not applicaVapor pressure: Not determiVapour density: Heavier thapH: Not determi	ned ble ned n air.
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 liquid, Viscous liquid dispersion YELLOW Very faint Not applicable Not applicable Immiscible 10. STABILITY AND Stable. Will not occur. 	Specific Gravity: : Not determi Bulk density : Not applical Vapor pressure : Not determi Vapour density : Heavier that pH : Not determi REACTIVITY	ned ole ned n air. ned
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	 liquid, Viscous liquid dispersion YELLOW Very faint Not applicable Not applicable Immiscible 10. STABILITY AND Stable. Will not occur. 	Specific Gravity: : Not determi Bulk density : Not applica Vapor pressure : Not determi Vapour density : Heavier tha pH : Not determi REACTIVITY	ned ole ned n air. ned
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 liquid, Viscous liquid dispersion YELLOW Very faint Not applicable Not applicable Immiscible 10. STABILITY AND Stable. Will not occur. Keep away from oxid decomposition, do not 	Specific Gravity: : Not determi Bulk density : Not applica Vapor pressure : Not determi Vapour density : Heavier tha pH : Not determi REACTIVITY	ned ole ned n air. ned
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid Incompatible Materials Hazardous decomposition	 liquid, Viscous liquid dispersion YELLOW Very faint Not applicable Not applicable Immiscible 10. STABILITY AND Stable. Will not occur. Keep away from oxid decomposition, do not Incompatible with static Carbon dioxide (CO2) 	Specific Gravity: : Not determi Bulk density : Not applical Vapor pressure : Not determi Vapour density : Heavier that pH : Not determi REACTIVITY dizing agents and open flame. To avoid the ot overheat. rong acids and oxidizing agents. 2), carbon monoxide (CO), oxides of nitrog	ned ble ned nair. ned
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid Incompatible Materials	 liquid, Viscous liquid dispersion YELLOW Very faint Not applicable Not applicable Immiscible 10. STABILITY AND Stable. Will not occur. Keep away from oxid decomposition, do not Incompatible with static Carbon dioxide (CO2) 	Specific Gravity: : Not determine Bulk density : Not application Vapor pressure : Not determine Vapour density : Heavier that pH pH : Not determine REACTIVITY dizing agents and open flame. To avoid the pt overheat. rong acids and oxidizing agents.	ned ble ned nair. ned

PolyOne.

MATERIAL SAFETY DATA SHEET STAN-TONE HCC-30666 YELLOW

Version Number 1.0 Revision Date 10/31/2006 Page 4 of 5 Print Date 11/25/2011

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	: No data available
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. Th generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSC. Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	
not applicable	

MATERIAL SAFETY DATA SHEET STAN-TONE HCC-30666 YELLOW

Version Number 1.0 Revision Date 10/31/2006 Page 5 of 5 Print Date 11/25/2011

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Not applicable

WHMIS Classification	:	Not controlled.
DSL	:	DSL status has not been determined. Quantity use in Canada may be restricted by regulations.

National Inventories:

Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Not determined
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.