## MATERIAL SAFETY DATA SHEET STAN-TONE EPX-30691 GUNMETAL GREY

Version Number 1.0 Revision Date 12/01/2006 Page 1 of 6 Print Date 11/25/2011

### **1. PRODUCT AND COMPANY IDENTIFICATION**

### POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone number	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE EPX-30691 GUNMETAL GREY
Product code	:	FO20015484
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Bisphenol A - Epichlorohydrin polymer	25068-38-6	60 - 100
Carbon black	1333-86-4	10 - 30

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne

## MATERIAL SAFETY DATA SHEET STAN-TONE EPX-30691 GUNMETAL GREY

Version Number 1.0 Revision Date 12/01/2006 Page 2 of 6 Print Date 11/25/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	<ul> <li>No data available</li> <li>No data available</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne</li> </ul>
Unusual Fire/Explosion Hazards	<ul> <li>contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.

**POLYONE CORPORATION** 

## MATERIAL SAFETY DATA SHEET STAN-TONE EPX-30691 GUNMETAL GREY

### Version Number 1.0 Revision Date 12/01/2006

Page 3 of 6 Print Date 11/25/2011

PolyOne

		eep containers dry and contamination. Ste		closed to avoid moisture ool dry place.	e absorption
8. I	XPOSURE	CONTROLS / PER	SONAL	PROTECTION	
Respiratory protection	: U	nder normal handling	conditio	ons a respirator may not l	be required.
Eye/Face Protection	: S	afety glasses with sid	e-shields		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations				l industrial hygiene and s at the end of workday.	afety practice
Engineering measures		eat only in areas with ppropriate exhaust ve		iate exhaust ventilation. at machinery.	Provide
Exposure limit(s)					
Components	Value	Exposure tim		Exposure type	List:
Carbon black	3.5 mg/m3	Time Weighted Av (TWA):	rerage	Total dust. as carbon black	ACGIH
	3.5 mg/m3	PEL:		Total dust. as carbon black	OSHA Z1
	9. PHYSIC	CAL AND CHEMIC	AL PRC	PERTIES	
	1		Б		. 1 1 1 1 1
<b>F</b>	· 11/1111/		Evapor	ration rate : Not	established
Form Appearance		d, Viscous liquid			determined
••	: liquio dispe	d, Viscous liquid ersion	Specifi	ic Gravity: : Not	
	: liquio	d, Viscous liquid ersion Y	Specifi Bulk d Vapor	ic Gravity: : Not ensity : Not pressure : Not	applicable determined
Appearance Color Odor Melting point/range	: liquid dispe : GRE : Very : Not a	d, Viscous liquid ersion Y faint applicable	Specifi Bulk d Vapor Vapou	ic Gravity: : Not ensity : Not pressure : Not r density : Hea	applicable determined vier than air.
Appearance Color Odor Melting point/range Boiling Point:	: liquid dispe : GRE : Very : Not a : Not a	d, Viscous liquid ersion Y faint applicable applicable	Specifi Bulk d Vapor	ic Gravity: : Not ensity : Not pressure : Not r density : Hea	applicable determined
Appearance Color Odor Melting point/range	: liquid dispe : GRE : Very : Not a	d, Viscous liquid ersion Y faint applicable applicable	Specifi Bulk d Vapor Vapou	ic Gravity: : Not ensity : Not pressure : Not r density : Hea	applicable determined vier than air.
Appearance Color Odor Melting point/range Boiling Point:	: liquid dispe : GRE : Very : Not a : Not a	d, Viscous liquid ersion Y faint applicable applicable	Specifi Bulk d Vapor Vapou pH	ic Gravity: : Not ensity : Not pressure : Not r density : Hea : Not	applicable determined vier than air.
Appearance Color Odor Melting point/range Boiling Point:	: liquid dispe : GRE : Very : Not a : Not a : Imm	d, Viscous liquid ersion Y faint applicable applicable iscible	Specifi Bulk d Vapor Vapou pH	ic Gravity: : Not ensity : Not pressure : Not r density : Hea : Not	applicable determined vier than air.
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: liquid dispe : GRE : Very : Not a : Not a : Imm <b>10. S</b> : S	d, Viscous liquid ersion Y faint applicable applicable iscible	Specifi Bulk d Vapor Vapou pH	ic Gravity: : Not ensity : Not pressure : Not r density : Hea : Not	applicable determined vier than air.

# MATERIAL SAFETY DATA SHEET STAN-TONE EPX-30691 GUNMETAL GREY

Version Number 1.0 Revision Date 12/01/2006 Page 4 of 6 Print Date 11/25/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
25068-38-6	Bisphenol A -	Irritant	Skin.
	Epichlorohydrin polymer		
		sensitizer	Skin.
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.

### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
25068-38-6	Bisphenol A -	Oral LD50	11,400 mg/kg	rat
	Epichlorohydrin polymer	Dermal LD50	> 6,000 mg/kg	rabbit
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

### Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). The IARC 2B listing only pertains to airborne, unbound carbon black particles of respirable size. Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

### **12. ECOLOGICAL INFORMATION**

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	:	No data available

## PolyOne

## MATERIAL SAFETY DATA SHEET STAN-TONE EPX-30691 GUNMETAL GREY

Version Number 1.0 Revision Date 12/01/2006 Page 5 of 6 Print Date 11/25/2011

Additional advice : No data available				
	13. DISPOSAL CONSIDERATIONS			
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
	14. TRANSPORT INFORMATION			
U.S. DOT Classification	: Refer to specific regulation.			
ICAO/IATA (air)	: Refer to specific regulation.			
IMO / IMDG (maritime)	: Refer to specific regulation.			
	15. REGULATORY INFORMATION			
US Regulations:				
OSHA Status	: Classified as hazardous based on components.			
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.			
US. EPA CERCLA Hazardou	s Substances (40 CFR 302)			
Not applicable				
California Proposition 65	: Not applicable			
SARA Title III Section 302 E	xtremely Hazardous Substance			
Unless specific chemicals are	identified under this section, this product is Not Applicable under this regula			
Unless specific chemicals are	identified under this section, this product is Not Applicable under this			

## MATERIAL SAFETY DATA SHEET STAN-TONE EPX-30691 GUNMETAL GREY

Version Number 1.0 Revision Date 12/01/2006 Page 6 of 6 Print Date 11/25/2011

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

Chemical Name	CAS-No.	Weight %	NPRI ID#
Phthalocyanine blue	147-14-8	5.00 - 10.00	71
r nulaioc yainne blue	14/-14-8	5.00 - 10.00	/1
WHMIS Classification :			

WHMIS Ingredient Disclosure List

CAS-No.	
1333-86-4	
147-14-8	

DSL

DSL status has not been determined. Quantity use in Canada may be restricted by regulations.

National Inventories:

Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Not determined
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.