MATERIAL SAFETY DATA SHEET

Aquamix 1205

Version Number 1.1 Revision Date 04/12/2007 Page 1 of 7 Print Date 11/27/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone number	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	Aquamix 1205
Product code	:	FO20016187
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Miscellaneous Irritant	Not Available	1 - 5
Zinc oxide	1314-13-2	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This product has not been evaluated as a whole for health effects. Information provided on the health effects of this product is based on individual components. In addition, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Skin contact, Inhalation, Ingestion	
Acute exposure		
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.	
Ingestion	: May be harmful if swallowed.	
Eyes	: May cause eye/skin irritation.	
Skin	:	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	
Medical Conditions Aggravated by Exposure:	: None known.	



MATERIAL SAFETY DATA SHEET Aquamix 1205

Version Number 1.1 Revision Date 04/12/2007 Page 2 of 7 Print Date 11/27/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of vapors or fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Never give anything by mouth to an unconscious person. Seek medical attention if necessary. Do not induce vomiting without medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If e irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists se medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 No data available No data available No data available No data available Carbon dioxide (CO2), Water, Foam, Dry chemical. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Cool closed containers exposed to fire with water spra Do not allow run-off from fire fighting to enter drains or water course Burning dry latex produces dense black smoke with the possibility of toxic vapors. Residual latex material contained in empty drums mate decompose when burned producing toxic or irritating fumes. Carbo
	dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Ensure response personnel are properly protected (see section 8 for respiratory or other protection guidelines.) Use caution as floors may be slippery.
Environmental precautions	: The product should not be allowed to enter drains, water courses or t soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid bind universal binder, sawdust). Sweep up and shovel into suitable containers for disposal.



MATERIAL SAFETY DATA SHEET Aquamix 1205

Version Number 1.1 Revision Date 04/12/2007 Page 3 of 7 Print Date 11/27/2011

		7. HANDLING AND STORAGE
Handling	:	Use only in area provided with appropriate exhaust ventilation. Prolonged heating may result in product degradation. Material may settle during storage. Careful mixing without introduction of air may be necessary before use.
Storage	:	Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool place. Keep from freezing and temperature extremes.
8. EXF	OSUF	RE CONTROLS / PERSONAL PROTECTION
Respiratory protection	:	A respirator is normally not required for routine handling of product in areas of good general ventilation and adequate local exhaust at processing equipment during routine operation. Airborne contaminan levels should be maintained below the occupational exposure guidelines.
Eye/Face Protection	:	Safety glasses with side-shields Wear goggles or face shield during operations that present a splash potential.
Hand protection	:	Impervious gloves such as rubber or PVC
Skin and body protection	:	Long sleeved shirts and long pants are adequate for normal handling. Where operations present a splash or spill potential, employees should wear chemically resistant clothing, boots, apron, gloves, and eye/face protection.
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Wash hands before breaks and immediately after handling the product Handle in accordance with good industrial hygiene and safety practices.
Engineering measures	:	Adequate ventilation and/or appropriate respiratory protection may also be necessary to minimize employee exposure to processing vapors.
Exposure limit(s)		



MATERIAL SAFETY DATA SHEET

Aquamix 1205

Version Number 1.1 Revision Date 04/12/2007

Page 4 of 7 Print Date 11/27/2011

Components	Value	Exposure time	Exposure type	List:
Zinc oxide	10 mg/m3	Time Weighted Average (TWA):	Total dust. as Zn	ACGIH
	5 mg/m3	PEL:	Respirable dust. as Zn	OSHA Z1
	15 mg/m3	PEL:	Total dust. as Zn	OSHA Z1
	2 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH
	10 mg/m3	Short Term Exposure Limit (STEL):	Respirable fraction.	ACGIH

9. PHYSICAL AND CHEMICAL PROPERTIES

Form: liquidAppearance: liquidColor: NO PIGMENTOdour: SlightMelting point/range: Not applicableBoiling Point:: Not establishedWater solubility: completely miscible

Specific Gravity Bulk density Vapour pressure Vapour density pH

Evaporation rate

- Slower than Butyl AcetateNot determinedNot applicable
- : Not established
- : Heavier than air.
- : Not determined

10. STABILITY AND REACTIVITY

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Extremes of temperature and direct sunlight. Keep from freezing.
Incompatible Materials	:	Acids, metal salts, and solvents
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
Not Available	Miscellaneous Irritant	Irritant	Eyes, Skin.
1314-13-2	Zinc oxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

PolyOne.

MATERIAL SAFETY DATA SHEET Aquamix 1205

Version Number 1.1

Revision Date 04/12/2007

Page 5 of 7 Print Date 11/27/2011

CAS-No.	Chemical Name	Route	Value	Species
1314-13-2	Zinc oxide	LC50 Oral LD50Oral LD50	2500 mg/m3 7,950 mg/kg7,950 mg/kg	mouse mousemouse
	12. ECOLOGI	CAL INFORMAT	ION	
Persistence and degrae	lability : No data avail	able		
Environmental Toxici	ty : No data avail	able		
Bioaccumulation Pote	ntial : No data avail	able		
Additional advice	: No data avail	able		
	13. DISPOSAL	CONSIDERATI	ONS	
Product Contaminated packag	generator of classification applicable fe ng : Recycling is has the respo	waste material has , transportation and deral, state/provinc preferred when pos nsibility for proper in accordance with	Ferred to disposal or the responsibility for disposal in accord- ial and local regular sible. The generator waste classification applicable federal,	or proper waste ance with ions. r of waste materi n, transportation
		RT INFORMATI	ON	
U.S. DOT Classificati	on : Refer to spec	ific regulation.		
ICAO/IATA (air)	-	ific regulation.		
IMO / IMDG (maritin	ne) : Refer to spec	ific regulation.		
	15. REGULAT	ORY INFORMAT	TION	
US Regulations:				
OSHA Status	: Classified as	hazardous based of	n components.	
TSCA Status	: All compone Inventory.	ents of this product	are listed on or exen	npt from the TSC
US. EPA CERCLA H	azardous Substances (40 CF	R 302)		
Not appli	cable			

PolyOne

MATERIAL SAFETY DATA SHEET Aquamix 1205

Version Number 1.1 Revision Date 04/12/2007

Page 6 of 7 Print Date 11/27/2011

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Chemical Name	CAS-No.	Weight %
ZINC COMPOUNDS	1314-13-2	30.00 - 60.00

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name	CAS-No.	Weight %	NPRI ID#
Ethoxylated octylphenol	9036-19-5	0.10 - 1.00	179
Zinc oxide	1314-13-2	30.00 - 60.00	231

WHMIS Classification : D2B

WHMIS Ingredient Disclosure List

CAS-No.
1314-13-2

DSL

: DSL status has not been determined. Quantity use in Canada may be restricted by regulations.

National Inventories:

Australia AICS	:	Not determined
China IECS	:	Not determined
Europe EINECS	:	Not determined
Japan ENCS	:	Not determined
Korea KECI	:	Not determined

MATERIAL SAFETY DATA SHEET Aquamix 1205

Version Number 1.1 Revision Date 04/12/2007

Page 7 of 7 Print Date 11/27/2011

Philippines PICCS

: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.