MATERIAL SAFETY DATA SHEET MB2467 Clear

Version Number 1.0 Revision Date 03/21/2007

Page 1 of 6 Print Date 11/27/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone number	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	MB2467 Clear
Product code	:	FO20016223
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure: : Inhalation, Skin contact, Ingestion		
Acute exposure		
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.	
Ingestion	: May be harmful if swallowed.	
Eyes	: May cause eye/skin irritation.	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	
Medical Conditions Aggravated by Exposure:	: None known.	
	4. FIRST AID MEASURES	



MATERIAL SAFETY DATA SHEET *MB2467 Clear*

ion Number 1.0 sion Date 03/21/2007	Page 2 Print Date 11/27/2
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: no data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 no data available no data available Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxide of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize



MATERIAL SAFETY DATA SHEET *MB2467 Clear*

sion Date 03/21/2007			Print Date 11/27/2
	accumulation of these	e materials.	
Storage		and tightly closed to avoi store in a cool dry place.	d moisture absorption
8. EXP	OSURE CONTROLS / PEI	RSONAL PROTECTIO	DN
Respiratory protection		ry protective equipment	
Eye/Face Protection	: Safety glasses with side-shields		
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved clothing		
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice Wash hands before breaks and at the end of workday.		
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
0			
Exposure limit(s)	appropriate exhaust v	entilation at machinery.	
Exposure limit(s) There are no known hazardou		pentilation at machinery.	
Exposure limit(s) There are no known hazardou 9.	appropriate exhaust v us components above regulato	entilation at machinery. ory thresholds in this proc CAL PROPERTIES	duct.
Exposure limit(s) There are no known hazardou 9. Form	appropriate exhaust v us components above regulato PHYSICAL AND CHEMI : liquid	entilation at machinery. ory thresholds in this proc CAL PROPERTIES Evaporation rate	duct.
Exposure limit(s) There are no known hazardou 9. Form Appearance	appropriate exhaust v us components above regulato PHYSICAL AND CHEMIC : liquid : Viscous, liquid	entilation at machinery. ory thresholds in this proc CAL PROPERTIES Evaporation rate Specific Gravity:	duct. : Not established : Not determined
Exposure limit(s) There are no known hazardou 9. Form Appearance Color	appropriate exhaust v us components above regulato PHYSICAL AND CHEMIC : liquid : Viscous, liquid : TRANSPARENT	entilation at machinery. ory thresholds in this proc CAL PROPERTIES Evaporation rate Specific Gravity: Bulk density	duct. : Not established : Not determined : Not applicable
Exposure limit(s) There are no known hazardou 9. Form Appearance Color Odour	appropriate exhaust v us components above regulato PHYSICAL AND CHEMIC : liquid : Viscous, liquid : TRANSPARENT : Very faint	entilation at machinery. ory thresholds in this proc CAL PROPERTIES Evaporation rate Specific Gravity: Bulk density Vapour pressure	duct. : Not established : Not determined : Not applicable : Not determined
Exposure limit(s) There are no known hazardou 9. Form Appearance Color Odour Melting point/range	appropriate exhaust v us components above regulato PHYSICAL AND CHEMIC : liquid : Viscous, liquid : TRANSPARENT : Very faint : not applicable	entilation at machinery. ory thresholds in this proc CAL PROPERTIES Evaporation rate Specific Gravity: Bulk density Vapour pressure Vapour density	duct. Not established Not determined Not applicable Not determined Not determined
Exposure limit(s) There are no known hazardou 9. Form Appearance Color Odour	appropriate exhaust v us components above regulato PHYSICAL AND CHEMIC : liquid : Viscous, liquid : TRANSPARENT : Very faint	entilation at machinery. ory thresholds in this proc CAL PROPERTIES Evaporation rate Specific Gravity: Bulk density Vapour pressure	duct. : Not established : Not determined : Not applicable : Not determined
Exposure limit(s) There are no known hazardou 9. Form Appearance Color Odour Melting point/range Boiling Point:	appropriate exhaust v as components above regulato PHYSICAL AND CHEMI : liquid : Viscous, liquid : TRANSPARENT : Very faint : not applicable : not applicable	entilation at machinery. ory thresholds in this proc CAL PROPERTIES Evaporation rate Specific Gravity: Bulk density Vapour pressure Vapour density pH	duct. Not established Not determined Not applicable Not determined Not determined
Exposure limit(s) There are no known hazardou 9. Form Appearance Color Odour Melting point/range Boiling Point:	appropriate exhaust v as components above regulato PHYSICAL AND CHEMI : liquid : Viscous, liquid : TRANSPARENT : Very faint : not applicable : not applicable : Immiscible	entilation at machinery. ory thresholds in this proc CAL PROPERTIES Evaporation rate Specific Gravity: Bulk density Vapour pressure Vapour density pH	duct. Not established Not determined Not applicable Not determined Not determined
Exposure limit(s) There are no known hazardou 9. Form Appearance Color Odour Melting point/range Boiling Point: Water solubility	appropriate exhaust v as components above regulator PHYSICAL AND CHEMIO : liquid : Viscous, liquid : TRANSPARENT : Very faint : not applicable : not applicable : Immiscible 10. STABILITY AND I	entilation at machinery. ory thresholds in this proc CAL PROPERTIES Evaporation rate Specific Gravity: Bulk density Vapour pressure Vapour density pH	duct. Not established Not determined Not applicable Not determined Not determined
Exposure limit(s) There are no known hazardou 9. Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability	appropriate exhaust v as components above regulator PHYSICAL AND CHEMIC : liquid : Viscous, liquid : TRANSPARENT : Very faint : not applicable : not applicable : Immiscible 10. STABILITY AND I : Stable. : Will not occur.	entilation at machinery. ory thresholds in this proc CAL PROPERTIES Evaporation rate Specific Gravity: Bulk density Vapour pressure Vapour density pH REACTIVITY	duct. : Not established : Not determined : Not applicable : Not determined : Not determined : Not applicable

PolyOne.

MATERIAL SAFETY DATA SHEET **MB2467 Clear**

sion Number 1.0 ision Date 03/21/2007	Page 4 Print Date 11/27/2
Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F) and within 5 minutes at 232 °C (450 °F).
	11. TOXICOLOGICAL INFORMATION
There are no known hazardous	components above regulatory thresholds in this product.
	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	: no data available
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.

PolvOne

MATERIAL SAFETY DATA SHEET MB2467 Clear

Version Number 1.0 Revision Date 03/21/2007 Page 5 of 6 Print Date <u>11/</u>27/2011

TSCA Status All components of this product are listed on or exempt from the TSCA : Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

NPRI ID#
241
-

WHMIS Classification :	Not controlled.
------------------------	-----------------

:

DSL

All components of this product are on the Canadian Domestic

Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Not determined
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

PolyOne

MATERIAL SAFETY DATA SHEET MB2467 Clear

Version Number 1.0 Revision Date 03/21/2007

Page 6 of 6 Print Date 11/27/2011

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.