## MATERIAL SAFETY DATA SHEET **DB2634 BLUE 287**

Version Number 1.1 Revision Date 05/01/2007

Page 1 of 6 Print Date 11/28/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone number	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	DB2634 BLUE 287
Product code	:	FO20016475
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	5 - 10

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

**POLYONE CORPORATION** 



# MATERIAL SAFETY DATA SHEET **DB2634 BLUE 287**

Version Number 1.1 Revision Date 05/01/2007 Page 2 of 6 Print Date 11/28/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>No data available</li> <li>No data available</li> <li>Not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxide of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> <li>6. ACCIDENTAL RELEASE MEASURES</li> </ul>
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or th soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing



# MATERIAL SAFETY DATA SHEET **DB2634 BLUE 287**

sion Date 05/01/2007				Print D	Page ate 11/28
	~			1	
	Р		, ducts,	combustible or toxic resi and other surfaces to mi	
Storage		Leep containers dry and nd contamination. Stor		closed to avoid moisture ool dry place.	e absorption
8. ]	EXPOSURE	CONTROLS / PERS	ONAL	PROTECTION	
Respiratory protection	: N	lo personal respiratory	protecti	ve equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-	shields		
Hand protection	: P	rotective gloves			
Skin and body protection	ı : L	ong sleeved clothing			
Additional Protective Measures	: S	afety shoes			
General Hygiene Considerations		Iandle in accordance wi Vash hands before brea		l industrial hygiene and s at the end of workday.	afety practio
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)					
Components	Value	Exposure time		Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:		Respirable fraction.	OSHA Z
	15 mg/m3	PEL:		Total dust.	OSHA Z
	10 mg/m3	Time Weighted Ave (TWA):	erage		MX OEI
	20 mg/m3	Short Term Exposure (STEL):	Limit		MX OEI
	9. PHYSI	CAL AND CHEMICA	L PRO	PERTIES	
Form	: liqui	d	Evano	ration rate : Not	established
Appearance	-	ous, liquid			determined
Color	: BLU	-	Bulk d		applicable
Odour		/ faint		1	determined
Melting point/range		applicable	-		determined
Boiling Point: Water solubility		applicable iscible	рН	: Not	applicable
	10. 5	STABILITY AND RE	ACTIV	/ITY	

PolvOne

## MATERIAL SAFETY DATA SHEET **DB2634 BLUE 287**

Version Number 1.1 Revision Date 05/01/2007 Page 4 of 6 Print Date *11/28/2011* 

Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents., Avoid contact with acetal homopolymers and acetal copolymers during processing.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).

### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

### **12. ECOLOGICAL INFORMATION**

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Environmental toxicity has not been established for this mixture as a whole.
<b>Bioaccumulation Potential</b>	:	No data available
Additional advice	:	No data available
	1	3. DISPOSAL CONSIDERATIONS
Product	:	Where possible recycling is preferred to disposal or incineration. The

:	Where possible recycling is preferred to disposal or incineration. The	
	generator of waste material has the responsibility for proper waste	
	classification, transportation and disposal in accordance with	
	applicable federal, state/provincial and local regulations.	

PolyOne

# MATERIAL SAFETY DATA SHEET **DB2634 BLUE 287**

Version Number 1.1 Revision Date 05/01/2007

\_\_\_\_\_

Page 5 of 6 Print Date 11/28/2011

	14. TRANS	PORT INFORMATI	ON	
U.S. DOT Classification	: Refer to s	pecific regulation.		
ICAO/IATA (air)	: Refer to sp	pecific regulation.		
IMO / IMDG (maritime)	: Refer to sp	pecific regulation.		
	15. REGULA	TORY INFORMAT	ION	
US Regulations:				
OSHA Status	: Classified	as hazardous based or	n components.	
TSCA Status	: All compo Inventory.	onents of this product a	are listed on or exer	mpt from the TSCA
US. EPA CERCLA Hazardo	us Substances (40	CFR 302)		
Not applicable				
California Proposition 65	n : Not applic	cable		
SARA Title III Section 302 F Unless specific chemicals are	-		ct is Not Applicabl	e under this regulat
SARA Title III Section 313 7	Coxic Chemicals:			
Unless specific chemicals are	e identified under t	his section, this produce	ct is Not Applicabl	e under this regulat
Canadian Regulations:				
National Pollutant Pol	ease Inventory (N	PRI)		
National Fonutant Ker			Weight %	NPRI ID#
Chemical Name		CAS-No.	Weight 70	NEKI ID#
		147-14-8	0.10 - 1.00	71

WHMIS Classification : Not controlled.

POLYONE CORPORATION

<u>PolyOne</u>

# MATERIAL SAFETY DATA SHEET **DB2634 BLUE 287**

Version Number 1.1 Revision Date 05/01/2007		Page 6 of 6 Print Date <i>11/28/2011</i>
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Not determined
China IECS	:	Not determined
Europe EINECS	:	Not determined
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Not determined
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.