MATERIAL SAFETY DATA SHEET **FB511 BLACK**

Version Number 1.2 Revision Date 03/20/2014 Page 1 of 6 Print Date 3/23/2014

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	FB511 BLACK
Product code	:	FO20016865
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye and skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET **FB511 BLACK**

Version Number 1.2 Revision Date 03/20/2014 Page 2 of 6 Print Date 3/23/2014

	4. FIRST AID MEASURES			
Inhalation	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.			
Ingestion	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.			
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.			
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.			
	5. FIREFIGHTING MEASURES			
Flash point	: no data available			
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 no data available no data available Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 			
	6. ACCIDENTAL RELEASE MEASURES			
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.			
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal.			
	7. HANDLING AND STORAGE			
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue.			



MATERIAL SAFETY DATA SHEET **FB511 BLACK**

sion Date 03/20/2014		Page Print Date 3/23				
	Periodically clean ho accumulation of thes	bods, ducts, and other surf the materials.	aces to minimize			
Storage		: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.				
8. EX	POSURE CONTROLS/PE	RSONAL PROTECTIO	N			
Respiratory protection	: No personal respirate	: No personal respiratory protective equipment normally required.				
Eye/Face Protection	: Safety glasses with s	: Safety glasses with side-shields				
Hand protection	: Protective gloves					
Skin and body protection	: Long sleeved clothing					
Additional Protective Measures	: Safety shoes					
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.					
	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Engineering measures			ntilation. Provide			
			ntilation. Provide			
Exposure limit(s)	appropriate exhaust	ventilation at machinery.				
Exposure limit(s) There are no known hazardo	appropriate exhaust v	ventilation at machinery. ory thresholds in this proc				
Exposure limit(s) There are no known hazardo	appropriate exhaust	ventilation at machinery. ory thresholds in this proc				
Exposure limit(s) There are no known hazardo	appropriate exhaust v ous components above regulat D. PHYSICAL AND CHEM : liquid	ventilation at machinery. ory thresholds in this proc ICAL PROPERTIES Evapouration rate	luct.			
Exposure limit(s) There are no known hazardo	appropriate exhaust v us components above regulat	ventilation at machinery. ory thresholds in this proc ICAL PROPERTIES Evapouration rate Specific Gravity	luct.			
Exposure limit(s) There are no known hazardo G Form	appropriate exhaust v ous components above regulat D. PHYSICAL AND CHEM : liquid : viscous, liquid : BLACK	ventilation at machinery. ory thresholds in this proc ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density	luct. : Not established : Not determined : Not applicable			
Exposure limit(s) There are no known hazardo G Form Appearance Colour Odour	appropriate exhaust v ous components above regulat Description PHYSICAL AND CHEM : liquid : viscous, liquid : BLACK : very faint	ventilation at machinery. ory thresholds in this proc ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure	luct. : Not established : Not determined : Not applicable : Not determined			
Exposure limit(s) There are no known hazardo G Form Appearance Colour Odour Melting point/range	appropriate exhaust ous components above regulat D. PHYSICAL AND CHEM : liquid : viscous, liquid : BLACK : very faint : not applicable	ventilation at machinery. ory thresholds in this proc ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density	luct. : Not established : Not determined : Not applicable : Not determined : Not determined			
Exposure limit(s) There are no known hazardo G Form Appearance Colour Odour Melting point/range Boiling Point:	appropriate exhaust ous components above regulat D. PHYSICAL AND CHEM : liquid : viscous, liquid : BLACK : very faint : not applicable : not applicable	ventilation at machinery. ory thresholds in this proc ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure	luct. : Not established : Not determined : Not applicable : Not determined			
Exposure limit(s) There are no known hazardo G Form Appearance Colour Odour Melting point/range	appropriate exhaust ous components above regulat D. PHYSICAL AND CHEM : liquid : viscous, liquid : BLACK : very faint : not applicable	ventilation at machinery. ory thresholds in this proc ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density	luct. : Not established : Not determined : Not applicable : Not determined : Not determined			
Exposure limit(s) There are no known hazardo G Form Appearance Colour Odour Melting point/range Boiling Point:	appropriate exhaust ous components above regulat D. PHYSICAL AND CHEM : liquid : viscous, liquid : BLACK : very faint : not applicable : not applicable	ventilation at machinery. ory thresholds in this proc ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	luct. : Not established : Not determined : Not applicable : Not determined : Not determined			
Exposure limit(s) There are no known hazardo G Form Appearance Colour Odour Melting point/range Boiling Point:	appropriate exhaust ous components above regulat D. PHYSICAL AND CHEM : liquid : viscous, liquid : BLACK : very faint : not applicable : not applicable : immiscible 10. STABILITY AND	ventilation at machinery. ory thresholds in this proc ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	luct. : Not established : Not determined : Not applicable : Not determined : Not determined : Not applicable			
Exposure limit(s) There are no known hazardo Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	appropriate exhaust ous components above regulat D. PHYSICAL AND CHEM : liquid : viscous, liquid : BLACK : very faint : not applicable : not applicable : immiscible 10. STABILITY AND	ventilation at machinery. ory thresholds in this proc ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY	luct. : Not established : Not determined : Not applicable : Not determined : Not determined : Not applicable			
Exposure limit(s) There are no known hazardo Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	appropriate exhaust v ous components above regulat D. PHYSICAL AND CHEM : liquid : viscous, liquid : BLACK : very faint : not applicable : not applicable : immiscible 10. STABILITY AND : The product is stable : Will not occur.	ventilation at machinery. ory thresholds in this proc ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY e if stored and handled as p dizing agents and open fla	luct. : Not established : Not determined : Not applicable : Not determined : Not determined : Not applicable prescribed.			

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET **FB511 BLACK**

ion Number 1.2 sion Date 03/20/2014	Page 4 Print Date 3/23/2
Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occu after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).
	11. TOXICOLOGICAL INFORMATION
There are no known hazardous	components above regulatory thresholds in this product.
	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.
Bioaccumulation Potential	: no data available
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.

PolyOne.

MATERIAL SAFETY DATA SHEET FB511 BLACK

Version Number 1.2 Revision Date 03/20/2014 Page 5 of 6 Print Date 3/23/2014

TSCA Status	: All compone TSCA Invent		are listed on or exe	mpt from the
US. EPA CERCLA Hazardous	Substances (40 CF	R 302)		
not applicable				
California Proposition 65	: WARNING! California to		ains a chemical kno	wn to the State of
SARA Title III Section 302 Ex	tremely Hazardous	Substance		
Unless specific chemicals are i	dentified under this	section, this produ	ct is Not Applicable	e under this regulation
		occurrin, unio pro un	••••••••••••••	
GADA T'4. III G				
SARA Title III Section 313 To				
Unless specific chemicals are id	dentified under this	section, this produ	ct is Not Applicable	e under this regulation
Canadian Regulations:				
National Pollutant Relea	ase Inventory (NPR			
Chemical Name		CAS-No.	Weight percent	NPRI ID#
2-Ethylhexanoic acid zinc sa	lt	136-53-8	0.10 - 1.00	
WHMIS Classification	: Not controlle	d.		
DSL		ents of this product ist (DSL) or are exe	are on the Canadian empt.	n Domestic
National Inventories:				
Australia AICS	: Not determin	ed		
China IECS	: Not determin	ed		
Europe EINECS	: Listed			
Japan ENCS	: Not determin	ed		
Korea KECI	: Not determin	ed		
Philippines PICCS	: Not determin	ed		
		5/6		

PolyOne

MATERIAL SAFETY DATA SHEET **FB511 BLACK**

Version Number 1.2 Revision Date 03/20/2014 Page 6 of 6 Print Date 3/23/2014

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.