MATERIAL SAFETY DATA SHEET 8370 1510 CLEAR

Version Number 1.0 Revision Date 07/19/2007

Page 1 of 6 Print Date 11/30/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone:Emergency telephone:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	8370 1510 CLEAR
Product code :	FO20017006
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion	
Acute exposure		
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.	
Ingestion	: May be harmful if swallowed.	
Eyes	: May cause eye/skin irritation.	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	
Medical Conditions Aggravated by Exposure:	: None known.	
4. FIRST AID MEASURES		



MATERIAL SAFETY DATA SHEET 8370 1510 CLEAR

ion Number 1.0 sion Date 07/19/2007	Page 2 Print Date 11/30/2
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 No data available No data available Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxide of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or th soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize



MATERIAL SAFETY DATA SHEET **8370** 1510 CLEAR

ision Date 07/19/2007	Page Print Date 11/3
	accumulation of these materials.
Storage	: Keep containers dry and tightly closed to avoid moisture absorptio and contamination. Store in a cool dry place.
8. EXP	POSURE CONTROLS / PERSONAL PROTECTION
Respiratory protection	: No personal respiratory protective equipment normally required.
Eye/Face Protection	: Safety glasses with side-shields
Hand protection	: Protective gloves
Skin and body protection	: Long sleeved clothing
Additional Protective Measures	: Safety shoes
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety pract Wash hands before breaks and at the end of workday.
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.
Exposure limit(s)	
There are no known hazardou	ous components above regulatory thresholds in this product.
	ous components above regulatory thresholds in this product.
9. Form Appearance	PHYSICAL AND CHEMICAL PROPERTIES : liquid Evaporation rate : Viscous, liquid Specific Gravity : Not determine
9. Form	PHYSICAL AND CHEMICAL PROPERTIES : liquid Evaporation rate : Viscous, liquid Specific Gravity : TRANSPARENT Bulk density : Not applicable
9. Form Appearance Color Odour	PHYSICAL AND CHEMICAL PROPERTIES : liquid Evaporation rate : Viscous, liquid Specific Gravity : TRANSPARENT Bulk density : Very faint Vapour pressure
9. Form Appearance Color Odour Melting point/range	PHYSICAL AND CHEMICAL PROPERTIES : liquid Evaporation rate : Viscous, liquid Specific Gravity : TRANSPARENT Bulk density : Very faint Vapour pressure : Not applicable Vapour density
9. Form Appearance Color Odour Melting point/range Boiling Point:	PHYSICAL AND CHEMICAL PROPERTIES : liquid Evaporation rate : Viscous, liquid Specific Gravity : TRANSPARENT Bulk density : Very faint Vapour pressure : Not applicable Vapour density : Not applicable Physicable : Not applicable Physicable
9. Form Appearance Color Odour Melting point/range	PHYSICAL AND CHEMICAL PROPERTIES : liquid Evaporation rate : Viscous, liquid Specific Gravity : TRANSPARENT Bulk density : Very faint Vapour pressure : Not applicable Vapour density
9. Form Appearance Color Odour Melting point/range Boiling Point:	PHYSICAL AND CHEMICAL PROPERTIES : liquid Evaporation rate : Viscous, liquid Specific Gravity : TRANSPARENT Bulk density : Very faint Vapour pressure : Not applicable Vapour density : Not applicable Physicable : Not applicable Physicable
9. Form Appearance Color Odour Melting point/range Boiling Point:	PHYSICAL AND CHEMICAL PROPERTIES : liquid Evaporation rate : Viscous, liquid Specific Gravity : TRANSPARENT Bulk density : Very faint Vapour pressure : Not applicable Vapour density : Not applicable pH : Immiscible Not applicable
9. Form Appearance Color Odour Melting point/range Boiling Point: Water solubility	D. PHYSICAL AND CHEMICAL PROPERTIES : liquid Evaporation rate : Viscous, liquid Specific Gravity : TRANSPARENT Bulk density : Very faint Vapour pressure : Not applicable Vapour density : Not applicable pH : Immiscible 10. STABILITY AND REACTIVITY
9. Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability	PHYSICAL AND CHEMICAL PROPERTIES : liquid Evaporation rate : Not establishe : Viscous, liquid Specific Gravity : Not determine : TRANSPARENT Bulk density : Not applicable : Very faint Vapour pressure : Not determine : Not applicable Vapour density : Not determine : Not applicable pH : Not applicable : Immiscible Immiscible Immiscible : Stable. : Stable.

PolyOne.

MATERIAL SAFETY DATA SHEET 8370 1510 CLEAR

Print Date 11/30/
carbon monoxide (CO), oxides of nitrogen le (HCl), other hazardous materials, and Prolonged heating may result in product al rule of thumb, degradation begins to occu (350 °F), after 10 minutes at 204 °C (400 °F 232 °C (450 °F).
TORMATION
thresholds in this product.
RMATION
le.
nas not been established for this mixture as a
ERATIONS
g is preferred to disposal or incineration. The rial has the responsibility for proper waste tion and disposal in accordance with provincial and local regulations.
hen possible. The generator of waste materi proper waste classification, transportation ce with applicable federal, state/provincial
RMATION
on.
on.
ion.
PRMATION
ardous components above regulatory t.

blvUn<u>e</u>

MATERIAL SAFETY DATA SHEET 8370 1510 CLEAR

Version Number 1.0 Revision Date 07/19/2007 Page 5 of 6 Print Date 11/30/2011

TSCA Status All components of this product are listed on or exempt from the TSCA : Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : Not applicable 65 SARA Title III Section 302 Extremely Hazardous Substance Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation SARA Title III Section 313 Toxic Chemicals: Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation Canadian Regulations: National Pollutant Release Inventory (NPRI) Not applicable WHMIS Classification : Not controlled. DSL All components of this product are on the Canadian Domestic · Substances List (DSL) or are exempt. National Inventories: Australia AICS : Not determined China IECS Not determined : Europe EINECS Not determined : Japan ENCS Not determined :

Korea KECI:Not determinedPhilippines PICCS:Not determined

16. OTHER INFORMATION

PolyOne

MATERIAL SAFETY DATA SHEET 8370 1510 CLEAR

Version Number 1.0 Revision Date 07/19/2007

Page 6 of 6 Print Date 11/30/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.