## MATERIAL SAFETY DATA SHEET **DB4091 BURGUNDY (SM1122-0836)**

Version Number 1.0 Revision Date 08/23/2007 Page 1 of 6 Print Date 11/30/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	DB4091 BURGUNDY (SM1122-0836)
Product code	:	FO20017185
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Miscellaneous Zinc Compounds	Not Available	1 - 5

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne

## MATERIAL SAFETY DATA SHEET **DB4091 BURGUNDY (SM1122-0836)**

Version Number 1.0 Revision Date 08/23/2007 Page 2 of 6 Print Date 11/30/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ol> <li>No data available</li> <li>No data available</li> <li>Not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxide of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ol>
Personal precautions	: Wear appropriate personal protection during cleanup, such as
Environmental precautions	<ul><li>impervious gloves, boots and coveralls.</li><li>The product should not be allowed to enter drains, water courses or th soil. Should not be released into the environment.</li></ul>
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Processing

PolyOne.

# MATERIAL SAFETY DATA SHEET **DB4091 BURGUNDY (SM1122-0836)**

ision Date 08/23/2007		Print Date 11	age /30	
		may contain combustible or toxic residue. hoods, ducts, and other surfaces to minimize ese materials.		
Storage		y and tightly closed to avoid moisture absorpt. Store in a cool dry place.	tion	
8. EXI	POSURE CONTROLS / P	PERSONAL PROTECTION		
Respiratory protection	: No personal respira	atory protective equipment normally required		
Eye/Face Protection	: Safety glasses with	side-shields		
Hand protection	: Protective gloves			
Skin and body protection	: Long sleeved cloth	ing		
Additional Protective Measures	: Safety shoes			
General Hygiene Considerations		the with good industrial hygiene and safety pra- breaks and at the end of workday.	actio	
Engineering measures	<ul> <li>Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.</li> </ul>			
	appropriate exhaus	t ventilation at machinery.		
Exposure limit(s)	appropriate exitatis	t ventration at machinery.		
	. PHYSICAL AND CHEM			
	. PHYSICAL AND CHEM	MICAL PROPERTIES	hed	
9 Form	• PHYSICAL AND CHEM			
9	. PHYSICAL AND CHEM	MICAL PROPERTIES Evaporation rate : Not establis	ned	
<b>9</b> Form Appearance	<ul> <li><b>PHYSICAL AND CHEN</b></li> <li>: liquid</li> <li>: Viscous, liquid</li> </ul>	MICAL PROPERTIES         Evaporation rate       : Not establis         Specific Gravity       : Not determi         Bulk density       : Not applical         Vapour pressure       : Not determi	ned ble	
9 Form Appearance Color	<ul> <li>PHYSICAL AND CHEM</li> <li>iliquid</li> <li>Viscous, liquid</li> <li>BLACK</li> </ul>	MICAL PROPERTIES         Evaporation rate       : Not establis         Specific Gravity       : Not determi         Bulk density       : Not applical	ned ble ned	
9 Form Appearance Color Odour Melting point/range Boiling Point:	<ul> <li>PHYSICAL AND CHEN</li> <li>ilquid</li> <li>Viscous, liquid</li> <li>BLACK</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> </ul>	MICAL PROPERTIES         Evaporation rate       : Not establis         Specific Gravity       : Not determi         Bulk density       : Not applical         Vapour pressure       : Not determi	ned ble ned ned	
9 Form Appearance Color Odour Melting point/range	<ul> <li>PHYSICAL AND CHEM</li> <li>iquid</li> <li>Viscous, liquid</li> <li>BLACK</li> <li>Very faint</li> <li>Not applicable</li> </ul>	MICAL PROPERTIES         Evaporation rate       : Not establis         Specific Gravity       : Not determi         Bulk density       : Not applical         Vapour pressure       : Not determi         Vapour density       : Not determi	ned ble ned ned	
9 Form Appearance Color Odour Melting point/range Boiling Point:	<ul> <li>PHYSICAL AND CHEN</li> <li>ilquid</li> <li>Viscous, liquid</li> <li>BLACK</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> </ul>	MICAL PROPERTIES         Evaporation rate       : Not establis         Specific Gravity       : Not determi         Bulk density       : Not applical         Vapour pressure       : Not determi         Vapour density       : Not determi         pH       : Not applical	ned ble ned ned	
9 Form Appearance Color Odour Melting point/range Boiling Point:	<ul> <li>PHYSICAL AND CHEM</li> <li>iliquid</li> <li>Viscous, liquid</li> <li>BLACK</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul>	MICAL PROPERTIES         Evaporation rate       : Not establis         Specific Gravity       : Not determi         Bulk density       : Not applical         Vapour pressure       : Not determi         Vapour density       : Not determi         pH       : Not applical	ned ble ned ned	
9 Form Appearance Color Odour Melting point/range Boiling Point: Water solubility	<ul> <li>PHYSICAL AND CHEM</li> <li>liquid</li> <li>Viscous, liquid</li> <li>BLACK</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> <li>10. STABILITY AND</li> </ul>	MICAL PROPERTIES         Evaporation rate       : Not establis         Specific Gravity       : Not determi         Bulk density       : Not applical         Vapour pressure       : Not determi         Vapour density       : Not determi         pH       : Not applical	ned ble ned ned	
9 Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability	<ul> <li>PHYSICAL AND CHEM</li> <li>iliquid</li> <li>Viscous, liquid</li> <li>BLACK</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul> 10. STABILITY ANI <ul> <li>Stable.</li> <li>Will not occur.</li> </ul>	MICAL PROPERTIES         Evaporation rate       : Not establis         Specific Gravity       : Not determi         Bulk density       : Not applical         Vapour pressure       : Not determi         Vapour density       : Not determi         pH       : Not applical         D REACTIVITY         xidizing agents and open flame. To avoid the	ned ble ned ned ble	

PolyOne.

# MATERIAL SAFETY DATA SHEET **DB4091 BURGUNDY (SM1122-0836)**

sion Number 1.0 ision Date 08/23/20	007			Page Print Date 11/30			
		with acetal h	omopolymers and aceta	l copolymers during processing			
Hazardous decomposition : products		(NOx), hydro smoke are all degradation. after one hou	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F) and within 5 minutes at 232 °C (450 °F).				
		11. TOXICOLOO	GICAL INFORMATIO	DN			
health data for the in				ure effects listed are based on e			
Toxicity Overview This product contain	s the follo	wing components v	which in their pure form	have the following characterist			
CAS-No.	(	Chemical Name	Effect	Target Organ			
Not Available	Misce Comp	llaneous Zinc ounds	Systemic effects	Eyes, Skin, Respiratory syste			
		12 ECOLOGI	CAL INFORMATION	I			
				<u> </u>			
Persistence and degr	adability	: Not readily b	viodegradable.				
Environmental Toxic	city	: Environment whole.	al toxicity has not been	established for this mixture as			
Bioaccumulation Po	tential	: No data avai	lable				
Additional advice		: No data avai	lable				
		13. DISPOSAL	<b>CONSIDERATIONS</b>				
Product :		generator of classification	Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
Contaminated packaging :		has the respo and disposal	Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
		14. TRANSPO	ORT INFORMATION				
1							
U.S. DOT Classifica	tion	: Refer to spec	ific regulation.				

PolyOne

## MATERIAL SAFETY DATA SHEET **DB4091 BURGUNDY (SM1122-0836)**

Version Number 1.0 Revision Date 08/23/2007 Page 5 of 6 Print Date 11/30/2011

	15	5. REGULATOR	Y INFOR	RMATIO	N			
US Regulations:								
OSHA Status	:	Classified as haz	zardous ba	used on co	omponen	ts.		
TSCA Status	:	All components Inventory.	s of this pro	oduct are	listed on	or exen	npt from the	TSCA
US. EPA CERCLA Hazardou	s Sub	stances (40 CFR 3	302)					
Not applicable								
California Proposition 65	:	Not applicable						
SARA Title III Section 302 F	vtrem	elv Hazardous Sul	hstance					
		-		product i	s Not Ap	plicabl	e under this	regula
Unless specific chemicals are SARA Title III Section 313 To Unless specific chemicals are	identi oxic (	ified under this sec Chemicals:	ction, this	product i	s Not Aj	plicabl	e under this	
Unless specific chemicals are SARA Title III Section 313 To Unless specific chemicals are Chemical Name	identi oxic (	ified under this sec Chemicals:	ction, this	product i CAS-No	s Not A <sub>I</sub>	oplicable Weigh	e under this nt %	
Unless specific chemicals are SARA Title III Section 313 To Unless specific chemicals are	identi oxic (	ified under this sec Chemicals:	ction, this	product i	s Not A <sub>I</sub>	plicabl	e under this nt %	
Unless specific chemicals are SARA Title III Section 313 To Unless specific chemicals are Chemical Name ZINC COMPOUNDS Canadian Regulations: National Pollutant Rele	identi	ified under this sec Chemicals: ified under this sec	ction, this	product i CAS-No Not Avai	s Not A <u>p</u> ). lable	pplicable Weigh 1.00 -	e under this nt % - 5.00	regula
ZINC COMPOUNDS Canadian Regulations: National Pollutant Rele Chemical Name	identi oxic ( identi	ified under this sec Chemicals: ified under this sec	ction, this	product i CAS-No Not Avai	s Not Ap b. lable Weigh	pplicabl Weigh 1.00 -	e under this nt % - 5.00	regula
Unless specific chemicals are SARA Title III Section 313 To Unless specific chemicals are Chemical Name ZINC COMPOUNDS Canadian Regulations: National Pollutant Rele	identi oxic ( identi	ified under this sec Chemicals: ified under this sec	ction, this	product i CAS-No Not Avai	s Not A <u>p</u> ). lable	pplicabl Weigh 1.00 -	e under this nt % - 5.00	regula
Unless specific chemicals are SARA Title III Section 313 To Unless specific chemicals are Chemical Name ZINC COMPOUNDS Canadian Regulations: National Pollutant Rele Chemical Name	identi oxic ( identi wase In unds	ified under this sec Chemicals: ified under this sec	ction, this ction, this CAS-No Not Ava	product i CAS-No Not Avai	s Not Ap b. lable Weigh 1.00 -	pplicabl Weigh 1.00 - t % 5.00	e under this ht % - 5.00 NPRI ID 241	regula

PolyOne

## MATERIAL SAFETY DATA SHEET **DB4091 BURGUNDY (SM1122-0836)**

Version Number 1.0 Revision Date 08/23/2007 Page 6 of 6 Print Date 11/30/2011

Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Not determined
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.