### MATERIAL SAFETY DATA SHEET STAN-TONE HCC-30896 YELLOW

Version Number 1.0 Revision Date 09/13/2007 Page 1 of 6 Print Date 12/1/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Emergency telephone : CHEMTRE		Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	STAN-TONE HCC-30896 YELLOW
Product code	:	FO20017279
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES

PolyOne.

## MATERIAL SAFETY DATA SHEET STAN-TONE HCC-30896 YELLOW

ion Number 1.0 sion Date 09/13/2007	Page 2 Print Date 12/1/2	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.	
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.	
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.	
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.	
	5. FIRE-FIGHTING MEASURES	
Flash point	: No data available	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>No data available</li> <li>No data available</li> <li>Not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> <li>6. ACCIDENTAL RELEASE MEASURES</li> </ul>	
	0. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: The product should not be allowed to enter drains, water courses or soil. Should not be released into the environment.	
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.	
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.	
	2/6	

PolyOne.

# MATERIAL SAFETY DATA SHEET STAN-TONE HCC-30896 YELLOW

Version Number 1.0 Revision Date 09/13/2007 Page 3 of 6 Print Date 12/1/2011

<b>6. E</b> AI	OSURE CONTROLS / PE	RSONAL PROTECTION		
Respiratory protection	: Under normal handling conditions a respirator may not be required.			
Eye/Face Protection	: Safety glasses with s	Safety glasses with side-shields		
Hand protection	: Protective gloves	Protective gloves		
Skin and body protection	: Long sleeved clothin	Long sleeved clothing		
Additional Protective Measures	: Safety shoes	Safety shoes		
General Hygiene Considerations		Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.		
Engineering measures		Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)				
There are no known hazardou	is components above regulat	ory thresholds in this product.		
There are no known nazaruot	is components above regular	ory unesholds in this product.		
9.	PHYSICAL AND CHEM	ICAL PROPERTIES		
Form	: liquid	Evaporation rate : Not established		
		· · · · · · · · · · · · · · · · · · ·		
Appearance	: liquid, Viscous liquid	Specific Gravity : Not determined		
Appearance	: liquid, Viscous liquid dispersion	Specific Gravity : Not determined		
Appearance Color	<ul><li>liquid, Viscous liquid dispersion</li><li>YELLOW</li></ul>	Specific Gravity: Not determinedBulk density: Not applicable		
Appearance Color Odour	<ul> <li>liquid, Viscous liquid dispersion</li> <li>YELLOW</li> <li>Very faint</li> </ul>	Specific Gravity: Not determinedBulk density: Not applicableVapour pressure: Not determined		
Appearance Color Odour Melting point/range	<ul> <li>liquid, Viscous liquid dispersion</li> <li>YELLOW</li> <li>Very faint</li> <li>Not applicable</li> </ul>	Specific Gravity: Not determinedBulk density: Not applicableVapour pressure: Not determinedVapour density: Heavier than air.		
Appearance Color Odour Melting point/range Boiling Point:	<ul> <li>liquid, Viscous liquid dispersion</li> <li>YELLOW</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> </ul>	Specific Gravity: Not determinedBulk density: Not applicableVapour pressure: Not determined		
Appearance Color Odour Melting point/range Boiling Point:	<ul> <li>liquid, Viscous liquid dispersion</li> <li>YELLOW</li> <li>Very faint</li> <li>Not applicable</li> </ul>	Specific Gravity: Not determinedBulk density: Not applicableVapour pressure: Not determinedVapour density: Heavier than air.		
Appearance Color Odour Melting point/range Boiling Point:	<ul> <li>liquid, Viscous liquid dispersion</li> <li>YELLOW</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> </ul>	Specific Gravity: Not determinedBulk density: Not applicableVapour pressure: Not determinedVapour density: Heavier than air.pH: Not determined		
Appearance Color Odour Melting point/range Boiling Point: Water solubility	<ul> <li>liquid, Viscous liquid dispersion</li> <li>YELLOW</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul>	Specific Gravity: Not determinedBulk density: Not applicableVapour pressure: Not determinedVapour density: Heavier than air.pH: Not determined		
Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability	<ul> <li>liquid, Viscous liquid dispersion</li> <li>YELLOW</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul> 10. STABILITY AND	Specific Gravity: Not determinedBulk density: Not applicableVapour pressure: Not determinedVapour density: Heavier than air.pH: Not determined		
Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>liquid, Viscous liquid dispersion</li> <li>YELLOW</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul> <b>10. STABILITY AND</b> <ul> <li>Stable.</li> <li>Will not occur.</li> </ul>	Specific Gravity       : Not determined         Bulk density       : Not applicable         Vapour pressure       : Not determined         Vapour density       : Heavier than air.         pH       : Not determined         REACTIVITY       ************************************		
Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability	<ul> <li>liquid, Viscous liquid dispersion</li> <li>YELLOW</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul> <b>10. STABILITY AND</b> <ul> <li>Stable.</li> <li>Will not occur.</li> </ul>	Specific Gravity       : Not determined         Bulk density       : Not applicable         Vapour pressure       : Not determined         Vapour density       : Heavier than air.         pH       : Not determined         REACTIVITY          dizing agents and open flame. To avoid thermal		
Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	<ul> <li>liquid, Viscous liquid dispersion</li> <li>YELLOW</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul> <b>10. STABILITY AND</b> <ul> <li>Stable.</li> <li>Will not occur.</li> <li>Keep away from oxid decomposition, do not</li> </ul>	Specific Gravity       : Not determined         Bulk density       : Not applicable         Vapour pressure       : Not determined         Vapour density       : Heavier than air.         pH       : Not determined         REACTIVITY          dizing agents and open flame. To avoid thermal		
Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid Incompatible Materials	<ul> <li>liquid, Viscous liquid dispersion</li> <li>YELLOW</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul> <b>10. STABILITY AND</b> <ul> <li>Stable.</li> <li>Will not occur.</li> <li>Keep away from oxid decomposition, do not</li> <li>Incompatible with static</li> <li>Carbon dioxide (CO)</li> </ul>	Specific Gravity       : Not determined         Bulk density       : Not applicable         Vapour pressure       : Not determined         Vapour density       : Heavier than air.         pH       : Not determined         REACTIVITY       .         dizing agents and open flame. To avoid thermal of overheat.         rong acids and oxidizing agents.         2), carbon monoxide (CO), oxides of nitrogen		
Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>liquid, Viscous liquid dispersion</li> <li>YELLOW</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul> <b>10. STABILITY AND</b> <ul> <li>Stable.</li> <li>Will not occur.</li> <li>Keep away from oxid decomposition, do not</li> <li>Incompatible with static</li> <li>Carbon dioxide (CO)</li> </ul>	Specific Gravity       : Not determined         Bulk density       : Not applicable         Vapour pressure       : Not determined         Vapour density       : Heavier than air.         pH       : Not determined         REACTIVITY		

<u>PolyOne</u>

# MATERIAL SAFETY DATA SHEET STAN-TONE HCC-30896 YELLOW

Version Number 1.0 Revision Date 09/13/2007 Page 4 of 6 Print Date 12/1/2011

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION				
Persistence and degradability	<ul> <li>Not readily biodegradable.</li> <li>Environmental toxicity has not been established for this mixture a whole.</li> </ul>				
Environmental Toxicity					
Bioaccumulation Potential	: No data available				
Additional advice	: No data available				
	13. DISPOSAL CONSIDERATIONS				
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14. TRANSPORT INFORMATION				
U.S. DOT Classification	: Refer to specific regulation.				
ICAO/IATA (air)	: Refer to specific regulation.				
IMO / IMDG (maritime)	: Refer to specific regulation.				
	15. REGULATORY INFORMATION				
US Regulations:					
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.				
TSCA Status	: All components of this product are listed on or exempt from the TSC Inventory.				
US. EPA CERCLA Hazardous	Substances (40 CFR 302)				
Not applicable					

PolvOn<u>e</u>

### MATERIAL SAFETY DATA SHEET STAN-TONE HCC-30896 YELLOW

Version Number 1.0 Revision Date 09/13/2007 Page 5 of 6 Print Date 12/1/2011

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Chemical Name		CAS-No.	Weight %
VANADIUM COMPOUND	5	14059-33-7	30.00 - 60.00

Canadian Regulations:

National Pollutant Release Inventory (NPRI) Chemical Name			CAS-No.	Weight %	NPRI ID#
Bismuth vanadium oxide (BiVO4)		14059-33-7	30.00 - 60.00	226	
WHMIS Classification	:	All components	s of this product a (DSL) or are exe	re on the Canadian mpt.	Domestic
National Inventories:					
Australia AICS	:	Listed			
China IECS	:	Listed			
Europe EINECS	:	Listed			
Japan ENCS	:	Not determined			
Korea KECI	:	Listed			
Philippines PICCS	:	Listed			
		16. OTHER IN	FORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The

PolyOne.

### MATERIAL SAFETY DATA SHEET STAN-TONE HCC-30896 YELLOW

Version Number 1.0 Revision Date 09/13/2007 Page 6 of 6 Print Date 12/1/2011

information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.