MATERIAL SAFETY DATA SHEET STAN-TONE HCC- 29064 REGAL RED

Version Number 1.0 Revision Date 10/30/2007 Page 1 of 6 Print Date 12/2/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

| Telephone Emergency telephone | : | Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
|---|---|--|
| Product name | : | STAN-TONE HCC- 29064 REGAL RED |
| Product code | : | FO20017587 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |
| | | |

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

| Components | CAS-No. | Weight % |
|------------|-----------|----------|
| Iron oxide | 1309-37-1 | 5 - 10 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Skin contact, Ingestion | | |
|---|--|--|--|
| Acute exposure | | | |
| Inhalation | : Inhalation of airborne droplets may cause irritation of the respiratory tract. | | |
| Ingestion | : May be harmful if swallowed. | | |
| Eyes | : May cause eye/skin irritation. | | |
| Skin | : Experience shows no unusual dermatitis hazard from routine handling. | | |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. | | |
| Medical Conditions Aggravated by Exposure: | : None known. | | |

PolyOne.

MATERIAL SAFETY DATA SHEET STAN-TONE HCC- 29064 REGAL RED

Version Number 1.0 Revision Date 10/30/2007 Page 2 of 6 Print Date 12/2/2011

| | 4. FIRST AID MEASURES |
|--|--|
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. |
| Ingestion | : Do not induce vomiting without medical advice. Seek medical attention if necessary. |
| Eyes | : Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists seel medical attention. |
| | 5. FIRE-FIGHTING MEASURES |
| Flash point | : No data available |
| Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards | No data available No data available Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |
| | 6. ACCIDENTAL RELEASE MEASURES |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment. |
| Methods for cleaning up | : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods. |
| | 7. HANDLING AND STORAGE |
| Handling | : Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation. |

PolyOne.

MATERIAL SAFETY DATA SHEET STAN-TONE HCC- 29064 REGAL RED

Version Number 1.0 Revision Date 10/30/2007 Page 3 of 6 Print Date 12/2/2011

:

Not determined

| | | Leep containers dry and tightly nd contamination. Store in a contamination. | | e absorption | |
|-----------------------------------|---|---|---|--------------------------------------|--|
| 8. I | EXPOSURE | CONTROLS / PERSONAL | PROTECTION | | |
| Respiratory protection | : U | Inder normal handling conditio | ons a respirator may not l | be required. | |
| Eye/Face Protection | : S | afety glasses with side-shields | | | |
| Hand protection | : Protective gloves | | | | |
| Skin and body protection | : Long sleeved clothing | | | | |
| Additional Protective Measures | : S | : Safety shoes | | | |
| General Hygiene Considerations | | landle in accordance with good Vash hands before breaks and a | | afety practice | |
| Engineering measures | | leat only in areas with appropri ppropriate exhaust ventilation a | | Provide | |
| Exposure limit(s) | | | | | |
| | | | | | |
| Components | Value | Exposure time | Exposure type | List: | |
| Components Iron oxide | Value 5 mg/m3 | Exposure time Time Weighted Average (TWA): | Exposure type Respirable fraction. | List: ACGIH | |
| | | Time Weighted Average (TWA): PEL: | | | |
| | 5 mg/m3 | Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): | Respirable fraction. | ACGIH | |
| | 5 mg/m3 10 mg/m3 | Time Weighted Average (TWA): PEL: Time Weighted Average | Respirable fraction. Fume. | ACGIH OSHA Z1 | |
| | 5 mg/m3 10 mg/m3 5 mg/m3 10 mg/m3 | Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit | Respirable fraction. Fume. as Fe as Fe | ACGIH OSHA Z1 MX OEL | |
| | 5 mg/m3 10 mg/m3 5 mg/m3 10 mg/m3 9. PHYSIC : liqui : liqui | Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO d Evapor d, Viscous liquid Specifi | Respirable fraction. Fume. as Fe as Fe PERTIES ration rate : Not | ACGIH OSHA Z1 MX OEL | |
| Iron oxide | 5 mg/m3 10 mg/m3 5 mg/m3 10 mg/m3 9. PHYSIC : liqui : liqui | Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO d Evapor d, Viscous liquid Specifi ersion Bulk d | Respirable fraction. Fume. as Fe as Fe perturber ration rate : Not respiration : Not ensity : Not | ACGIH OSHA Z1 MX OEL MX OEL | |

Stability

Boiling Point:

Water solubility

: Stable.

: Will not occur.

: Not applicable

: Immiscible

Hazardous Polymerization

3/6

10. STABILITY AND REACTIVITY

pН

PolyOne.

MATERIAL SAFETY DATA SHEET STAN-TONE HCC- 29064 REGAL RED

| sion Number 1.0 ision Date 10/30/2007 | | | Page / Print Date 12/2/ |
|--|---|---|--|
| Conditions to avoid | | om oxidizing agents and a, do not overheat. | l open flame. To avoid thermal |
| Incompatible Materials | : Incompatible v | with strong acids and o | xidizing agents. |
| Hazardous decomposition products | | | xide (CO), oxides of nitrogen d smoke are all possible. |
| | 11. TOXICOLOGI | ICAL INFORMATIO | N |
| health data for the individual of <u>Toxicity Overview</u> | components which co | mprise the mixture. | re effects listed are based on ex have the following characteristi |
| | | | |
| CAS-No. 1309-37-1 Iron o | Chemical Name | Effect Systemic effects | Target Organ Respiratory system. |
| | | AL INFORMATION | |
| Environmental Toxicity Bioaccumulation Potential | : No data availa | | established for this mixture as a |
| Additional advice | : No data availa | ble | |
| | 13. DISPOSAL | CONSIDERATIONS | |
| | | | |
| Product | generator of w classification, | aste material has the re | to disposal or incineration. The sponsibility for proper waste osal in accordance with d local regulations. |
| Product Contaminated packaging | generator of w classification, applicable fede : Recycling is pu has the respon | vaste material has the re transportation and disp eral, state/provincial an referred when possible. sibility for proper wast n accordance with appli | sponsibility for proper waste osal in accordance with |
| | generator of w classification, applicable fede : Recycling is pr has the respon and disposal ir and local regul | vaste material has the re transportation and disp eral, state/provincial an referred when possible. sibility for proper wast n accordance with appli | esponsibility for proper waste osal in accordance with d local regulations. The generator of waste materi e classification, transportation |
| | generator of w classification, applicable fede : Recycling is pr has the respon and disposal ir and local regul | vaste material has the re transportation and disp eral, state/provincial an referred when possible. sibility for proper wast n accordance with appli lations. | esponsibility for proper waste osal in accordance with d local regulations. The generator of waste materi e classification, transportation |

PolyOne.

MATERIAL SAFETY DATA SHEET STAN-TONE HCC- 29064 REGAL RED

Version Number 1.0 Revision Date 10/30/2007 Page 5 of 6 Print Date 12/2/2011

| | 15 | . REGULATORY INFORMATION |
|---|---|---|
| US Regulations: | | |
| OSHA Status | : | Classified as hazardous based on components. |
| TSCA Status | : | All components of this product are listed on or exempt from the TSCA Inventory. |
| US. EPA CERCLA Hazardous | Subs | stances (40 CFR 302) |
| Not applicable | | |
| | | |
| California Proposition 65 | : | Not applicable |
| SARA Title III Section 302 Ex | trem | ely Hazardous Substance |
| SARA The III Section 302 EX | | |
| | | fied under this section, this product is Not Applicable under this regulat |
| | | fied under this section, this product is Not Applicable under this regulat |
| | denti | |
| Unless specific chemicals are id SARA Title III Section 313 To: | denti xic C | Chemicals: |
| Unless specific chemicals are id SARA Title III Section 313 To: | denti xic C | Chemicals: |
| Unless specific chemicals are in SARA Title III Section 313 To Unless specific chemicals are in | denti xic C denti | Chemicals: fied under this section, this product is Not Applicable under this regulat |
| Unless specific chemicals are id SARA Title III Section 313 To: Unless specific chemicals are id Canadian Regulations: | denti xic C denti | Chemicals: fied under this section, this product is Not Applicable under this regulat |
| Unless specific chemicals are id SARA Title III Section 313 To Unless specific chemicals are id Canadian Regulations: National Pollutant Relea | denti xic C denti 1se Ir | Chemicals: fied under this section, this product is Not Applicable under this regulat eventory (NPRI) |
| Unless specific chemicals are in SARA Title III Section 313 To: Unless specific chemicals are in Canadian Regulations: National Pollutant Relea Not applicable | denti xic C denti 1se Ir | Chemicals: fied under this section, this product is Not Applicable under this regulat eventory (NPRI) |
| Unless specific chemicals are in SARA Title III Section 313 To: Unless specific chemicals are in Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification | denti xic C denti ase Ir : | Chemicals: fied under this section, this product is Not Applicable under this regulat nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic |
| Unless specific chemicals are id SARA Title III Section 313 To: Unless specific chemicals are id Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification DSL | denti xic C denti ase Ir : | Chemicals: fied under this section, this product is Not Applicable under this regulat nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic |
| Unless specific chemicals are id SARA Title III Section 313 To: Unless specific chemicals are id Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification DSL National Inventories: | denti xic C denti ase Ir : : | Chemicals: fied under this section, this product is Not Applicable under this regulat eventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. |

| P | bh | vOne. |
|---|----|-------|
| | | |

MATERIAL SAFETY DATA SHEET STAN-TONE HCC- 29064 REGAL RED

Version Number 1.0 Revision Date 10/30/2007 Page 6 of 6 Print Date 12/2/2011

| Japan ENCS | : Not determined | |
|-------------------|------------------|--|
| Korea KECI | : Listed | |
| Philippines PICCS | : Listed | |

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.