### MATERIAL SAFETY DATA SHEET STAN-TONE HCC-31214 ALUMINUM

Version Number 1.0 Revision Date 04/02/2008

Page 1 of 6 Print Date 1/3/2012

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
STAN-TONE HCC-31214 ALUMINUM
FO20018532
Mixture
Mixture
Industrial Applications

#### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Aluminum	7429-90-5	30 - 60

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

## MATERIAL SAFETY DATA SHEET STAN-TONE HCC-31214 ALUMINUM

Version Number 1.0 Revision Date 04/02/2008 Page 2 of 6 Print Date 1/3/2012

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>No data available</li> <li>No data available</li> <li>Not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation. Prolonged heating may result in product degradation.

PolyOne.

### MATERIAL SAFETY DATA SHEET STAN-TONE HCC-31214 ALUMINUM

Version Number 1.0 Revision Date 04/02/2008 Page 3 of 6 Print Date 1/3/2012

Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.			
8. EXPOSURE CONTROLS/PERSONAL PROTECTION				
Respiratory protection	: Under normal handling conditions a respirator may not be required.			
Eye/Face Protection	: Safety glasses with side-shields			
Hand protection	: Protective gloves			
Skin and body protection	: Long sleeved clothing			
Additional Protective Measures	: Safety shoes			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Aluminum	10 mg/m3	Time Weighted Average (TWA):	Dust.	ACGIH
	5 mg/m3	Time Weighted Average (TWA):	Pyrophoric powder. as Al	ACGIH
	15 mg/m3	PEL:	Total dust. as Al	OSHA Z1
	5 mg/m3	PEL:	Respirable dust. as Al	OSHA Z1
	5 mg/m3	Time Weighted Average (TWA):	Pyrophoric powder.	MX OEL
	10 mg/m3	Time Weighted Average (TWA):	Dust.	MX OEL

Form	: liquid	Evaporation rate		Not established
Appearance	: liquid, Viscous liquid dispersion	Specific Gravity	-	Not determined
Color	: GREY	Bulk density	:	Not applicable
Odour	: Very faint	Vapour pressure	:	Not determined
Melting point/range	: Not applicable	Vapour density	:	Heavier than air
Boiling Point:	: Not applicable	pH	:	Not determined
Water solubility	: Immiscible	-		

#### 10. STABILITY AND REACTIVITY

P<u>olyOne</u>

#### MATERIAL SAFETY DATA SHEET STAN-TONE HCC-31214 ALUMINUM

Version Number 1.0 Revision Date 04/02/2008 Page 4 of 6 Print Date 1/3/2012

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7429-90-5	Aluminum	Irritant	Skin, Respiratory system.
		Systemic effects	Eyes, Skin, Respiratory
			system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Environmental toxicity has not been established for this mixture as a whole.
<b>Bioaccumulation Potential</b>	: No data available
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. Th generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.

PolyOne.

### MATERIAL SAFETY DATA SHEET STAN-TONE HCC-31214 ALUMINUM

ion Number 1.0 sion Date 04/02/2008						F	Page Print Date 1/3/
U.S. DOT Classification	:	Refer to specific	regulatio	n.			
ICAO/IATA (air)	:	Refer to specific	regulation	n.			
IMO / IMDG (maritime)	:	Refer to specific	regulation	n.			
	1	5. REGULATOR	Y INFOR	MATIO	DN		
US Regulations:							
OSHA Status	:	Classified as haz	zardous ba	sed on co	omponen	ts.	
TSCA Status	:	All components TSCA Inventory		oduct are	e listed or	n or exen	npt from the
US. EPA CERCLA Hazardou	is Sub	stances (40 CFR 3	302)				
Not applicable							
California Proposition	ı :	Not applicable					
65							
SARA Title III Section 302 E	xtrem	ely Hazardous Sul	bstance				
Unless specific chemicals are	ident	ified under this sec	ction, this	product i	is Not Ap	plicable	under this regu
SARA Title III Section 313 T	oxic (	Chemicals:					
Unless specific chemicals are	ident	ified under this sec	ction, this				
Chemical Name ALUMINUM (FUME OR	DUS?	[)		CAS-No 7429-90-		Weight 30.00	
ALUMINUM (FUME OK						•	
Canadian Regulations:	2000 I	nuontoru (NDDI)					
Canadian Regulations: National Pollutant Rel	ease I	nventory (NPRI)	CAS-No	).	Weight	t %	NPRI ID#
Canadian Regulations:	ease I	nventory (NPRI)	CAS-No 7429-90		Weight 30.00 -		NPRI ID#
Canadian Regulations: National Pollutant Rel Chemical Name	ease I	nventory (NPRI)					NPRI ID#

<u>PolyOne</u>

## MATERIAL SAFETY DATA SHEET STAN-TONE HCC-31214 ALUMINUM

Version Number 1.0 Revision Date 04/02/2008	Page 6 of 6 Print Date <i>1/3/2012</i>
Revision Date 04/02/2008	
CAS-No. 7429-90-5 DSL :	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:	
Australia AICS :	Listed
China IECS :	Listed
Europe EINECS :	Listed
Japan ENCS :	Not determined
Korea KECI :	Listed
Philippines PICCS :	Listed
	16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.