PolvOne

# MATERIAL SAFETY DATA SHEET **DB4371 BLACK**

Version Number 1.1 Revision Date 10/14/2009 Page 1 of 7 Print Date 1/9/2012

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone Emergency telephone	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	DB4371 BLACK
Product code	:	FO20018539
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

## 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight percent
Oxirane, 2,2'-[(1-methylethylidene)bis(4,1-	25085-99-8	1 - 5
phenyleneoxymethylene)]bis-, homopolymer		
Carbon black	1333-86-4	0.1 - 1

## **3. HAZARDS IDENTIFICATION**

### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye and skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

# MATERIAL SAFETY DATA SHEET **DB4371 BLACK**

Version Number 1.1 Revision Date 10/14/2009 Page 2 of 7 Print Date 1/9/2012

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: no data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>no data available</li> <li>no data available</li> <li>Not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE



# MATERIAL SAFETY DATA SHEET **DB4371 BLACK**

Version Number 1.1 Revision Date 10/14/2009		Page 3 of 7 Print Date <i>1/9/2012</i>
Handling	:	Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.
8. EXPOS	U	RE CONTROLS/PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields
Hand protection	:	Protective gloves
Skin and body protection	:	Long sleeved clothing
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.
Exposure limit(s)		

Components	Value	Exposure time	Exposure type	List:
Carbon black	3.5 mg/m3	Time Weighted Average (TWA):		ACGIH
	3.5 mg/m3	Recommended exposure limit (REL):		NIOSH
	0.1 mg/m3	Recommended exposure limit (REL):		NIOSH
	3.5 mg/m3	PEL:		OSHA Z1
	3.5 mg/m3	Time Weighted Average (TWA):		OSHA Z1A
	3.5 mg/m3	Time Weighted Average (TWA):		MX OEL
	7 mg/m3	Short Term Exposure Limit (STEL):		MX OEL

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance liquidviscous, liquid

Evaporation rate Specific Gravity

Not establishedNot determined

## **MATERIAL SAFETY DATA SHEET** DB4371 BLACK

Version Numbe	r 1.1
Revision Date	10/14/2009

Colour Odour Melting point/range Boiling Point: Water solubility	<ul> <li>BLACK</li> <li>very faint</li> <li>not applicable</li> <li>not applicable</li> <li>immiscible</li> </ul>	Bulk density Vapour pressure Vapour density pH	<ul><li>Not applicable</li><li>Not determined</li><li>Not determined</li><li>Not applicable</li></ul>
	10. STABILITY AND R	EACTIVITY	
Stability	: Stable		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from oxidi decomposition, do not		lame. To avoid thermal
Incompatible Materials	-		agents., Avoid contact mers during processing.
Hazardous decomposition products	: Carbon dioxide (CO2) (NOx), hydrogen chlor smoke are all possible. degradation. As a gen after one hour at 177 ° °F), and within 5 minu	ride (HCl), other hazar Prolonged heating ma eral rule of thumb, deg C (350 °F), after 10 mi	dous materials, and ay result in product radation begins to occur inutes at 204 °C (400

## **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
25085-99-8	Oxirane, 2,2'-[(1- methylethylidene)bis(4,1- phenyleneoxymethylene)] bis-, homopolymer	sensitizer	Skin.
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.

### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

Page 4 of 7 Print Date 1/9/2012

PolyOne

PolvOne

# MATERIAL SAFETY DATA SHEET **DB4371 BLACK**

Version Number 1.1 Revision Date 10/14/2009 Page 5 of 7 Print Date 1/9/2012

CAS-No.	Chemical Name	OSHA	IARC	NTP
1333-86-4	Carbon black	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

### Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). The IARC 2B listing only pertains to airborne, unbound carbon black particles of respirable size. Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

### **12. ECOLOGICAL INFORMATION**

Environmental Toxicity: Environmental toxicity has not been established for this mixture as a whole.Bioaccumulation Potential: no data availableAdditional advice: no data availableImage: Image: I	Persistence and degradability	: Not readily biodegradable.
Additional advice       : no data available         13. DISPOSAL CONSIDERATIONS         Product       : Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	Environmental Toxicity	•
<b>13. DISPOSAL CONSIDERATIONS</b> Product       : Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	Bioaccumulation Potential	: no data available
Product       : Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	Additional advice	: no data available
generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.         Contaminated packaging       : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		13. DISPOSAL CONSIDERATIONS
material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal,	Product	generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with
	Contaminated packaging	material has the responsibility for proper waste classification,

PolyOne.

# MATERIAL SAFETY DATA SHEET **DB4371 BLACK**

rsion Number 1.1 vision Date 10/14/2009			Page 6 of 7 Print Date <i>1/9/2012</i>		
U.S. DOT Classification	:	Refer to specific	regulation.		
ICAO/IATA	:	Refer to specific	regulation.		
IMO/IMDG (maritime)	:	Refer to specific	regulation.		
	15	. REGULATOR	Y INFORMATIO	ON	
US Regulations:					
OSHA Status	:	Classified as haz	zardous based on c	components.	
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.				
US. EPA CERCLA Hazardou	s Sub	stances (40 CFR 3	302)		
not applicable					
California Proposition 65	:	WARNING! TI California to cau		ns a chemical kno	own to the State of
SARA Title III Section 302 E	xtrem	ely Hazardous Su	bstance		
Unless specific chemicals are	identi	fied under this see	ction, this product	is Not Applicabl	le under this regulation
SARA Title III Section 313 To	oxic (	Chemicals:			
Unless specific chemicals are	identi	fied under this se	ction, this product	is Not Applicabl	le under this regulation
Canadian Regulations:					
National Pollutant Rele	ease Ii	ventory (NPRI)			
Chemical Name			CAS-No.	Weight percent	NPRI ID#
Miscellaneous Zinc Compo	unds		Not Available	0.10 - 1.00	241
WHMIS Classification	1 :	D2A			
DSL	:		s of this product ar (DSL) or are exen		in Domestic

PolyOne

# MATERIAL SAFETY DATA SHEET **DB4371 BLACK**

Version Number 1.1 Revision Date 10/14/2009 Page 7 of 7 Print Date 1/9/2012

National Inventories:

Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Not determined
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.