PolvOne

# MATERIAL SAFETY DATA SHEET **DB4362D 1/2 AOM**

Version Number 1.0 Revision Date 05/16/2008

Page 1 of 6 Print Date 1/3/2012

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 8155 Cobb Center Drive, Kennesaw, GA 30152

Telephone <b>Emergency telephone</b>	:	Product Stewardship (770) 590-3500 x.3563 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	DB4362D 1/2 AOM
Product code	:	FO20018793
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Molybdate (Mo8O264-), tetraammonium	12411-64-2	1 - 5
Tin zinc oxide (SnZnO3)	12036-37-2	1 - 5
Chlorinated Paraffins	63449-39-8	1 - 5

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: May cause eye/skin irritation.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

# MATERIAL SAFETY DATA SHEET **DB4362D 1/2 AOM**

Version Number 1.0 Revision Date 05/16/2008 Page 2 of 6 Print Date 1/3/2012

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: No data available
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>No data available</li> <li>No data available</li> <li>Not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE



# MATERIAL SAFETY DATA SHEET **DB4362D 1/2 AOM**

Version Number 1.0 Revision Date 05/16/2008	Page 3 of 6 Print Date <i>1/3/2012</i>
Handling :	Heat only in areas with appropriate exhaust ventilation. Processing fume condensates may contain combustible or toxic residue. Periodically clean hoods, ducts, and other surfaces to minimize accumulation of these materials.
Storage :	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place.
8. EXPOSU	RE CONTROLS/PERSONAL PROTECTION
Respiratory protection :	No personal respiratory protective equipment normally required.
Eye/Face Protection :	Safety glasses with side-shields
Hand protection :	Protective gloves
Skin and body protection :	Long sleeved clothing
Additional Protective : Measures	Safety shoes
General Hygiene : Considerations	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures :	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.
Exposure limit(s)	

Components	Value	Exposure time	Exposure type	List:
Molybdate	0.5 mg/m3	Time Weighted Average	Respirable fraction. as	ACGIH
(Mo8O264-),		(TWA):	Мо	
tetraammonium				
	5 mg/m3	PEL:	as Mo	OSHA Z1
	5 mg/m3	Time Weighted Average	as Mo	MX OEL
		(TWA):		
	10 mg/m3	Short Term Exposure Limit	as Mo	MX OEL
		(STEL):		
Tin zinc oxide	2 mg/m3	Time Weighted Average	as Sn	ACGIH
(SnZnO3)		(TWA):		
	2 mg/m3	Time Weighted Average	as Sn	MX OEL
		(TWA):		
	4 mg/m3	Short Term Exposure Limit	as Sn	MX OEL
		(STEL):		

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form

Evaporation rate

: Not established

# MATERIAL SAFETY DATA SHEET **DB4362D 1/2 AOM**

Version Number 1.0 Revision Date 05/16/2008 Page 4 of 6 Print Date 1/3/2012

Appearance Color Odour Melting point/range Boiling Point: Water solubility	<ul> <li>Viscous, liquid</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not applicable</li> <li>Not applicable</li> <li>Immiscible</li> </ul>	Specific Gravity Bulk density Vapour pressure Vapour density pH	<ul> <li>Not determined</li> <li>Not applicable</li> <li>Not determined</li> <li>Not determined</li> <li>Not applicable</li> </ul>
	10. STABILITY AND	REACTIVITY	
Stability Hazardous Polymerization	: Stable. : Will not occur.		
Conditions to avoid		idizing agents and open fator overheat.	lame. To avoid thermal

Incompatible Materials : Incompatible with strong acids and oxidizing agents., Avoid contact with acetal homopolymers and acetal copolymers during processing.

Hazardous decomposition products
Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating may result in product degradation. As a general rule of thumb, degradation begins to occur after one hour at 177 °C (350 °F), after 10 minutes at 204 °C (400 °F), and within 5 minutes at 232 °C (450 °F).

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

<u>ammoniu</u> 12. l	ECOLOGICA	C	
<b>12.</b> ]	ECOLOGICA	odegradable.	
· : N	Not readily bio	odegradable.	
· : N	Not readily bio	odegradable.	
	2	C	
: E	Environmental	tovicity has not ha	
v	whole.	toxicity has not be	en established for this mixture as a
: 1	No data availat	ble	
: 1	No data availat	ble	
13.	DISPOSAL (	CONSIDERATIO	NS
	1 : 1 :	: No data availal	: No data available

PolyOne.

# MATERIAL SAFETY DATA SHEET **DB4362D 1/2 AOM**

ion Number 1.0 ision Date 05/16/2008			Page 5 c Print Date 1/3/20
Product	generator of waste classification, tran		
Contaminated packaging	material has the re transportation and	rred when possible. The esponsibility for proper disposal in accordance d local regulations.	
	14. TRANSPORT I	INFORMATION	
U.S. DOT Classification	: Refer to specific r	egulation.	
ICAO/IATA (air)	: Refer to specific r	egulation.	
IMO / IMDG (maritime)	: Refer to specific r	egulation.	
	15. REGULATORY	INFORMATION	
US Regulations:			
OSHA Status	: Classified as haza	rdous based on compor	nents.
TSCA Status	: All components of TSCA Inventory.	of this product are listed	l on or exempt from the
US. EPA CERCLA Hazardo	is Substances (40 CFR 30	2)	
Not applicable			
SARA Title III Section 302 B	Extremely Hazardous Subs	stance	
Unless specific chemicals are	identified under this section	ion, this product is Not	Applicable under this regulat
SARA Title III Section 313 7	Soxic Chemicals:		
Unless specific chemicals are	identified under this section		
Chemical Name		CAS-No.	Weight %
ZINC COMPOUNDS		1332-07-6	5.00 - 10.00
ZINC COMPOUNDS		0-31-7	0.10 - 1.00 1.00 - 5.00
ZINC COMPOUNDS		12036-37-2	

*PolyOne* 

# MATERIAL SAFETY DATA SHEET **DB4362D 1/2 AOM**

Version Number 1.0 Revision Date 05/16/2008 Page 6 of 6 Print Date 1/3/2012

Canadian Regulations:

Chemical Name		•	CAS-No.	Weight %	NPRI ID#
Zinc borate			1332-07-6	5.00 - 10.00	
Miscellaneous Zinc Compour	nds		0-31-7	0.10 - 1.00	241
Tin zinc oxide (SnZnO3)			12036-37-2	1.00 - 5.00	
WHMIS Classification	:	Inventories or	nponents of this pro are exempt. Howe he Canadian Non-I	ver, at least one co	mponent of the
			n Canada is restrict		es List (NDS
ational Inventories:		Quantity use in	n Canada is restrict		list (INDS
ational Inventories: Australia AICS China IECS	:		n Canada is restrict d		es List (NDS
Australia AICS	::	Quantity use in Not determine	n Canada is restrict d d		æs List (NDS
Australia AICS China IECS	::	Quantity use in Not determine Not determine	n Canada is restrict d d		æs List (NDS
Australia AICS China IECS Europe EINECS	: : : :	Quantity use in Not determine Not determine Not determine	n Canada is restrict d d d		

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.